

India

**National Sample Survey Office, M/o Statistics and Programme
Implementation(MOSPI),Government of India (GOI)**

**Survey of disabled persons, NSS
58th Round : July 2002 - Dec 2002**

June 12, 2012

Metadata Production

Metadata Producer(s)	Computer Centre (MOSPI, CC) , M/O Statistics & Programme Implementation , Documentation of the study
Production Date	June 3, 2012
Version	Version 1.0 (June 2012)
Identification	DDI-IND-MOSPI-NSSO-58Rnd-Sch26-July2002-Dec2002

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	2
Producers & Sponsors	2
Sampling	3
Data Collection	3
Accessibility	3
Rights & Disclaimer	4
Files Description	5
Blocks 1,3_Household characteristics	5
Block 4_Demographic and other particulars of household members	5
Block 5_Particulars of physical disability of the disabled member	5
Block 5 Part_Type of disability	5
Block 6_Particulars of enrolment of physically disabled of age 5-18 years	6
Variables List	7
Blocks 1,3_Household characteristics	7
Block 4_Demographic and other particulars of household members	8
Block 5_Particulars of physical disability of the disabled member	9
Block 5 Part_Type of disability	11
Block 6_Particulars of enrolment of physically disabled of age 5-18 years	12
Variables Description	14
Blocks 1,3_Household characteristics	14
Block 4_Demographic and other particulars of household members	20
Block 5_Particulars of physical disability of the disabled member	31
Block 5 Part_Type of disability	42
Block 6_Particulars of enrolment of physically disabled of age 5-18 years	47
Documentation	55

India (2002) Survey of disabled persons, NSS 58th Round : July 2002 - Dec 2002 (NSS 58th Round)

Overview	
Type	Socio-Economic/Monitoring Survey [hh/sems]
Identification	DDI-IND-MOSPI-NSSO-58Rnd-Sch26-July2002-Dec2002
Version	Production Date: 2012-06-03 V1.0; Re-organised anonymised dataset for public distribution.
Series	<p>The National Sample Survey Organisation (NSSO) carried out the first country wide comprehensive survey of physically disabled persons during the 36th round survey (July - December, 1981). The next survey on the subject was carried out after a period of ten years in NSS 47th round (July - December, 1991). In NSS 36th and 47th round surveys, information was collected on three types of physical disabilities - visual, communication and loco motor - along with the cause of disability, aid/appliance acquired by the disabled, general and vocational educational level of the disabled etc. In addition, data on developmental milestones and behavioural pattern of all children of age 5-14 years, regardless of whether they were physically disabled or not, were collected.</p> <p>The Ministry of Social Justice and Empowerment (MSJE) made a request for conducting a survey on disability in order to meet the data needs for evolving specific strategies and interventions during the 10th Five Year Plan. The need for a detailed survey on disability was strongly felt by MSJE since its data requirement included not only the number of disabled persons, but also the socio-economic characteristics of the disabled persons such as their age structure, literacy, vocational training, employment, causative factors of disability, age at the onset of disability etc. It was decided that:</p> <p>(i) The survey of disabled persons will also cover persons with mental disability apart from the physically disabled persons since the Ministry of Social Justice and Empowerment (MSJE) also requested for information on mentally disabled persons. The decision to include mental disability in the survey has been taken on the basis of a pre-test of the questions on mental disability, both for the listing and detailed schedules, carried out in the four cities of Kolkata, Mumbai, Hyderabad and Delhi.</p> <p>(ii) The information for different types of disabilities has been collected for persons of all age-groups.</p>
Abstract	
<p>The Ministry of Social Justice and Empowerment (MSJE) made a request for conducting a survey on disability in order to meet the data needs for evolving specific strategies and interventions during the 10th Five Year Plan. The need for a detailed survey on disability was strongly felt by MSJE since its data requirement included not only the number of disabled persons, but also the socio-economic characteristics of the disabled persons such as their age structure, literacy, vocational training, employment, causative factors of disability, age at the onset of disability etc.</p> <p>This survey of disabled persons covered persons with mental disability apart from the physically disabled persons. The decision to include mental disability in the survey has been taken on the basis of a pre-test of the questions on mental disability, both for the listing and detailed schedules, carried out in the four cities of Kolkata, Mumbai, Hyderabad and Delhi. And the information for different types of disabilities has been collected for persons of all age-groups.</p>	
Kind of Data	Sample survey data [ssd]

Unit of Analysis	Randomly selected households based on sampling procedure and members of the household
-------------------------	---

Scope & Coverage

Scope

The schedule on Survey of Disabled Persons (Schedule 26) consists of the following 9 blocks:

- Block 0: descriptive identification of sample household
- Block 1: identification of sample household
- Block 2: particulars of field operation
- Block 3: household characteristics
- Block 4: demographic and other particulars of household members
- Block 5: particulars of disability of the disabled member
- Block 6: particulars of enrolment of disabled persons of age 5-18 years
- Block 7: remarks by investigator
- Block 8: comments by supervisory officer(s)

The identification particulars of the sample village/block and the sample household in which the survey schedule have been canvassed are to be recorded in blocks 0 & 1.

Block 2 is meant for recording the particulars of field operations.

Certain characteristics of the sample household, such as, size, social-group, principal occupation, etc., meant to be used as classificatory variables have been recorded in block 3.

The demographic particulars like age, sex and marital status, of all the normally resident members of the sample household and the particulars of degree of disability, blood relationship between parents, living arrangement, general education, etc. of all disabled members have been recorded in block 4.

Block 5 is meant for recording for each disabled member the detailed particulars of disability, such as, type of disability, degree of each type of disability, cause of disability, age at onset of disability, type of aid/appliance acquired etc.

The information as to whether or not a disabled child in the age-group 5-18 years was ever enrolled in a ordinary school/special school, whether the child is continuing in that school or not, reason for non-enrolment/discontinuation, etc., have been recorded in block 6.

Any relevant remarks of the investigator will be recorded in block 7.

The comments by the supervisory officer(s) in block 8.

Geographic Coverage

The survey covered the whole of the Indian Union except (i) Leh and Kargil districts of Jammu & Kashmir, (ii) interior villages of Nagaland situated beyond five kilometres of the bus route and (iii) villages in Andaman and Nicobar Islands which remain inaccessible throughout the year.

Universe

The survey used the interview method of data collection from a sample of randomly selected households and members of the household.

Producers & Sponsors

Primary Investigator(s)	National Sample Survey Office, M/o Statistics and Programme Implementation(MOSPI),Government of India (GOI)
--------------------------------	---

Other Producer(s)	Survey Design Research Division (SDRD) , National Sample Survey Office , Questionnaire Design, Sampling methodology, Survey Reports Questionnaire Design, Sampling methodology, Survey Reports Questionnaire Design, Sampling methodology, Survey Reports Field Operations Division (FOD) , National Sample Survey Office , Field Work Data Processing Division (DPD) , National Sample Survey Office , Data Processing Computer Centre (CC, MOSPI) , M/o Statistics and Programme Implementation(MOSPI), Government of India (GOI) , Tabulation and Dissemination
Funding Agency/ies	M/o Statistics & Programme Implementation, GOI (MOSPI)
Other Acknowledgment(s)	Governing council and Working Group , Finalisation of survey study , GOI

Sampling

Deviations from Sample Design

There was no deviation from the original sampling design.

Weighting

Two different weights have been provided in each file in the data set. Details are as follows:-

1. Weight for each sub sample is stored in the variable name : Wgt_SubSample
2. Combined subsample weight is stored in the variable name : Wgt_Combined

Data Collection

Data Collection Dates	Sub Round 1: start 2002-07-01 Sub Round 1: end 2002-09-30 Sub Round 2: start 2002-10-01 Sub Round 2: end 2002-12-31
Data Collection Mode	Face-to-face [f2f]

Questionnaires

The schedule on Survey of Disabled Persons (Schedule 26) consists of the following 9 blocks:

- Block 0: descriptive identification of sample household
- Block 1: identification of sample household
- Block 2: particulars of field operation
- Block 3: household characteristics
- Block 4: demographic and other particulars of household members
- Block 5: particulars of disability of the disabled member
- Block 6: particulars of enrolment of disabled persons of age 5-18 years
- Block 7: remarks by investigator
- Block 8: comments by supervisory officer(s)

Accessibility

Access Authority	Computer Centre (M/O Statistics and Programme Implementation) , http://mospi.nic.in/Mospi_New/site/home.aspx , nssodata@gmail.com
Contact(s)	ADG, SDRD , NSSO (M/O Statistics & PI, G/O India) , http://mospi.gov.in/

DDG, Computer Centre (M/O Statistics & PI, G/O India) , http://mospi.nic.in/Mospi_New/site/home.aspx

Access Conditions

Validated unit level data relating to various survey rounds are available on CD-ROMS which can be obtained from the Deputy Director General, Computer Centre, M/O Statistics and PI, East Block No. 10 R.K. Puram, New Delhi-110066 by remitting the price along with packaging and postal charges as well as giving an undertaking duly signed in a specified format. The amount is to be remitted by way of demand draft drawn in favour of Pay & Accounts Officer, Ministry of Statistics & Programme Implementation, payable at New Delhi.

Rights & Disclaimer

Disclaimer

The user of the data acknowledges that the original collector of the data, the authorized distributor of the data, and the relevant funding agency bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

Files Description

Dataset contains 5 file(s)

Blocks 1,3_Household characteristics	
# Cases	70302
# Variable(s)	36
File Structure	Type: relational Key(s): HHID (Primary key to uniquely identify a household)
File Content The identification particulars of the sample village/block and the sample household in which the survey schedule have been canvassed have been recorded in block 1. Certain characteristics of the sample household, such as, size, social-group, principal occupation, etc., meant to be used as classificatory variables have been recorded in block 3.	

Block 4_Demographic and other particulars of household members	
# Cases	396943
# Variable(s)	40
File Structure	Type: relational Key(s): PID (Primary key - unique identifier for a member in a household) , HHID (Key to identify a household)
File Content The demographic particulars like age, sex and marital status, of all the normally resident members of the sample household and the particulars of degree of disability, blood relationship between parents, living arrangement, general education, etc. of all disabled members have been recorded in block 4.	

Block 5_Particulars of physical disability of the disabled member	
# Cases	86745
# Variable(s)	43
File Structure	Type: relational Key(s): HHID (Key to identify a household)
File Content Block 5 records for each disabled member the detailed particulars of disability, such as, type of disability, degree of each type of disability, cause of disability, age at onset of disability, type of aid/appliance acquired etc.	

Block 5 Part_Type of disability	
# Cases	70302
# Variable(s)	34
File Structure	Type: relational Key(s): HHID (Key to identify a household)
File Content This part of block 5 records for each disabled member the particulars of type of disability.	

Block 6_Particulars of enrolment of physically disabled of age 5-18 years	
# Cases	19050
# Variable(s)	33
File Structure	Type: relational Key(s): HHID (Key to identify a household)
<u>File Content</u> The information as to whether or not a disabled child in the age-group 5-18 years was ever enrolled in a ordinary school/special school, whether the child is continuing in that school or not, reason for non-enrolment/discontinuation, etc., have been recorded in block 6.	

Variables List

Dataset contains 186 variable(s)

File Blocks 1,3_Household characteristics							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	HHID	Primary key to uniquely identify a household	discrete	character-9	70302	0	-
2	ID	Id	discrete	character-2	70302	0	-
3	Round_Sch	Round schedule	discrete	character-4	70302	0	Round Schedule
4	Sector	Sector	discrete	character-1	70302	0	Sector
5	State_region	State region	discrete	character-3	70302	0	State Region
6	State	State	discrete	character-2	70302	0	State
7	Stratum	Stratum	discrete	character-2	70302	0	Stratum
8	Sub_stratum	Sub stratum	discrete	character-1	70302	0	Sub stratum
9	District	District	discrete	character-2	70302	0	-
10	Sub_round	Sub round	discrete	character-1	70302	0	-
11	Sub_sample	Sub sample	discrete	character-1	70302	0	-
12	FSU	First Stage Unit	discrete	character-5	70302	0	-
13	Segment	Segment	discrete	character-1	70302	0	-
14	Second_stratum	Second stage stratum	discrete	character-1	70302	0	-
15	Hhold_no	Sample household serial no.	discrete	character-2	70302	0	-
16	Survey_code	Survey code	discrete	character-1	70302	0	-
17	Subst_code	Substitution code	discrete	character-1	422	0	-
18	NSS	Count of sub samples	discrete	character-2	70302	0	-
19	NSC	Count of samples combined	discrete	character-3	70302	0	-
20	MULT_SS	Multiplier	continuous	numeric-7.0	70302	0	-
21	Informant_no	Informant's no.	discrete	character-2	70265	0	-
22	Resp_code	Response code	discrete	character-1	70296	0	-
23	Disability_array	Disability array (as per new code)	discrete	character-7	70302	0	-
24	LOT	LOT no.	discrete	character-8	70302	0	-
25	B3_q1	Household size	continuous	numeric-2.0	70302	0	How many members are there in the household?
26	B3_q2	Social group	discrete	character-1	70281	0	Which social group do you belong to? Do you come under scheduled caste or scheduled tribe or other backward class or others category?
27	B3_q3	NCO code	discrete	character-3	64836	0	What is the occupation of the members of the household?
28	B3_q4	General education of the principal earner	discrete	character-2	70208	0	What is the general education of the principal earner of the household?
29	B3_q5	Land possessed	continuous	numeric-5.2	70274	28	How much land does the household possess?

File Blocks 1,3_Household characteristics							
#	Name	Label	Type	Format	Valid	Invalid	Question
30	Land_code	Land code	discrete	character-1	70302	0	-
31	B3_q6	Average monthly consumer exp. (Rs.)	continuous	numeric-6.0	70302	0	-
32	MPCE_Code	MPC code	discrete	character-2	70302	0	-
33	CMPCE_Code	CMPC code	discrete	character-2	70302	0	-
34	B3_q7	No. of disabled members	continuous	numeric-1.0	70302	0	How many members are disabled in the household?
35	Wgt_SubSample	Multiplier - Sub Sample	continuous	numeric-8.2	70302	0	-
36	Wgt_Combined	Multiplier - Combined	continuous	numeric-8.2	70302	0	-

File Block 4_Demographic and other particulars of household members							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	PID	Primary key - unique identifier for a member in a household	discrete	character-11	396943	0	-
2	HHID	Key to identify a household	discrete	character-9	396943	0	-
3	ID	Id	discrete	character-2	396943	0	-
4	Round_Sch	Round schedule	discrete	character-4	396943	0	Round Schedule
5	Sector	Sector	discrete	character-1	396943	0	Sector
6	State_region	State region	discrete	character-3	396943	0	State Region
7	State	State	discrete	character-2	396943	0	State
8	Stratum	Stratum	discrete	character-2	396943	0	Stratum
9	Sub_stratum	Sub stratum	discrete	character-1	396943	0	Sub stratum
10	District	District	discrete	character-2	396943	0	-
11	Sub_round	Sub round	discrete	character-1	396943	0	-
12	Sub_sample	Sub sample	discrete	character-1	396943	0	-
13	FSU	First Stage Unit	discrete	character-5	396943	0	-
14	Segment	Segment	discrete	character-1	396943	0	-
15	Second_stratum	Second stage stratum	discrete	character-1	396943	0	-
16	Hhold_no	Sample household serial no.	discrete	character-2	396943	0	-
17	NSS	Count of sub samples	discrete	character-2	396943	0	-
18	NSC	Count of samples combined	discrete	character-3	396943	0	-
19	MULT_SS	Multiplier	continuous	numeric-7.0	396943	0	-
20	B4_q1	Member serial no.	discrete	character-2	396943	0	-
21	B4_q3	Relationship to head (Code)	discrete	character-1	396943	0	What is the relationship of the member to the head of the household?
22	B4_q4	Sex	discrete	character-1	396943	0	Whether the member of the household a male or female?

File Block 4_Demographic and other particulars of household members

#	Name	Label	Type	Format	Valid	Invalid	Question
23	B4_q5	Age	continuous	numeric-2.0	396942	1	What is the age of the member of the household?
24	B4_q6	Marital status	discrete	character-1	396898	0	What is the marital status of the member of the household?
25	B4_q7	Disability code	discrete	character-1	396943	0	Whether the member of the household having any disability?
26	Type_of_disabili	Type of disability (recoded)	discrete	character-1	396943	0	-
27	B4_q8	Extent of physical disability	discrete	character-1	68138	0	What is the extent of disability of the member of the household?
28	B4_q9	Whether the parents blood-related	discrete	character-1	75892	0	What is the type of blood relationship between parents of the member of the household? Whether the parents are blood-related or not?
29	B4_q10	Living arrangement	discrete	character-1	75902	0	What is the living arrangement of the member of the household?
30	B4_q11	General education	discrete	character-2	75885	0	What is the education level of the member of the household?
31	B4_q12	Vocational education	discrete	character-1	75892	0	Whether the member of the household completed any formal vocational course?
32	B4_q13	Whether received any aid/help	discrete	character-1	75894	0	Whether the member has received any aid/help?
33	B4_q14	Usual activity status	discrete	character-2	75980	0	What is the usual activity status of the member of the household?
34	B4_q15	NIC Code	discrete	character-2	18187	0	Which industry has the member of the household worked in?
35	NIC_Category	NIC category	discrete	character-1	18145	0	-
36	B4_q16	Working before onset	discrete	character-1	75984	0	Whether the member was working before the onset of disability?
37	B4_q17	Loss / change of work	discrete	character-1	26198	0	If code 1 in col. (16), whether disability caused loss or change of work to the member of the household?
38	Age_group	Age group	discrete	character-2	396943	0	-
39	Wgt_SubSample	Multiplier - Sub Sample	continuous	numeric-8.2	396943	0	-
40	Wgt_Combined	Multiplier - Combined	continuous	numeric-8.2	396943	0	-

File Block 5_Particulars of physical disability of the disabled member

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HHID	Key to identify a household	discrete	character-9	86745	0	-
2	ID	Id	discrete	character-2	86745	0	-
3	Round_Sch	Round schedule	discrete	character-4	86745	0	Round Schedule
4	Sector	Sector	discrete	character-1	86745	0	Sector
5	State_region	State region	discrete	character-3	86745	0	State Region
6	State	State	discrete	character-2	86745	0	State
7	Stratum	Stratum	discrete	character-2	86745	0	Stratum

File Block 5_Particulars of physical disability of the disabled member							
#	Name	Label	Type	Format	Valid	Invalid	Question
8	Sub_stratum	Sub stratum	discrete	character-1	86745	0	Sub stratum
9	District	District	discrete	character-2	86745	0	-
10	Sub_round	Sub round	discrete	character-1	86745	0	-
11	Sub_sample	Sub sample	discrete	character-1	86745	0	-
12	FSU	First Stage Unit	discrete	character-5	86745	0	-
13	Segment	Segment	discrete	character-1	86745	0	-
14	Second_stratum	Second stage stratum	discrete	character-1	86745	0	-
15	Hhold_no	Sample household serial no.	discrete	character-2	86745	0	-
16	NSS	Count of sub samples	discrete	character-2	86745	0	-
17	NSC	Count of samples combined	discrete	character-3	86745	0	-
18	MULT_SS	Multiplier	continuous	numeric-7.0	86745	0	-
19	B4_q1	Person serial no.	discrete	character-2	86745	0	-
20	B4_q5	Age	continuous	numeric-2.0	86745	0	-
21	Type_of_disabili	Type of disability (recoded)	discrete	character-1	86745	0	-
22	B5_q3	Type of disability	discrete	character-1	86745	0	What type of disability does the member of the household has?
23	B5_q4	Serial no. of disability	discrete	character-1	86745	0	-
24	B5_q5	Disability from birth	discrete	character-1	86745	0	Whether the member of the household having the disability by birth?
25	B5_q6	Age at onset	continuous	numeric-2.0	54732	32013	If the member of the household is not having the disability by birth, at what age the disability started?
26	B5_q7	Whether disability commenced during last 365 days	discrete	character-1	55139	0	Whether disability commenced during last one year?
27	B5_q8	Late in sitting, walking, talking etc.	discrete	character-1	11283	0	If having mental disability, was he/she late in sitting, walking or talking in childhood as compared to other children?
28	B5_q9	Degree of disability	discrete	character-1	75332	0	What is the extent or degree of disability?
29	B5_q10	Cause	discrete	character-2	54648	0	If the member is having disability from birth, then what is the cause of disability?
30	B5_q11	If disability due to burns / injury, place of incident	discrete	character-1	9429	0	If the disability is due to burns/injury, what was the place of incident?
31	B5_q12	Taken treatment	discrete	character-1	86745	0	Whether the disabled member of the household has taken treatment?
32	B5_q13	Aid / appliance advised	discrete	character-1	75464	0	Whether aid/appliance has been advised and it has been acquired?
33	B5_q14	Type of aid / appliance	discrete	character-2	11164	0	Exactly what type of aid/appliance has been acquired by the member of the household?

File Block 5_Particulars of physical disability of the disabled member							
#	Name	Label	Type	Format	Valid	Invalid	Question
34	B5_q15	How aid/appliance acquired	discrete	character-1	11333	0	How the aid/appliance was acquired by the disabled member of the household?
35	B5_q16	Whether regularly used	discrete	character-1	11397	0	If the aid/appliance has been acquired by the member of the household, whether it is being regularly used?
36	B5_q17	Reason for not using	discrete	character-1	2993	0	If the aid/appliance has been acquired by the member of the household but it is not being used, then what is the reason behind not using it?
37	B5_q18	Reason for not acquiring	discrete	character-1	4562	0	If the aid/appliance was advised to the disabled member of the household and still it has not been acquired, then what was the reason behind it?
38	Count_of_disabi	Count of disability	discrete	character-1	86745	0	-
39	Person_ID	Person ID	discrete	character-11	86745	0	-
40	Age_group	Age group	discrete	character-2	86745	0	-
41	Age_at_onset_g	Age at onset group	discrete	character-2	86745	0	-
42	Wgt_SubSample	Multiplier - Sub Sample	continuous	numeric-8.2	86745	0	-
43	Wgt_Combined	Multiplier - Combined	continuous	numeric-8.2	86745	0	-

File Block 5 Part_Type of disability							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	HHID	Key to identify a household	discrete	character-9	70302	0	-
2	ID	Id	discrete	character-2	70302	0	-
3	Round_Sch	Round schedule	discrete	character-4	70302	0	Round Schedule
4	Sector	Sector	discrete	character-1	70302	0	Sector
5	State_region	State region	discrete	character-3	70302	0	State Region
6	State	State	discrete	character-2	70302	0	State
7	Stratum	Stratum	discrete	character-2	70302	0	Stratum
8	Sub_stratum	Sub stratum	discrete	character-1	70302	0	Sub stratum
9	District	District	discrete	character-2	70302	0	-
10	Sub_round	Sub round	discrete	character-1	70302	0	-
11	Sub_sample	Sub sample	discrete	character-1	70302	0	-
12	FSU	First Stage Unit	discrete	character-5	70302	0	-
13	Segment	Segment	discrete	character-1	70302	0	-
14	Second_stratum	Second stage stratum	discrete	character-1	70302	0	-
15	Hhold_no	Sample household serial no.	discrete	character-2	70302	0	-
16	NSS	Count of sub samples	discrete	character-2	70302	0	-
17	NSC	Count of samples combined	discrete	character-3	70302	0	-

File Block 5 Part_Type of disability							
#	Name	Label	Type	Format	Valid	Invalid	Question
18	MULT_SS	Multiplier	continuous	numeric-7.0	70302	0	-
19	B3_q6	Average monthly consumption exp.	continuous	numeric-6.0	70302	0	-
20	MPCE_Code	MPC code	discrete	character-2	70302	0	-
21	CMPCE_Code	CMPC code	discrete	character-2	70302	0	-
22	B3_q7	No. of disabled	discrete	numeric-1.0	70302	0	How many members are disabled in the household?
23	Disability_type_0	Disability type 0	discrete	character-2	70302	0	What type of disability does the member of the household has?
24	Disability_type_1	Disability type 1	discrete	character-1	70302	0	What type of disability does the member of the household has?
25	Disability_type_2	Disability type 2	discrete	character-1	70302	0	What type of disability does the member of the household has?
26	Disability_type_3	Disability type 3	discrete	character-1	70302	0	What type of disability does the member of the household has?
27	Disability_type_4	Disability type 4	discrete	character-1	70302	0	What type of disability does the member of the household has?
28	Disability_type_5	Disability type 5	discrete	character-1	70302	0	What type of disability does the member of the household has?
29	Disability_type_6	Disability type 6	discrete	character-1	70302	0	What type of disability does the member of the household has?
30	Disability_type_7	Disability type 7	discrete	character-1	70302	0	What type of disability does the member of the household has?
31	Disability_type_8	Disability type 8	discrete	character-2	70302	0	What type of disability does the member of the household has?
32	LOT	LOT No.	discrete	character-8	70302	0	-
33	Wgt_SubSample	Multiplier - Sub Sample	continuous	numeric-8.2	70302	0	-
34	Wgt_Combined	Multiplier - Combined	continuous	numeric-8.2	70302	0	-

File Block 6 Particulars of enrolment of physically disabled of age 5-18 years							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	HHID	Key to identify a household	discrete	character-9	19050	0	-
2	ID	Id	discrete	character-2	19050	0	-
3	Round_Sch	Round schedule	discrete	character-4	19050	0	Round Schedule
4	Sector	Sector	discrete	character-1	19050	0	Sector
5	State_region	State region	discrete	character-3	19050	0	State Region
6	State	State	discrete	character-2	19050	0	State
7	Stratum	Stratum	discrete	character-2	19050	0	Stratum
8	Sub_stratum	Sub stratum	discrete	character-1	19050	0	Sub stratum
9	District	District	discrete	character-2	19050	0	-
10	Sub_round	Sub round	discrete	character-1	19050	0	-
11	Sub_sample	Sub sample	discrete	character-1	19050	0	-
12	FSU	First Stage Unit	discrete	character-5	19050	0	-

File Block 6_Particulars of enrolment of physically disabled of age 5-18 years							
#	Name	Label	Type	Format	Valid	Invalid	Question
13	Segment	Segment	discrete	character-1	19050	0	-
14	Second_stratum	Second stage stratum	discrete	character-1	19050	0	-
15	Hhold_no	Sample household serial no.	discrete	character-2	19050	0	-
16	NSS	Count of sub samples	discrete	character-2	19050	0	-
17	NSC	Count of samples combined	discrete	character-3	19050	0	-
18	MULT_SS	Multiplier	continuous	numeric-7.0	19050	0	-
19	B4_q1	Person serial no.	discrete	character-2	19050	0	-
20	B4_q5	Age	continuous	numeric-2.0	19050	0	What is the age of the member of the household?
21	Type_of_disabili	Type of disability (recoded)	discrete	character-1	19050	0	-
22	B6_q3	Whether the child has attended pre-school intervention programme?	discrete	character-1	18970	0	Whether the child has attended pre-school intervention programme?
23	B6_q4	Whether ever enrolled in ordinary school?	discrete	character-1	18975	0	Whether the disabled member of the household ever got enrolled in an ordinary school?
24	B6_q5	Whether continuing	discrete	character-1	11451	0	If the disabled member of the household got enrolled in an ordinary school, whether he/she is continuing it?
25	B6_q6	Discontinued	discrete	character-1	3198	0	If the disabled member of the household got enrolled in an ordinary school but later discontinued it, then whether he/she discontinued school due to onset of disability?
26	B6_q7	Enrolled in special school	discrete	character-1	10696	0	Whether the disabled member of the household ever got enrolled in any special school meant for the disabled?
27	B6_q8	Whether continuing	discrete	character-1	651	0	If the disabled member of the household got enrolled in a special school, whether he/she is continuing it?
28	B6_q9	Reason for non-enrollment	discrete	character-2	9759	0	If the disabled member of the household did not get enrolled in a special school, then what were the reasons behind it?
29	B6_q10	Reason for discontinuation	discrete	character-2	212	0	If the disabled member of the household got enrolled in a special school but later discontinued it, then what were the reasons behind it?
30	LOT	LOT no.	discrete	character-8	19050	0	-
31	B4_q4	Sex	discrete	character-1	19050	0	Whether the disabled member of the household a male or female?
32	Wgt_SubSample	Multiplier - Sub Sample	continuous	numeric-8.2	19050	0	-
33	Wgt_Combined	Multiplier - Combined	continuous	numeric-8.2	19050	0	-

Variables Description

Dataset contains 186 variable(s)

File Blocks 1,3_Household characteristics			
#1 HHID: Primary key to uniquely identify a household			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Recoding and Derivation	This variable has been derived for uniquely identifying a household by combining Serial no of village / Block, Segment number, Second Stage Stratum and Sample Household number.		
#2 ID: Id			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.		
#3 Round_Sch: Round schedule			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Definition	Indicates the NSS round and schedule number of this survey.		
Literal question	Round Schedule		
Value	Label	Cases	Percentage
5826		70302	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#4 Sector: Sector			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Definition	Sector : A word used for the rural-urban demarcation.		
Literal question	Sector		
Value	Label	Cases	Percentage
1	Rural	45571	64.8%
2	Urban	24731	35.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#5 State_region: State region			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Definition	Regions are hierarchical domains of study below the level of State/ Union Territory in the NSS.		
Literal question	State Region		
#6 State: State			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	State		
Recoding and Derivation	This variable has been derived from the variable "State region" to enable the users to easily access state wise data.		
<i>Frequency table not shown (35 Modalities)</i>			

File Blocks 1,3_Household characteristics			
#7 Stratum: Stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Definition	Within each district of a State/ UT, two basic strata were formed: (i) rural stratum comprising of all rural areas of the district and (ii) urban stratum comprising of all the urban areas of the district.		
Literal question	Stratum		
#8 Sub_stratum: Sub stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	Sub stratum		
#9 District: District			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
#10 Sub_round: Sub round			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sub - Round 1	35875	51.0%
2	Sub - Round 2	34427	49.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#11 Sub_sample: Sub sample			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Definition	<p>An important feature of the NSS sampling design is that the total sample of first stage units is drawn in the form of two or more independent and parallel samples, termed as interpenetrating sub-samples. Each sub- sample is drawn by the same sampling scheme and is capable of providing valid estimates of the population parameters. The comparison of sub-sample wise estimates shows the margin of uncertainty associated with the combined sample estimate.</p> <p>Interpenetrating sub-samples have been used in NSS (i) to obtain valid estimates from each sub-round (season) of the survey round, and (ii) to ensure that Central and State samples for any State/ UT cover independent and equally valid samples of units.</p> <p>The samples surveyed by the NSSO staff are termed as Central sample and the matched samples surveyed by State Government staff are termed as State sample.</p>		
Value	Label	Cases	Percentage
1	Central sample	35447	50.4%
2	State sample	34855	49.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#12 FSU: First Stage Unit			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Definition	The first-stage units are census villages in the rural sector and the NSSO urban frame survey (UFS) blocks in the urban sector. This variable indicates the serial number assigned to such units.		

File Blocks 1,3_Household characteristics

#13 Segment: Segment

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70302 /-] [Invalid=0 /-]

#14 Second_stratum: Second stage stratum

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70302 /-] [Invalid=0 /-]

#15 Hhold_no: Sample household serial no.

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70302 /-] [Invalid=0 /-]

#16 Survey_code: Survey code

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70302 /-] [Invalid=0 /-]

Interviewer's instructions

Item 18: survey code: Whether the originally selected sample household has been surveyed or a substituted household has been surveyed will be indicated against this item by recording '1' if it is the originally selected sample household, and '2' if it is the substituted one. If neither the originally selected household nor the substituted household can be surveyed i.e., if the sample household is a casualty, code '3' will be recorded. In such cases only blocks 0, 1, 2, 7 and 8 will be filled in and on the top of the front page of the schedule the word 'CASUALTY' will be written and underlined.

Value	Label	Cases	Percentage
1	Original household surveyed	69880	99.4%
2	Substitute household surveyed	422	0.6%
3	Casualty (nothing surveyed)	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 Subst_code: Substitution code

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=422 /-] [Invalid=0 /-]

Interviewer's instructions

Item 19: reason for first substitution of original household: For an originally selected sample household which could not be surveyed, irrespective of whether a substituted household could be surveyed or not, the reason for not surveying the original household will be recorded against item 19 in terms of the specified codes. The codes are:

informant busy 1
 members away from home 2
 informant non-cooperative 3
 others 9

This item is applicable only if the entry against item 18 is either 2 or 3. Otherwise, a '-' may be recorded against this item.

Value	Label	Cases	Percentage
1	Informant busy	26	6.2%
2	Members away from home	304	72.0%
3	Informant non-cooperative	42	10.0%
9	Others	50	11.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 NSS: Count of sub samples

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70302 /-] [Invalid=0 /-]

File Blocks 1,3_Household characteristics

#19 NSC: Count of samples combined

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]

#20 MULT_SS: Multiplier

Information	[Type= continuous] [Format=numeric] [Range= 150-1301799] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-] [Mean=45531.333 /-] [StdDev=44869.188 /-]

#21 Informant_no: Informant's no.

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70265 /-] [Invalid=0 /-]

Interviewer's instructions Item 16: srl. no. of informant (as in col. 1, block 4): The srl. no. (as in col. 1 of block 4) of the person from whom the bulk of the information is collected will be entered here. This item will be filled in after collecting information in block 4. In case of residential institutions for disabled persons, if the informant is owner / official of the institution, '99' may be recorded.

#22 Resp_code: Response code

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70296 /-] [Invalid=0 /-]

Interviewer's instructions Item 17: response code: This item is to be filled-in after canvassing the schedule. The type of informant, considering his co-operation and capability in providing the required information, will be recorded against this item in terms of specified response codes. The codes are:

informant: co-operative and capable 1 busy 3
 co-operative but not capable 2 reluctant 4
 others..... 9

Value	Label	Cases	Percentage
1	Cooperative & capable	59497	84.6%
2	Cooperative but not capable	10021	14.3%
3	Busy	372	0.5%
4	Reluctant	318	0.5%
9	Others	88	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 Disability_array: Disability array (as per new code)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]

#24 LOT: LOT no.

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]

Recoding and Derivation This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#25 B3_q1: Household size

Information	[Type= continuous] [Format=numeric] [Range= 1-43] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-] [Mean=5.646 /-] [StdDev=2.873 /-]

Definition Household
 A group of persons normally living together and taking food from a common kitchen constituted a household. The members of a household might not be related by blood to one another. Note that residential institutions for disabled were also covered for the survey.

File Blocks 1,3_Household characteristics

#25 B3_q1: Household size

Literal question	How many members are there in the household?
Interviewer's instructions	Size of the sample household i.e. the total number of persons normally residing together (under the same roof) and taking food from the same kitchen (including temporary stay-aways and excluding temporary visitors) will be recorded against this item.

#26 B3_q2: Social group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70281 /-] [Invalid=0 /-]
Literal question	Which social group do you belong to? Do you come under scheduled caste or scheduled tribe or other backward class or others category?
Interviewer's instructions	Whether or not the household belongs to scheduled tribe (ST), scheduled caste (SC) or other backward class (OBC) will be indicated against this item. The codes for social-group are: scheduled tribe 1 scheduled caste 2 other backward class 3 others 9 Those who do not come under any one of the first three social groups will be assigned code 9. In case different members belong to different social groups, the group to which the head of the household belongs will be considered as the 'social group' of the household.

Value	Label	Cases	Percentage
1	scheduled tribe	6035	8.6%
2	scheduled caste	14492	20.6%
3	other backward class	26876	38.2%
9	others	22878	32.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 B3_q3: NCO code

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=64836 /-] [Invalid=0 /-]
Literal question	What is the occupation of the members of the household?
Interviewer's instructions	The household occupation determined according to the definition occupation (NCO, 1968) codes for the household are to be recorded in the box spaces against item 3.

#28 B3_q4: General education of the principal earner

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70208 /-] [Invalid=0 /-]
Literal question	What is the general education of the principal earner of the household?
Interviewer's instructions	Principal earner of the household is that person among the household members who had the highest earnings during the 365 days preceding the date of survey from any type of activity economic or non-economic. Information regarding the general educational level attained by the principal earner will be recorded against this item in terms of the specified codes. For the purpose of making entries, only the course successfully completed will be considered. For instance, a person who had studied up to say, first year B.A., his educational attainment will only be higher secondary. The codes to be used are: not literate 01 literate without formal schooling 02 literate but below primary 03 primary 04 middle 05 secondary 06 higher secondary 07 diploma / certificate course 08

File Blocks 1,3_Household characteristics

#28 B3_q4: General education of the principal earner

graduate 10
 post graduate and above 11

A person who can both read and write a simple message with understanding in at least one language is to be considered as literate. Those who are not able to do so, are to be considered not literate and will be assigned code 01. Those who are literate but never attended any school will be given code 02. Those who are, by definition literate but are yet to pass a primary standard examination will be assigned code 03. Codes 04, 05, 06 and 07 will indicate the successive higher standards of examinations passed. Criteria for deciding primary, middle, secondary etc. will depend on the pattern followed in the concerned state or union territory. Persons who have attained proficiency in Oriental languages (e.g. Sanskrit, Persian etc.) through formal but not the general type of education will be classified appropriately at the equivalent level of general education standard.

Value	Label	Cases	Percentage
01	Not literate	26577	37.9%
02	Literate without formal schooling	1469	2.1%
03	Literate but below primary	7071	10.1%
04	Primary	10585	15.1%
05	Middle	11139	15.9%
06	Secondary	6354	9.1%
07	Higher secondary	2792	4.0%
08	Diploma/certificate course	616	0.9%
10	Graduate	2810	4.0%
11	Post-graduate and above	795	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 B3_q5: Land possessed

Information	[Type= continuous] [Format=numeric] [Range= 0-91.06] [Missing=*]
Statistics [NW/ W]	[Valid=70274 /-] [Invalid=28 /-] [Mean=0.602 /-] [StdDev=1.674 /-]
Literal question	How much land does the household possess?
Interviewer's instructions	Item 5: land possessed (0.00 ha): The area of land possessed will include land 'owned', 'leased in' and 'land neither owned nor leased in' (i.e. encroached) by the household but exclude land 'leased out'. The total land area possessed by the household as on the date of survey will be worked out and recorded in hectares up to two places of decimal.

#30 Land_code: Land code

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#31 B3_q6: Average monthly consumer exp. (Rs.)

Information	[Type= continuous] [Format=numeric] [Range= 1-108000] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-] [Mean=2954.062 /-] [StdDev=2137.988 /-]
Interviewer's instructions	Item 6: average monthly consumer expenditure (Rs. in whole number): This is the expenditure of a household on domestic consumption and is same as the expenditure covered in the consumer expenditure surveys of NSS. The average monthly consumer expenditure worked out on the basis of the preceding 12 months from the date of survey will be recorded against this item. The expenditure will be entered in whole number in rupees.

#32 MPCE_Code: MPC code

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]

File Blocks 1,3_Household characteristics	
#32 MPCE_Code: MPC code	
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.
#33 CMPCE_Code: CMPC code	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.
#34 B3_q7: No. of disabled members	
Information	[Type= continuous] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Definition	Disability: A person with restrictions or lack of abilities to perform an activity in the manner or within the range considered normal for a human being was treated as having disability. It excluded illness/injury of recent origin (morbidity) resulting into temporary loss of ability to see, hear, speak or move.
Literal question	How many members are disabled in the household?
Interviewer's instructions	Item 7: no. of disabled members: This item will be filled-in after filling-in block 4. Whether or not each member of the sample household has any disability will be indicated in column 7 of block 4. The number of members listed in block 4 with any of codes 1 to 6 in column 7, will be recorded against this item.
#35 Wgt_SubSample: Multiplier - Sub Sample	
Information	[Type= continuous] [Format=numeric] [Range= 1.5-13017.99] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-] [Mean=455.313 /-] [StdDev=448.692 /-]
Recoding and Derivation	For generating sub sample estimates, this weight should be applied. It has been calculated as follows: Wgt_SubSample = MULT_SS/100
#36 Wgt_Combined: Multiplier - Combined	
Information	[Type= continuous] [Format=numeric] [Range= 0.75-12172] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-] [Mean=228.798 /-] [StdDev=245.646 /-]
Recoding and Derivation	For generating sub sample combined estimates, this weight should be applied. It has been calculated as follows: Wgt_Combined = MULT_SS/100, if NSS=NSC, and Wgt_Combined = MULT_SS/200, if NSC>NSS
File Block 4_Demographic and other particulars of household members	
#1 PID: Primary key - unique identifier for a member in a household	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
Recoding and Derivation	This variable has been derived for uniquely identifying a member in a household by combining HHID and serial no. of member.
#2 HHID: Key to identify a household	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
Recoding and Derivation	This variable has been derived for identifying a household by combining Serial no of village / Block, Segment number, Second Stage Stratum and Sample Household number.

File Block 4_Demographic and other particulars of household members

#3 ID: Id			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]		
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.		
#4 Round_Sch: Round schedule			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]		
Definition	Indicates the NSS round and schedule number of this survey.		
Literal question	Round Schedule		
Value	Label	Cases	Percentage
5826		396943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#5 Sector: Sector			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]		
Definition	Sector : A word used for the rural-urban demarcation.		
Literal question	Sector		
Value	Label	Cases	Percentage
1	Rural	260020	65.5%
2	Urban	136923	34.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#6 State_region: State region			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]		
Definition	Regions are hierarchical domains of study below the level of State/ Union Territory in the NSS.		
Literal question	State Region		
#7 State: State			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]		
Literal question	State		
Recoding and Derivation	This variable has been derived from the variable "State region" to enable the users to easily access state wise data.		
<i>Frequency table not shown (35 Modalities)</i>			
#8 Stratum: Stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]		
Definition	Within each district of a State/ UT, two basic strata were formed: (i) rural stratum comprising of all rural areas of the district and (ii) urban stratum comprising of all the urban areas of the district.		
Literal question	Stratum		

File Block 4_Demographic and other particulars of household members

#9 Sub_stratum: Sub stratum

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=396943 /-] [Invalid=0 /-]

Literal question Sub stratum

#10 District: District

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=396943 /-] [Invalid=0 /-]

#11 Sub_round: Sub round

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=396943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sub - Round 1	202575	51.0%
2	Sub - Round 2	194368	49.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 Sub_sample: Sub sample

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=396943 /-] [Invalid=0 /-]

Definition

An important feature of the NSS sampling design is that the total sample of first stage units is drawn in the form of two or more independent and parallel samples, termed as interpenetrating sub-samples. Each sub- sample is drawn by the same sampling scheme and is capable of providing valid estimates of the population parameters. The comparison of sub-sample wise estimates shows the margin of uncertainty associated with the combined sample estimate.

Interpenetrating sub-samples have been used in NSS (i) to obtain valid estimates from each sub-round (season) of the survey round, and (ii) to ensure that Central and State samples for any State/ UT cover independent and equally valid samples of units.

The samples surveyed by the NSSO staff are termed as Central sample and the matched samples surveyed by State Government staff are termed as State sample.

Value	Label	Cases	Percentage
1	Central sample	200379	50.5%
2	State sample	196564	49.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 FSU: First Stage Unit

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=396943 /-] [Invalid=0 /-]

Definition

The first-stage units are census villages in the rural sector and the NSSO urban frame survey (UFS) blocks in the urban sector. This variable indicates the serial number assigned to such units.

#14 Segment: Segment

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=396943 /-] [Invalid=0 /-]

#15 Second_stratum: Second stage stratum

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=396943 /-] [Invalid=0 /-]

File Block 4_Demographic and other particulars of household members**#16 Hhold_no: Sample household serial no.**

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
---------------------------	----------------------------------

#17 NSS: Count of sub samples

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
---------------------------	----------------------------------

#18 NSC: Count of samples combined

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
---------------------------	----------------------------------

#19 MULT_SS: Multiplier

Information	[Type= continuous] [Format=numeric] [Range= 150-1301799] [Missing=*]
--------------------	--

Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-] [Mean=45795.741 /-] [StdDev=44703.209 /-]
---------------------------	--

#20 B4_q1: Member serial no.

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
---------------------------	----------------------------------

Interviewer's instructions	Column (1): serial number: All the members of the sample household will be listed in block 4 using a continuous serial number in column 1. In the list, the head of the household will appear first followed by his or her spouse, the first son, first son's wife and their children, second son, second son's wife and their children & so on. After sons are enumerated the daughters will be listed followed by relatives, dependents, resident employees/ servants, and paying guests, etc.
-----------------------------------	--

#21 B4_q3: Relationship to head (Code)

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
---------------------------	----------------------------------

Literal question	What is the relationship of the member to the head of the household?
-------------------------	--

Interviewer's instructions	The family relationship of each member of the household with the head of the household (for the head, the relationship is 'self') expressed in terms of specified codes will be recorded in this column. The codes to be used are :
-----------------------------------	---

description code

```

self ..... 1
spouse of head ..... 2
married child ..... 3
spouse of married child ..... 4
unmarried child ..... 5
grandchild ..... 6
father/mother/father-in-law/mother-in-law ..... 7
brother/sister/brother-in-law/sister-in-law/other
relatives..... 8
servant/employee/other non-relatives ..... 9

```

Value	Label	Cases	Percentage
1	Head	70299	17.7%
2	Spouse of head	57207	14.4%
3	Married child	24174	6.1%
4	Spouse of married child	22179	5.6%
5	Unmarried child	142463	35.9%
6	Grandchild	41487	10.5%
7	Father/mother/father-in-law/mother-in-law	15107	3.8%

File Block 4_Demographic and other particulars of household members

#21 B4_q3: Relationship to head (Code)

Value	Label	Cases	Percentage
8	Brother/sister/brother-in-law/sister-in-law/other relations	23328	5.9%
9	Servant/employee/or non-relatives	699	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 B4_q4: Sex

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
Literal question	Whether the member of the household a male or female?
Interviewer's instructions	The sex of the members of the household will be recorded against item 4 in terms of codes. The codes are : male 1 female 2

Value	Label	Cases	Percentage
1	Male	205198	51.7%
2	Female	191745	48.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 B4_q5: Age

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=396942 /-] [Invalid=1 /-] [Mean=28.106 /-] [StdDev=20.353 /-]
Literal question	What is the age of the member of the household?
Interviewer's instructions	The age at last birthday in completed years of all the members listed in col. (1) will be ascertained and recoded in col. (5). For a new born baby or a baby who has not completed one year of age on the date of survey, entry to be made in col. (5) will be '0'.

#24 B4_q6: Marital status

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=396898 /-] [Invalid=0 /-]
Literal question	What is the marital status of the member of the household?
Interviewer's instructions	The marital status of each member will be recorded in terms of the specified code in this column. The codes are : description code never married 1 currently married 2 widowed..... 3 divorced/separated 4

Value	Label	Cases	Percentage
1	Never married	200217	50.4%
2	Currently married	169672	42.7%
3	Widowed	24265	6.1%
4	Divorced/separated	2744	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 B4_q7: Disability code

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
Literal question	Whether the member of the household having any disability?
Interviewer's instructions	Column 7: whether having disability?: Whether or not each member of the household has any one or more of the disabilities - mental, visual, hearing, speech and locomotor will be indicated in terms of codes in this column. A person may or may not have any disability. Further, a persons having disability, may have one or more than one

File Block 4_Demographic and other particulars of household members

#25 B4_q7: Disability code

type of the five different disabilities under survey. Persons having only one type of disability will be considered as having 'single' disability and for such persons, one of the relevant codes 1 to 5 will be recorded in column 7. Persons having more than one type of disability will be considered as having 'multiple' disability and code 6 will be recorded for such persons. Further, persons having two or more of the locomotor disabilities, namely, paralysis, deformity of limb, loss of limb, dysfunction of joints of limb and others, will also be considered as having 'multiple' disability and code 6 will be recorded for them as well.
The codes to be used are:

yes:
single:
mental 1
visual 2
hearing 3
speech 4
locomotor 5
multiple 6
no 7

Value	Label	Cases	Percentage
1	yes: single: mental	9050	2.3%
2	yes: single: visual	9181	2.3%
3	yes: single: hearing	7485	1.9%
4	yes: single: speech	4032	1.0%
5	yes: single: locomotor	37004	9.3%
6	multiple	9227	2.3%
7	no	320964	80.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 Type_of_disability: Type of disability (recoded)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#27 B4_q8: Extent of physical disability

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=68138 /-] [Invalid=0 /-]
Literal question	What is the extent of disability of the member of the household?
Interviewer's instructions	<p>Column 8: extent of physical disability: This column will be filled-in for persons having physical disabilities only, i.e. for persons with code 2 to 6 in col. 7. Self-care, such as, ability to go to latrine, taking food, getting dressed, etc., are to be taken into account for determining the extent of physical disability of a disabled member. The codes to be used are:</p> <p>cannot take self-care even with aid/appliance 1 can take self-care with only aid/appliance 2 can take self-care without aid/appliance 3 aid/appliance not tried / not available 4</p> <p>A ' - ' mark will be put if the person has only mental disability i.e. code 1 in col. 7. Persons with no light perception will be treated as 'cannot take self-care even with aid/appliance'. Similarly, persons without legs (both) or arms (both) or both the arms and legs (or those unable to use arms or legs due to paralysis or deformity) will also be treated as 'cannot take self-care even with aid/appliance'. Codes 2 and 3 are self-explanatory. In case a disabled person has never tried any aid/appliance or that the aid/appliance was not available to him/her and as such he/ she is not aware of his/her position in regard to their use, code 4 will be recorded.</p>

Value	Label	Cases	Percentage
1	cannot take self-care even with aid/appliance	9644	14.2%

File Block 4_Demographic and other particulars of household members

#27 B4_q8: Extent of physical disability

Value	Label	Cases	Percentage
2	can take self-care with only aid / appliance	11857	17.4%
3	can take self-care without aid/appliance	40353	59.2%
4	aid/appliance not tried / not available	6246	9.2%
9	invalid	38	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 B4_q9: Whether the parents blood-related

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=75892 /-] [Invalid=0 /-]
Literal question	What is the type of blood relationship between parents of the member of the household? Whether the parents are blood-related or not?
Interviewer's instructions	It is to be ascertained whether the parents of the disabled member are/were blood-related or not. The relationship between parents of the disabled that may be considered as blood relationship are: uncle-niece, nephew-aunt, first cousins, second cousins or any other blood relationship. The codes to be used are: yes - 1, no - 2, not known - 3 Code 3 will be recorded if the informant does not know whether the parents of the disabled person are/were blood-related or not.

Value	Label	Cases	Percentage
1	yes	9290	12.2%
2	no	62168	81.9%
3	not known	4434	5.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 B4_q10: Living arrangement

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=75902 /-] [Invalid=0 /-]
Literal question	What is the living arrangement of the member of the household?
Interviewer's instructions	The living arrangement of the disabled person will be recorded in this column. The codes for different types of living arrangement are: alone 1 with spouse only 2 with spouse and other members 3 without spouse but with : parents 4 children 5 other relatives 6 non-relatives 7 Person living in a residential institution for the disabled is to be considered as living 'alone'.

Value	Label	Cases	Percentage
1	alone	2227	2.9%
2	with spouse only	3584	4.7%
3	with spouse and other members	23391	30.8%
4	without spouse but with parents	31399	41.4%
5	children	9158	12.1%

File Block 4_Demographic and other particulars of household members

#29 B4_q10: Living arrangement

Value	Label	Cases	Percentage
6	other relatives	5830	7.7%
7	non relatives	313	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 B4_q11: General education

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=75885 /-] [Invalid=0 /-]
Literal question	What is the education level of the member of the household?
Interviewer's instructions	<p>Information regarding the general education attained by a disabled member of the household will be recorded in terms of specific codes in this column. For the purpose of making entries in this column, only the course successfully completed will be considered. For instance, for a person who has studied up to 12th standard but has not appeared for the final examination or has failed, his/her educational attainment will be considered under 'secondary' (code 06). The relevant codes to be used for recording entries in column 11 are:</p> <p>not literate 01 literate without formal schooling 02 literate but below primary 03 primary 04 middle 05 secondary 06 higher secondary 07 diploma / certificate course 08 graduate 10 post graduate and above 11</p>

Value	Label	Cases	Percentage
01	not literate	41308	54.4%
02	literate without formal schooling	1280	1.7%
03	literate but below primary	8798	11.6%
04	primary	8914	11.7%
05	middle	8075	10.6%
06	secondary	3704	4.9%
07	higher secondary	1940	2.6%
08	diploma / certificate course	301	0.4%
10	graduate	1206	1.6%
11	post graduate and above	359	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 B4_q12: Vocational education

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=75892 /-] [Invalid=0 /-]
Literal question	Whether the member of the household completed any formal vocational course?
Interviewer's instructions	<p>Whether or not any vocational course has been successfully completed by a disabled member of the household will be indicated in this column. The vocational course completed may be in 'engineering trade' or 'non-engineering trade'. A disabled person might have also completed vocational course in both the trades (i.e. engineering and non-engineering). In such a case, the trade which appears first in the code list will be considered for recording. The codes that will be used are:</p> <p>yes: engineering trade 1 non-engineering trade 2 no 3</p>

File Block 4_Demographic and other particulars of household members

#31 B4_q12: Vocational education

Value	Label	Cases	Percentage
1	yes : engineering trade	364	0.5%
2	yes : non-engineering trade	1191	1.6%
3	no	74337	98.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 B4_q13: Whether received any aid/help

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=75894 /-] [Invalid=0 /-]
Literal question	Whether the member has received any aid/help?
Interviewer's instructions	<p>Whether the disabled members of the household have received any aid/help in the past from government (govt.) or any other organisation / agency will be ascertained and the appropriate code will be recorded in this column. One of the codes 1 to 6 will be recorded if the aid/help is received from a govt./semi-govt./local body. If the aid is received from any non-governmental agency, code 7 will be recorded. The codes to be used are:</p> <p>yes: from government for: education 1 vocational training 2 aid/appliance 3 corrective surgery 4 govt./semi-govt. job 5 other govt. aid / help 6 any aid / help other than govt... 7 no 8</p> <p>Code 1 for education will include educational aids like tape recorder, Braille material, shorthand machine etc. apart from scholarship or admission benefits or other financial aid.</p>

Value	Label	Cases	Percentage
1	yes from government for: education	622	0.8%
2	vocational training	125	0.2%
3	aid/appliance	1876	2.5%
4	corrective surgery	405	0.5%
5	govt./semi-govt. job	296	0.4%
6	other govt. aid / help	4089	5.4%
7	any aid / help other than govt.	1115	1.5%
8	no	67366	88.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 B4_q14: Usual activity status

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=75980 /-] [Invalid=0 /-]
Definition	<p>Economic activity: Any activity resulting in production of goods and services that adds value to national product was considered as economic activity. Such activities included production of all goods and services for market i.e. production for pay or profit and the production of primary commodities for own consumption and own account production of fixed assets, among the nonmarket activities. The entire spectrum of human activity falls into two categories viz. economic and non-economic activities. The economic activities have two parts - market activities and non-market activities. Market activities are those that involve remuneration to those who perform it i.e., activity performed for pay or profit. These are essentially production of goods and services for the market including those of government services etc. Non-market activities are the production for own consumption of primary products including own account processing of primary products and own account production of fixed assets. However the whole spectrum of economic activities as defined in the UN System</p>

File Block 4_Demographic and other particulars of household members

#33 B4_q14: Usual activity status

	<p>of National Accounts (SNA) was not covered under 'economic activity' in the 58th round. The term "economic activity" included:</p> <p>(i) all the market activities described above i.e. the activities performed for pay or profit, and</p> <p>(ii) of the non- market activities:</p> <p>(a) all the activities relating to agricultural sector which result in production (including gathering of uncultivated crops, forestry, collection of firewood, hunting, fishing etc.) of agricultural produce for own consumption and</p> <p>(b) the activities relating to the own-account production of fixed assets. Own account production of fixed assets includes construction of own houses, roads, wells etc., and of machinery, tools etc. for household enterprise and also construction of any private or community facilities free of charge. A person may be engaged in own account construction either in the capacity of a labourer or a supervisor.</p>		
Literal question	What is the usual activity status of the member of the household?		
Interviewer's instructions	<p>This column is meant for recording the usual principal activity status of the disabled members the household. The codes to be used are:</p> <p>worked in hh. enterprise (self-employed) as own account worker 11</p> <p>worked in hh. enterprise (self-employed) as employer 12</p> <p>worked as helper in hh. enterprises (unpaid family worker) 21</p> <p>worked as regular salaried/wage employee 31</p> <p>worked as casual wage labour : in public works 41</p> <p>in other types of work 51</p> <p>did not work but was seeking and/or available for work 81</p> <p>attended educational institutions 91</p> <p>attended domestic duties only 92</p> <p>attended domestic duties and was also engaged in free collection of goods (vegetables, roots, firewood, cattle-feed etc.) sewing, tailoring, weaving etc. for household use 93</p> <p>rentiers, pensioners, remittance recipients, etc. 94</p> <p>not able to work due to disability 95</p> <p>beggars, prostitutes 96</p> <p>others 97</p>		
Value	Label	Cases	Percentage
11	worked in h.h. enterprise (self-employed) : own account worker	7174	9.4%
12	employer	200	0.3%
21	worked as helper in h.h. enterprise (unpaid family worker)	2891	3.8%
31	worked as regular salaried/wage employee	2838	3.7%
41	worked as casual wage labour: in public works	66	0.1%
51	in other types of work	5111	6.7%
81	did not work but was seeking and/or available for work	628	0.8%
91	attended educational institution	9730	12.8%
92	attended domestic duties only	7816	10.3%
93	attended domestic duties and was also engaged in free collection of goods, sewing, tailoring, weaving, etc. for household use	1890	2.5%

File Block 4_Demographic and other particulars of household members

#33 B4_q14: Usual activity status

Value	Label	Cases	Percentage
94	rentiers, pensioners, remittance recipients, etc.	1526	2.0%
95	not able to work due to disability	24503	32.2%
96	beggars, prostitutes	356	0.5%
97	others	11251	14.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 B4_q15: NIC Code

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=18187 /-] [Invalid=0 /-]
Literal question	Which industry has the member of the household worked in?
Interviewer's instructions	Column 15: if code 11 - 51 in col. 14 (i.e. if working), industry division (2-digit NIC 1998 code): This column will be filled in only for those disabled members of the household who are classified as 'working' (or employed) on the basis of the 'usual activity status' as recorded in column 14 (i.e. for those with codes 11 to 51 in column 14). For 'working' (or employed) disabled member, "industry division" relating to his/her sector of work will be recorded in terms of NIC 1998 2-digit codes in this column.

Frequency table not shown (61 Modalities)

#35 NIC_Category: NIC category

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=18145 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#36 B4_q16: Working before onset

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=75984 /-] [Invalid=0 /-]
Literal question	Whether the member was working before the onset of disability?

Value	Label	Cases	Percentage
1	Yes	26138	34.4%
2	No	49845	65.6%
6	Invalid	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 B4_q17: Loss / change of work

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26198 /-] [Invalid=0 /-]
Literal question	If code 1 in col. (16), whether disability caused loss or change of work to the member of the household?
Interviewer's instructions	<p>Columns 16 & 17: 'whether working before the onset of disability' and 'if working before the onset of disability, whether disability caused loss or change of work?': The purpose of these items is to ascertain whether the disabled members who were working prior to the onset of disability had loss or change of work due to the onset of disability. In the case of persons having multiple disabilities, work status at the onset of each of the multiple disabilities will have to be determined separately and if the person is reported to be working at the onset of at least one of the multiple disabilities, code 1 will be recorded in column 16. For those who have disability since birth, and for children of age 0-4 years, code 2 will be recorded in column 16. Column 17 will be filled-in only for those who were working at the onset of disability (i.e. for those with code 1 in column 16). The codes to be used for recording entry in column 17 are:</p> <p>loss of work 1 change of work 2 no loss or no change of work 3</p>

File Block 4_Demographic and other particulars of household members

#37 B4_q17: Loss / change of work

For persons having only one disability and working at the onset of disability, no difficulty will arise in ascertaining whether the disability caused loss of work or change of work. For persons having two or more disabilities and working at the onset of each of the disabilities, all the three situations - loss of work, change of work and no loss or no change of work - may occur. In such cases, code 1 will get priority over codes 2 & 3 and code 2 over code 3. For self-employed persons, code 1 will be entered only if he/she lost the job due to the onset of disability. The 'change of work' will relate to any kind of change of type/nature of work. If the onset of disability did not cause loss or change of work, code 3 will be recorded in column 17.

Value	Label	Cases	Percentage
1	loss of work	14279	54.5%
2	change of work	3409	13.0%
3	no loss/or no change of work	8496	32.4%
9	invalid	14	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Age_group: Age group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#39 Wgt_SubSample: Multiplier - Sub Sample

Information	[Type= continuous] [Format=numeric] [Range= 1.5-13017.99] [Missing=*]
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-] [Mean=457.957 /-] [StdDev=447.032 /-]
Recoding and Derivation	For generating sub sample estimates, this weight should be applied. It has been calculated as follows: Wgt_SubSample = MULT_SS/100

#40 Wgt_Combined: Multiplier - Combined

Information	[Type= continuous] [Format=numeric] [Range= 0.75-12172] [Missing=*]
Statistics [NW/ W]	[Valid=396943 /-] [Invalid=0 /-] [Mean=230.185 /-] [StdDev=250.123 /-]
Recoding and Derivation	For generating sub sample combined estimates, this weight should be applied. It has been calculated as follows: Wgt_Combined = MULT_SS/100, if NSS=NSC, and Wgt_Combined = MULT_SS/200, if NSC>NSS

File Block 5_Particulars of physical disability of the disabled member

#1 HHID: Key to identify a household

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Recoding and Derivation	This variable has been derived for identifying a household by combining Serial no of village / Block, Segment number, Second Stage Stratum and Sample Household number.

#2 ID: Id

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

File Block 5_Particulars of physical disability of the disabled member

#3 Round_Sch: Round schedule

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Definition	Indicates the NSS round and schedule number of this survey.
Literal question	Round Schedule

Value	Label	Cases	Percentage
5826		86745	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 Sector: Sector

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Definition	Sector : A word used for the rural-urban demarcation.
Literal question	Sector

Value	Label	Cases	Percentage
1	Rural	56020	64.6%
2	Urban	30725	35.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 State_region: State region

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Definition	Regions are hierarchical domains of study below the level of State/ Union Territory in the NSS.
Literal question	State Region

#6 State: State

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Literal question	State
Recoding and Derivation	This variable has been derived from the variable "State region" to enable the users to easily access state wise data.

Frequency table not shown (35 Modalities)

#7 Stratum: Stratum

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Definition	Within each district of a State/ UT, two basic strata were formed: (i) rural stratum comprising of all rural areas of the district and (ii) urban stratum comprising of all the urban areas of the district.
Literal question	Stratum

#8 Sub_stratum: Sub stratum

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Literal question	Sub stratum

File Block 5_Particulars of physical disability of the disabled member			
#9 District: District			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]		
#10 Sub_round: Sub round			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sub - Round 1	44200	51.0%
2	Sub - Round 2	42545	49.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#11 Sub_sample: Sub sample			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]		
Definition	<p>An important feature of the NSS sampling design is that the total sample of first stage units is drawn in the form of two or more independent and parallel samples, termed as interpenetrating sub-samples. Each sub- sample is drawn by the same sampling scheme and is capable of providing valid estimates of the population parameters. The comparison of sub-sample wise estimates shows the margin of uncertainty associated with the combined sample estimate.</p> <p>Interpenetrating sub-samples have been used in NSS (i) to obtain valid estimates from each sub-round (season) of the survey round, and (ii) to ensure that Central and State samples for any State/ UT cover independent and equally valid samples of units.</p> <p>The samples surveyed by the NSSO staff are termed as Central sample and the matched samples surveyed by State Government staff are termed as State sample.</p>		
Value	Label	Cases	Percentage
1	Central sample	43788	50.5%
2	State sample	42957	49.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#12 FSU: First Stage Unit			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]		
Definition	The first-stage units are census villages in the rural sector and the NSSO urban frame survey (UFS) blocks in the urban sector. This variable indicates the serial number assigned to such units.		
#13 Segment: Segment			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]		
#14 Second_stratum: Second stage stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]		
#15 Hhold_no: Sample household serial no.			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]		
#16 NSS: Count of sub samples			
Information	[Type= discrete] [Format=character] [Missing=*]		

File Block 5_Particulars of physical disability of the disabled member

#16 NSS: Count of sub samples

Statistics [NW/ W] [Valid=86745 /-] [Invalid=0 /-]

#17 NSC: Count of samples combined

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=86745 /-] [Invalid=0 /-]

#18 MULT_SS: Multiplier

Information [Type= continuous] [Format=numeric] [Range= 150-1301799] [Missing=*]

Statistics [NW/ W] [Valid=86745 /-] [Invalid=0 /-] [Mean=45329.559 /-] [StdDev=44755.093 /-]

#19 B4_q1: Person serial no.

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=86745 /-] [Invalid=0 /-]

Interviewer's instructions The entries under these two columns will be copied respectively from columns 1 and 5 of block 4 corresponding to the member having disability (i.e. for those with any of codes 1 to 6 in column 7 of block 4).

#20 B4_q5: Age

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=86745 /-] [Invalid=0 /-] [Mean=36.801 /-] [StdDev=23.614 /-]

#21 Type_of_disability: Type of disability (recoded)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=86745 /-] [Invalid=0 /-]

Recoding and Derivation This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#22 B5_q3: Type of disability

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=86745 /-] [Invalid=0 /-]

Literal question What type of disability does the member of the household has?

Value	Label	Cases	Percentage
1	mental	11282	13.0%
2	visual disability	10923	12.6%
3	hearing disability	12794	14.7%
4	speech disability	9958	11.5%
5	locomotor disability 1	41031	47.3%
6	locomotor disability 2	757	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 B5_q4: Serial no. of disability

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=86745 /-] [Invalid=0 /-]

Interviewer's instructions A disabled member of the household may have one or more than one type of disability. If he/she is having only one type of disability, serial number 1 will be recorded in this column against the type of disability that the person has. If a disabled member is having more than one type of disability, continuous serial numbers starting from 1 will be recorded in the relevant rows in the ascending order, one each against the type of disability the person is having. Thus, for a person with visual and one locomotor disability, entry in col. 4 against row "Visual" will be 1 and against the row "Locomotor1" will be 2. For the second disabled person of the household serial numbering will start again from 1 for the first type of disability of that person.

File Block 5_Particulars of physical disability of the disabled member

#24 B5_q5: Disability from birth

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Literal question	Whether the member of the household having the disability by birth?
Interviewer's instructions	Code 1 will be recorded if the particular type of disability was from birth and otherwise, code 2 will be recorded. Persons who have acquired disability during infancy (below 1 year of age) without known reasons, would also be considered to have disability 'from birth' and code 1 will be assigned.

Value	Label	Cases	Percentage
1	yes	32185	37.1%
2	no	54560	62.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 B5_q6: Age at onset

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=54732 /-] [Invalid=32013 /-] [Mean=32.717 /-] [StdDev=25.751 /-]
Literal question	If the member of the household is not having the disability by birth, at what age the disability started?
Interviewer's instructions	Entry under this column is to be made only for the types of disabilities which were not from the birth of the concerned person. The entry, therefore, will be made only for the types of disability for which code 2 appears under column 5. For such disabilities, age of the person at onset of disability will be recorded in completed years. If the informant is unable to tell the exact age at the time of onset, the approximate age at the onset of the disability may be recorded.

#26 B5_q7: Whether disability commenced during last 365 days

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=55139 /-] [Invalid=0 /-]
Literal question	Whether disability commenced during last one year?
Interviewer's instructions	Code 1 will be recorded if the disability commenced during the last 365 days preceding the date of survey. Otherwise, code 2 will be recorded.

Value	Label	Cases	Percentage
1	yes	3224	5.8%
2	no	51903	94.1%
9	invalid	12	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 B5_q8: Late in sitting, walking, talking etc.

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=11283 /-] [Invalid=0 /-]
Literal question	If having mental disability, was he/she late in sitting, walking or talking in childhood as compared to other children?
Interviewer's instructions	<p>The information under this column is to be recorded for persons reporting mental disability. For such persons it is to be ascertained whether he/she was late in sitting, walking or talking in childhood as compared to other children. The 'normal time' for attaining the milestone after birth in the case of 'sitting' is 'before 1 year', for 'walking' it is 'before 2 years' and for 'talking' it is 'before 3 years'. If the disabled person had performed these activities after the stipulated time given for each such activity, he/she would be considered as 'late' for that activity. The detailed codes are:</p> <p>yes: sitting 1 walking 2 talking 3 any combination of codes 1 to 3... 4 cannot recall / not known 5</p>

File Block 5_Particulars of physical disability of the disabled member

#27 B5_q8: Late in sitting, walking, talking etc.

	no 6
	Code 1, 2, 3 or 4 is to be recorded if the reply is in affirmative for late in sitting, walking, talking or any combination of them, respectively. If the respondent cannot recall or does not know the time of attainment of these milestones by the disabled member, code 5 is to be recorded. Code 6 will be recorded if the disabled member was not late in attaining these developmental milestones.

Value	Label	Cases	Percentage
1	yes: sitting	162	1.4%
2	yes: walking	139	1.2%
3	yes: talking	618	5.5%
4	yes: any combination of codes 1 to 3	4923	43.6%
5	cannot recall / not known	1615	14.3%
6	no	3826	33.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 B5_q9: Degree of disability

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=75332 /-] [Invalid=0 /-]
Literal question	What is the extent or degree of disability?
Interviewer's instructions	<p>The degree or type of the physical disabilities of the disabled members of the household will be recorded in terms of codes in this column. No entry will be made against mental disability under this column (these cells have already been shaded). The codes to be used for each of the physical disability are given below.</p> <p>Degree of visual disability:</p> <p>no light perception 1 has light perception but cannot count fingers even with spectacles up to a distance of one meter (3 feet): normally uses spectacles 2 normally does not use spectacles 3 has light perception but cannot count fingers even with spectacles up to a distance of 1 to 3 meters (3 to 10 feet) : normally uses spectacles 4 normally does not use spectacles 5</p> <p>Degree of hearing disability: profound 1 severe 2 moderate 3</p> <p>The codes to be used for recording type of speech disability are: cannot speak 1 speaks only in single words 2 speaks unintelligibly 3 stammers 4 speaks with abnormal voice 5 any other speech defects 6</p> <p>The codes for the five types of locomotor disabilities (including deformity of body as 'others') are: paralysis 1 deformity of limb 2 loss of limb 3 dysfunction of joints of limb..... 4 others 5</p>

#29 B5_q10: Cause

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=54648 /-] [Invalid=0 /-]
Literal question	If the member is having disability from birth, then what is the cause of disability?

File Block 5_Particulars of physical disability of the disabled member

#29 B5_q10: Cause

Interviewer's instructions	<p>The most probable cause as known, which led to the disability, will be recorded in terms of code in this column. It may be noted that these causes are as known and reported by the informant and may or may not be the actual medical cause of disability. If more than one cause is reported by the informant, the code for the cause coming first among them is to be recorded.</p> <p>Causes of mental disability are: pregnancy & birth related 1 serious illness during childhood 2 head injury in childhood 3 heredity 4 other reasons 9 not known 5 Childhood means children below 5 years of age.</p> <p>Causes of visual disability are: sore eyes during the first month of life 01 small pox 08 sore eyes after one month 02 burns 12 severe diarrhoea before the age of six years 03 injury other than burns 13 cataract 04 medical/surgical intervention ... 14 glaucoma 05 old age 15 corneal opacity 06 other reasons 99 other eye diseases 07 not known 16 The code for 'old age' is to be given only if it is reported so by the respondent and no other code among 01 to 08 or 12 to 14 is applicable.</p> <p>Causes of hearing disability are: German measles/rubella 01 injury other than burns 13 noise induced hearing loss 02 medical/surgical intervention 14 ear discharge 03 old age 15 other illness 04 other reasons 99 burns 12 not known 16 The code for 'old age' is to be given only if it is reported so by the respondent and no other code 01 to 04 or 12 to 14 is applicable.</p> <p>Causes of speech disability are: hearing impairment 01 burns 12 voice disorder 02 injury other than burns 13 cleft palate/lip 03 medical/surgical intervention..... 14 paralysis 04 old age 15 mental illness / retardation 05 other reasons 99 other illness 06 not known 16 The code for 'old age' is to be given only if it is reported so by the respondent and no other code 01 to 06 or 12 to 14 is applicable.</p> <p>Causes of locomotor disability are: cerebral palsy 01 tuberculosis 10 polio 02 other illness 11 leprosy cured 03 burns 12 leprosy not cured 04 injury other than burns 13 stroke 05 medical/surgical intervention 14 arthritis 06 old age 15 cardio-respiratory disease 07 other reasons 99 cancer 08 not known 16 The code for 'old age' is to be given only if it is reported so by the respondent and no other code 01 to 08 or 10 to 14 is applicable.</p>
-----------------------------------	---

#30 B5_q11: If disability due to burns / injury, place of incident

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=9429 /-] [Invalid=0 /-]
Literal question	If the disability is due to burns/injury, what was the place of incident?

File Block 5_Particulars of physical disability of the disabled member

#30 B5_q11: If disability due to burns / injury, place of incident

Interviewer's instructions	<p>Entry in this column is to be made only for physical disabilities. If the disability was caused by burns or, injury other than burns (i.e. for code 12 or 13 in column 10), then the place of incident where the burns or injury took place will be recorded under this column.</p> <p>The codes for recording the place of incident are:</p> <p>agricultural field 1 mines 2 factory 3 other work site 4 transport accident 5 home 6 others 9</p>
-----------------------------------	---

Value	Label	Cases	Percentage
0	invalid	7	0.1%
1	agricultural field	1219	12.9%
2	mines	46	0.5%
3	factory	279	3.0%
4	other work site	1060	11.2%
5	transport accident	2378	25.2%
6	home	3220	34.1%
9	others (specify)	1220	12.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 B5_q12: Taken treatment

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Literal question	Whether the disabled member of the household has taken treatment?
Interviewer's instructions	<p>Whether or not the disabled member has taken any treatment or undergoing treatment is to be recorded under this column. The codes are:</p> <p>yes: taken: consulting doctor 1 otherwise 2 yes: undergoing treatment: consulting doctor 3 otherwise 4 attending special school 5 no 6</p> <p>Code 1 or 2 will be applicable if treatment had been taken in the past. If the person is currently under treatment code 3 or 4 will be applicable. Any treatment taken from persons other than medical practitioners (of any stream) would be considered as "taken otherwise" and code 2 or 4 will be applicable. code 5 will be recorded for disabled person is currently attending special schools for the disabled irrespective of whether taking/taken treatment or not.</p>

Value	Label	Cases	Percentage
1	yes: taken: consulting doctor	57882	66.7%
2	otherwise	3155	3.6%
3	yes: undergoing treatment: consulting doctor	6704	7.7%
4	otherwise	534	0.6%
5	attending special school	158	0.2%
6	no	18312	21.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 B5_q13: Aid / appliance advised

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

File Block 5_Particulars of physical disability of the disabled member

#32 B5_q13: Aid / appliance advised

Statistics [NW/ W]	[Valid=75464 /-] [Invalid=0 /-]
Literal question	Whether aid/appliance has been advised and it has been acquired?
Interviewer's instructions	<p>Whether or not a physically disabled member was advised for any aid/appliance for the disability is to be recorded under column 13 in terms of codes. The codes are:</p> <p>yes: acquired 1 not acquired 2 no 3</p> <p>In some cases aid/appliance are acquired without seeking advice/treatment. In such cases, it is to be considered as self-advice and code 1 may be recorded. Those who do not seek advice and also do not acquire aid/appliance will get code 3.</p>

Value	Label	Cases	Percentage
1	yes : acquired	11385	15.1%
2	yes : not acquired	4470	5.9%
3	no	59609	79.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 B5_q14: Type of aid / appliance

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=11164 /-] [Invalid=0 /-]
Pre-question	Columns 14 to 17 are to be filled if entry is 1 in column 13.
Literal question	Exactly what type of aid/appliance has been acquired by the member of the household?
Interviewer's instructions	<p>This item will be filled-in for the disability for which aid/appliance had been advised and also acquired (i.e. for the disability with code 1 against col. 13). The type of aid/appliance acquired for personal independence or economic independence or other reasons will be recorded in codes. Aid/appliance will relate to physical aids/appliances and therapies will not be included.</p> <p>The codes to be used are:</p> <p>hearing aid 01 tricycle 06 wheelchair 02 callipers 07 artificial limbs .. 03 spinal brace 08 crutch 04 high powered glasses .. 10 splint 05 others 99</p> <p>(note: code 01 is applicable for hearing disability only, codes 02-08 are applicable for locomotor disability only and code 10 is applicable for visual disability only)</p>

Value	Label	Cases	Percentage
00	invalid	24	0.2%
01	hearing .aid	1327	11.9%
02	wheelchair	596	5.3%
03	artificial limb	595	5.3%
04	crutch	2298	20.6%
05	splint	348	3.1%
06	tricycle	432	3.9%
07	callipers	838	7.5%
08	spinal brace	97	0.9%
10	high powered glasses	2654	23.8%
99	others	1955	17.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block 5_Particulars of physical disability of the disabled member

#34 B5_q15: How aid/appliance acquired

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=11333 /-] [Invalid=0 /-]
Pre-question	Columns 14 to 17 are to be filled if entry is 1 in column 13.
Literal question	How the aid/appliance was acquired by the disabled member of the household?
Interviewer's instructions	<p>How the aid/appliance relating to the disability was acquired by the disabled member, will be recorded in codes against this item. The codes are:</p> <p>purchased 1</p> <p>assistance from:</p> <p>government 2</p> <p>non-government organisation.. 3</p> <p>others 9</p> <p>If an aid/appliance is purchased using own money as well as financial assistance from any organisation, then the code 1 will be given if own money is more than the financial assistance. Else, one of codes 2, 3 or 9 will be assigned. Codes 2, 3 or 9 will also be applicable if the aid/appliance is given in kind.</p>

Value	Label	Cases	Percentage
1	purchased	7301	64.4%
2	assistance from government	1930	17.0%
3	assistance from non-government organisation	732	6.5%
7	invalid	1	0.0%
9	others	1369	12.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 B5_q16: Whether regularly used

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=11397 /-] [Invalid=0 /-]
Pre-question	Columns 14 to 17 are to be filled if entry is 1 in column 13.
Literal question	If the aid/appliance has been acquired by the member of the household, whether it is being regularly used?
Interviewer's instructions	Whether or not the aid/appliance that have been acquired are regularly used is to be ascertained and recorded in this column. Code 1 will be recorded if it is used and code 2 will be recorded, otherwise.

Value	Label	Cases	Percentage
1	yes	8405	73.7%
2	no	2991	26.2%
9	invalid	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 B5_q17: Reason for not using

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2993 /-] [Invalid=0 /-]
Pre-question	Columns 14 to 17 are to be filled if entry is 1 in column 13.
Literal question	If the aid/appliance has been acquired by the member of the household but it is not being used, then what is the reason behind not using it?
Interviewer's instructions	<p>If the aid /appliance is not used regularly, the reason for not using them are to be recorded in this column in terms of codes. The codes are:</p> <p>uncomfortable for use 1</p> <p>difficulty in maintenance and repair..... 2</p> <p>others..... 9</p>

File Block 5_Particulars of physical disability of the disabled member

#36 B5_q17: Reason for not using

Value	Label	Cases	Percentage
1	uncomfortable for use	1410	47.1%
2	difficulty in maintenance and repair	311	10.4%
9	others	1272	42.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 B5_q18: Reason for not acquiring

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=4562 /-] [Invalid=0 /-]
Literal question	If the aid/appliance was advised to the disabled member of the household and still it has not been acquired, then what was the reason behind it?
Interviewer's instructions	<p>Column 18: if code 2 in col. 13, reason for not acquiring aid/appliance: For each physical disability of the member for which aid/appliance was advised but was not acquired (i.e. for the disabilities with code 2 in col. 13), reason for not acquiring the aid/appliance by the disabled member is to be recorded in this column. The codes to be used are:</p> <p>not available 1 expensive 2 not necessary for: economic independence 3 personal independence 4 others 9</p> <p>'Economic independence' means that the disabled person does not face any difficulty in pursuing his/her livelihood. When the disabled person does not need any help from others for his daily chores he/she is considered to have 'personal independence'.</p>

Value	Label	Cases	Percentage
1	not available	269	5.9%
2	expensive	2260	49.5%
3	not necessary for economic independence	349	7.7%
4	personal independence	548	12.0%
6	invalid	2	0.0%
9	others	1134	24.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 Count_of_disability: Count of disability

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]

#39 Person_ID: Person ID

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#40 Age_group: Age group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

File Block 5_Particulars of physical disability of the disabled member

#41 Age_at_onset_group: Age at onset group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#42 Wgt_SubSample: Multiplier - Sub Sample

Information	[Type= continuous] [Format=numeric] [Range= 1.5-13017.99] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-] [Mean=453.296 /-] [StdDev=447.551 /-]
Recoding and Derivation	For generating sub sample estimates, this weight should be applied. It has been calculated as follows: Wgt_SubSample = MULT_SS/100

#43 Wgt_Combined: Multiplier - Combined

Information	[Type= continuous] [Format=numeric] [Range= 0.75-12172] [Missing=*]
Statistics [NW/ W]	[Valid=86745 /-] [Invalid=0 /-] [Mean=227.949 /-] [StdDev=251.875 /-]
Recoding and Derivation	For generating sub sample combined estimates, this weight should be applied. It has been calculated as follows: Wgt_Combined = MULT_SS/100, if NSS=NSC, and Wgt_Combined = MULT_SS/200, if NSC>NSS

File Block 5 Part_Type of disability

#1 HHID: Key to identify a household

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Recoding and Derivation	This variable has been derived for identifying a household by combining Serial no of village / Block, Segment number, Second Stage Stratum and Sample Household number.

#2 ID: Id

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#3 Round_Sch: Round schedule

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Definition	Indicates the NSS round and schedule number of this survey.
Literal question	Round Schedule

Value	Label	Cases	Percentage
5826		70302	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 Sector: Sector

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Definition	Sector : A word used for the rural-urban demarcation.

File Block 5 Part_Type of disability			
#4 Sector: Sector			
Literal question		Sector	
Value	Label	Cases	Percentage
1	Rural	45571	64.8%
2	Urban	24731	35.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#5 State_region: State region			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Definition	Regions are hierarchical domains of study below the level of State/ Union Territory in the NSS.		
Literal question	State Region		
#6 State: State			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	State		
Recoding and Derivation	This variable has been derived from the variable "State region" to enable the users to easily access state wise data.		
<i>Frequency table not shown (35 Modalities)</i>			
#7 Stratum: Stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Definition	Within each district of a State/ UT, two basic strata were formed: (i) rural stratum comprising of all rural areas of the district and (ii) urban stratum comprising of all the urban areas of the district.		
Literal question	Stratum		
#8 Sub_stratum: Sub stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	Sub stratum		
#9 District: District			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
#10 Sub_round: Sub round			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sub - Round 1	35875	51.0%
2	Sub - Round 2	34427	49.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#11 Sub_sample: Sub sample			
Information	[Type= discrete] [Format=character] [Missing=*]		

File Block 5 Part_Type of disability

#11 Sub_sample: Sub sample

Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Definition	<p>An important feature of the NSS sampling design is that the total sample of first stage units is drawn in the form of two or more independent and parallel samples, termed as interpenetrating sub-samples. Each sub- sample is drawn by the same sampling scheme and is capable of providing valid estimates of the population parameters. The comparison of sub-sample wise estimates shows the margin of uncertainty associated with the combined sample estimate.</p> <p>Interpenetrating sub-samples have been used in NSS (i) to obtain valid estimates from each sub-round (season) of the survey round, and (ii) to ensure that Central and State samples for any State/ UT cover independent and equally valid samples of units.</p> <p>The samples surveyed by the NSSO staff are termed as Central sample and the matched samples surveyed by State Government staff are termed as State sample.</p>

Value	Label	Cases	Percentage
1	Central sample	35447	50.4%
2	State sample	34855	49.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 FSU: First Stage Unit

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Definition	The first-stage units are census villages in the rural sector and the NSSO urban frame survey (UFS) blocks in the urban sector. This variable indicates the serial number assigned to such units.

#13 Segment: Segment

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]

#14 Second_stratum: Second stage stratum

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]

#15 Hhold_no: Sample household serial no.

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]

#16 NSS: Count of sub samples

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]

#17 NSC: Count of samples combined

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]

#18 MULT_SS: Multiplier

Information	[Type= continuous] [Format=numeric] [Range= 150-1301799] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-] [Mean=45531.333 /-] [StdDev=44869.188 /-]

#19 B3_q6: Average monthly consumption exp.

Information	[Type= continuous] [Format=numeric] [Range= 1-108000] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-] [Mean=2954.062 /-] [StdDev=2137.988 /-]

File Block 5 Part_Type of disability**#19 B3_q6: Average monthly consumption exp.****Interviewer's instructions**

Block 3 Item 6: average monthly consumer expenditure (Rs. in whole number): This is the expenditure of a household on domestic consumption and is same as the expenditure covered in the consumer expenditure surveys of NSS. The average monthly consumer expenditure worked out on the basis of the preceding 12 months from the date of survey will be recorded against this item. The expenditure will be entered in whole number in rupees.

#20 MPCE_Code: MPC code**Information**

[Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W]

[Valid=70302 /-] [Invalid=0 /-]

Recoding and Derivation

This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

Value	Label	Cases	Percentage
01		5263	7.5%
02		3677	5.2%
03		7836	11.1%
04		7943	11.3%
05		5904	8.4%
06		7570	10.8%
07		6521	9.3%
08		7555	10.7%
09		6320	9.0%
10		6468	9.2%
11		2517	3.6%
12		2728	3.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 CMPCE_Code: CMPC code**Information**

[Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W]

[Valid=70302 /-] [Invalid=0 /-]

Recoding and Derivation

This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

Value	Label	Cases	Percentage
01		4321	6.1%
02		3087	4.4%
03		7248	10.3%
04		5980	8.5%
05		7630	10.9%
06		5887	8.4%
07		8969	12.8%
08		6935	9.9%
09		6395	9.1%
10		6459	9.2%
11		4474	6.4%
12		2917	4.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block 5 Part_Type of disability			
#22 B3_q7: No. of disabled			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	How many members are disabled in the household?		
Interviewer's instructions	Block 3 Item 7: no. of disabled members: This item will be filled-in after filling-in block 4. Whether or not each member of the sample household has any disability will be indicated in column 7 of block 4. The number of members listed in block 4 with any of codes 1 to 6 in column 7, will be recorded against this item.		
Value	Label	Cases	Percentage
1		65136	92.7%
2		4723	6.7%
3		383	0.5%
4		53	0.1%
5		6	0.0%
6		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#23 Disability_type_0: Disability type 0			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	What type of disability does the member of the household has?		
#24 Disability_type_1: Disability type 1			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	What type of disability does the member of the household has?		
#25 Disability_type_2: Disability type 2			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	What type of disability does the member of the household has?		
#26 Disability_type_3: Disability type 3			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	What type of disability does the member of the household has?		
#27 Disability_type_4: Disability type 4			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	What type of disability does the member of the household has?		
#28 Disability_type_5: Disability type 5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]		
Literal question	What type of disability does the member of the household has?		
#29 Disability_type_6: Disability type 6			
Information	[Type= discrete] [Format=character] [Missing=*]		

File Block 5 Part_Type of disability	
#29 Disability_type_6: Disability type 6	
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Literal question	What type of disability does the member of the household has?
#30 Disability_type_7: Disability type 7	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Literal question	What type of disability does the member of the household has?
#31 Disability_type_8: Disability type 8	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Literal question	What type of disability does the member of the household has?
#32 LOT: LOT No.	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.
#33 Wgt_SubSample: Multiplier - Sub Sample	
Information	[Type= continuous] [Format=numeric] [Range= 1.5-13017.99] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-] [Mean=455.313 /-] [StdDev=448.692 /-]
Recoding and Derivation	For generating sub sample estimates, this weight should be applied. It has been calculated as follows: Wgt_SubSample = MULT_SS/100
#34 Wgt_Combined: Multiplier - Combined	
Information	[Type= continuous] [Format=numeric] [Range= 0.75-12172] [Missing=*]
Statistics [NW/ W]	[Valid=70302 /-] [Invalid=0 /-] [Mean=228.798 /-] [StdDev=245.646 /-]
Recoding and Derivation	For generating sub sample combined estimates, this weight should be applied. It has been calculated as follows: Wgt_Combined = MULT_SS/100, if NSS=NSC, and Wgt_Combined = MULT_SS/200, if NSC>NSS
File Block 6_Particulars of enrolment of physically disabled of age 5-18 years	
#1 HHID: Key to identify a household	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]
Recoding and Derivation	This variable has been derived for identifying a household by combining Serial no of village / Block, Segment number, Second Stage Stratum and Sample Household number.
#2 ID: Id	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]

File Block 6_Particulars of enrolment of physically disabled of age 5-18 years

#2 ID: Id

Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.
--------------------------------	--

#3 Round_Sch: Round schedule

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]
Definition	Indicates the NSS round and schedule number of this survey.
Literal question	Round Schedule

Value	Label	Cases	Percentage
5826		19050	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 Sector: Sector

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]
Definition	Sector : A word used for the rural-urban demarcation.
Literal question	Sector

Value	Label	Cases	Percentage
1	Rural	12807	67.2%
2	Urban	6243	32.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 State_region: State region

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]
Definition	Regions are hierarchical domains of study below the level of State/ Union Territory in the NSS.
Literal question	State Region

#6 State: State

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]
Literal question	State
Recoding and Derivation	This variable has been derived from the variable "State region" to enable the users to easily access state wise data.

Frequency table not shown (35 Modalities)

#7 Stratum: Stratum

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]
Definition	Within each district of a State/ UT, two basic strata were formed: (i) rural stratum comprising of all rural areas of the district and (ii) urban stratum comprising of all the urban areas of the district.
Literal question	Stratum

File Block 6_Particulars of enrolment of physically disabled of age 5-18 years

#8 Sub_stratum: Sub stratum

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]
Literal question	Sub stratum

#9 District: District

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]

#10 Sub_round: Sub round

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sub - Round 1	9652	50.7%
2	Sub - Round 2	9398	49.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 Sub_sample: Sub sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]

Definition	<p>An important feature of the NSS sampling design is that the total sample of first stage units is drawn in the form of two or more independent and parallel samples, termed as interpenetrating sub-samples. Each sub- sample is drawn by the same sampling scheme and is capable of providing valid estimates of the population parameters. The comparison of sub-sample wise estimates shows the margin of uncertainty associated with the combined sample estimate.</p> <p>Interpenetrating sub-samples have been used in NSS (i) to obtain valid estimates from each sub-round (season) of the survey round, and (ii) to ensure that Central and State samples for any State/ UT cover independent and equally valid samples of units.</p> <p>The samples surveyed by the NSSO staff are termed as Central sample and the matched samples surveyed by State Government staff are termed as State sample.</p>
------------	--

Value	Label	Cases	Percentage
1	Central sample	9571	50.2%
2	State sample	9479	49.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 FSU: First Stage Unit

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]
Definition	The first-stage units are census villages in the rural sector and the NSSO urban frame survey (UFS) blocks in the urban sector. This variable indicates the serial number assigned to such units.

#13 Segment: Segment

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]

#14 Second_stratum: Second stage stratum

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]

File Block 6_Particulars of enrolment of physically disabled of age 5-18 years

#15 Hhold_no: Sample household serial no.

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=19050 /-] [Invalid=0 /-]

#16 NSS: Count of sub samples

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=19050 /-] [Invalid=0 /-]

#17 NSC: Count of samples combined

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=19050 /-] [Invalid=0 /-]

#18 MULT_SS: Multiplier

Information [Type= continuous] [Format=numeric] [Range= 150-1301799] [Missing=*]

Statistics [NW/ W] [Valid=19050 /-] [Invalid=0 /-] [Mean=46370.563 /-] [StdDev=50051.501 /-]

#19 B4_q1: Person serial no.

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=19050 /-] [Invalid=0 /-]

Interviewer's instructions Columns 1 and 2: srl. no. as in col. 1, block 4 and age as in col. 5 of block 4: These two items are self-explanatory and entries will be copied from the respective columns (i.e. columns 1 & 5) of block 4 corresponding to each disabled child of age 5-18 years of the household.

#20 B4_q5: Age

Information [Type= continuous] [Format=numeric] [Range= 5-18] [Missing=*]

Statistics [NW/ W] [Valid=19050 /-] [Invalid=0 /-]

Literal question What is the age of the member of the household?

Interviewer's instructions Columns 1 and 2: srl. no. as in col. 1, block 4 and age as in col. 5 of block 4: These two items are self-explanatory and entries will be copied from the respective columns (i.e. columns 1 & 5) of block 4 corresponding to each disabled child of age 5-18 years of the household.

#21 Type_of_disability: Type of disability (recoded)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=19050 /-] [Invalid=0 /-]

Recoding and Derivation This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#22 B6_q3: Whether the child has attended pre-school intervention programme?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=18970 /-] [Invalid=0 /-]

Literal question Whether the child has attended pre-school intervention programme?

Interviewer's instructions Pre-school intervention refers to any support given to children with disability before they start going to school. For instance therapies for motor or speech defects or delayed development, stimulation programmes either at home or developmental centres through qualified trainers/therapists. Pre-school interventions also mean attending Play School, Nursery Schools, Balwadis or Anganwadis in formal or informal setups. Code 1 will be assigned if the child has attended any such pre-school intervention programme and code 2 otherwise.

Value	Label	Cases	Percentage
1	Yes	2466	13.0%
2	No	16504	87.0%

File Block 6_Particulars of enrolment of physically disabled of age 5-18 years

#22 B6_q3: Whether the child has attended pre-school intervention programme?

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 B6_q4: Whether ever enrolled in ordinary school?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=18975 /-] [Invalid=0 /-]
Literal question	Whether the disabled member of the household ever got enrolled in an ordinary school?
Interviewer's instructions	It is to be enquired whether the disabled child was ever enrolled in an ordinary school or not. If the disabled child was ever enrolled in an ordinary school, code 1 will be recorded and otherwise, code 2 will be recorded against this item.

Value	Label	Cases	Percentage
1	Yes	11416	60.2%
2	No	7559	39.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 B6_q5: Whether continuing

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=11451 /-] [Invalid=0 /-]
Literal question	If the disabled member of the household got enrolled in an ordinary school, whether he/she is continuing it?
Interviewer's instructions	Column 5: if ever enrolled (code 1 in col. 4), whether continuing?: Information against this item will be recorded only for the disabled children who were ever enrolled in an ordinary school (i.e. for those with code 1 against column 3). If such a disabled child is continuing his/her studies in the ordinary school, code 1 will be recorded against this item, otherwise code 2 will be recorded.

Value	Label	Cases	Percentage
0	Invalid	1	0.0%
1	Yes	8315	72.6%
2	No	3135	27.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 B6_q6: Discontinued

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3198 /-] [Invalid=0 /-]
Literal question	If the disabled member of the household got enrolled in an ordinary school but later discontinued it, then whether he/she discontinued school due to onset of disability?
Interviewer's instructions	Column 6: if code 2 in col. 5, whether discontinued from an ordinary school due to onset of disability?: This item is meant for recording whether or not the disabled child discontinued studies from the ordinary school due to onset of disability. This information will be recorded for the disabled children who were once enrolled in an ordinary school but discontinued later (i.e. for those with code 2 in col. 5). Code 1 will be recorded if the disabled child is reported to have discontinued the studies due to onset of disability and code 2 for other reasons.

Value	Label	Cases	Percentage
1	Yes	1448	45.3%
2	No	1746	54.6%
9	Invalid	4	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 B6_q7: Enrolled in special school

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=10696 /-] [Invalid=0 /-]

File Block 6_Particulars of enrolment of physically disabled of age 5-18 years

#26 B6_q7: Enrolled in special school

Literal question	Whether the disabled member of the household ever got enrolled in any special school meant for the disabled?
Interviewer's instructions	This item will be filled-in for the disabled child who was either never enrolled in an ordinary school or was enrolled in an ordinary school but discontinued (i.e. for those with code 2 in col. 4 or in col. 5). If such a disabled child is ever enrolled in a special school, code 1 will be recorded and otherwise, code 2 will be recorded.

Value	Label	Cases	Percentage
1	Yes	620	5.8%
2	No	10074	94.2%
9	Invalid	2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 B6_q8: Whether continuing

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=651 /-] [Invalid=0 /-]
Literal question	If the disabled member of the household got enrolled in a special school, whether he/she is continuing it?
Interviewer's instructions	Column 8: if ever enrolled in a special school (code 1 in col. 7), whether continuing: If a disabled child was ever enrolled in a special school (for code 1 in col. 7), code 1 will be recorded in this column if the child is continuing in the special school. If the child has discontinued, code 2 will be recorded.

Value	Label	Cases	Percentage
1	Yes	430	66.1%
2	No	216	33.2%
9	Invalid	5	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 B6_q9: Reason for non-enrollment

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=9759 /-] [Invalid=0 /-]
Literal question	If the disabled member of the household did not get enrolled in a special school, then what were the reasons behind it?
Interviewer's instructions	<p>The reason for non-enrolment in a special school will be recorded in terms of codes in this column. The entry will be made for those disabled children who were never enrolled in an ordinary school and also in a special school, and those who were enrolled in an ordinary school but discontinued and subsequently never enrolled in a special school (i.e. for those with code 2 in col. 7). In case more than one reason is equally applicable, the code of the reason among the relevant ones, which appear first in the code list, will be recorded. The codes to be used are:</p> <p>due to disability 01 school not known 02 difficulty in getting admission..... 03 school far away 04 expensive 05 parents not interested 06 for participation in household economic activity 07 for other economic reasons 08 for attending domestic chores 10 other reasons 99</p>

Value	Label	Cases	Percentage
01	due to disability	3631	37.2%
02	school not known	1547	15.9%
03	difficulty in getting admission	74	0.8%
04	school far away	735	7.5%

File Block 6_Particulars of enrolment of physically disabled of age 5-18 years

#28 B6_q9: Reason for non-enrollment

Value	Label	Cases	Percentage
05	expensive	480	4.9%
06	parents not interested	1431	14.7%
07	for participation in household economic activity	169	1.7%
08	for other economic reasons	453	4.6%
10	for attending domestic chores	53	0.5%
11	invalid	3	0.0%
99	other reasons	1183	12.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 B6_q10: Reason for discontinuation

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]
Literal question	If the disabled member of the household got enrolled in a special school but later discontinued it, then what were the reasons behind it?
Interviewer's instructions	<p>Column 10: if code 2 in col. 8, reason for discontinuation in a special school: The reason for discontinuation from the special school will be recorded in terms of codes in this column. This information will be recorded for those who discontinued from a special school (i.e. for those with code 2 in col. 8). The codes are:</p> <p>due to disability 01 school far away 04 expensive 05 parents not interested 06 for participation in household economic activity 07 for other economic reasons 08 for attending domestic chores 10 other reasons 99</p> <p>(Note that code 02 and 03 are not given)</p>

Value	Label	Cases	Percentage
01	due to disability	36	17.0%
04	school far away	36	17.0%
05	expensive	16	7.5%
06	parents not interested	19	9.0%
07	for participation in household economic activity	3	1.4%
08	for other economic reasons	11	5.2%
10	for attending domestic chores	3	1.4%
11	invalid	6	2.8%
99	other reasons	82	38.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 LOT: LOT no.

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]
Recoding and Derivation	This round contains some variables which are not in the questionnaire. These variables have been calculated for the purpose of specific tabulation for which documentation is not available. The user may ignore them.

#31 B4_q4: Sex

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

File Block 6_Particulars of enrolment of physically disabled of age 5-18 years

#31 B4_q4: Sex

Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-]		
Literal question	Whether the disabled member of the household a male or female?		
Value	Label	Cases	Percentage
1	Male	11649	61.1%
2	Female	7401	38.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 Wgt_SubSample: Multiplier - Sub Sample

Information	[Type= continuous] [Format=numeric] [Range= 1.5-13017.99] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-] [Mean=463.706 /-] [StdDev=500.515 /-]
Recoding and Derivation	For generating sub sample estimates, this weight should be applied. It has been calculated as follows: Wgt_SubSample = MULT_SS/100

#33 Wgt_Combined: Multiplier - Combined

Information	[Type= continuous] [Format=numeric] [Range= 0.75-12172] [Missing=*]
Statistics [NW/ W]	[Valid=19050 /-] [Invalid=0 /-] [Mean=233.706 /-] [StdDev=292.206 /-]
Recoding and Derivation	For generating sub sample combined estimates, this weight should be applied. It has been calculated as follows: Wgt_Combined = MULT_SS/100, if NSS=NSC, and Wgt_Combined = MULT_SS/200, if NSC>NSS

Documentation

Reports and analytical documents	55
Disabled Persons in India	55
Questionnaires	55
Questionnaire	55
Technical documents	55
Appendix-1	55
References	55
Estimation Procedure_58	55
LIST OF NSS REGIONS AND THEIR COMPOSITION	55
NCO 1968-3 digit codes	55
Other resources	55
Instruction to Field Staff	55

Reports and analytical documents

Disabled Persons in India, National Sample Survey Organisation Department of Statistics Government of India, India [ind], "Reports\Disabled Persons in India.pdf"

Questionnaires

Questionnaire, National Sample Survey Organisation Department of Statistics Government of India, India [ind], "Documents\Schedule_58_26.pdf"

Technical documents

Appendix-1, National Sample Survey Organisation Department of Statistics Government of India, India [ind], "Documents\Appendix-1.pdf"

References

Estimation Procedure_58, National Sample Survey Organisation Department of Statistics Government of India, India [ind], "Documents\Estimation Procedure_58.pdf"

LIST OF NSS REGIONS AND THEIR COMPOSITION, National Sample Survey Organisation Department of Statistics Government of India, India [ind], "Documents\LIST OF NSS REGIONS AND THEIR COMPOSITION.pdf"

NCO 1968-3 digit codes, National Sample Survey Organisation Department of Statistics Government of India, India [ind], "Documents\NCO 1968-3 digit codes.pdf"

Other resources

Instruction to Field Staff, National Sample Survey Organisation Department of Statistics Government of India, India [ind], "Documents\Instruction to Field Staff.pdf"