

Report No. 427

# **Consumption of Tobacco in India, 1993-94**

**5th quinquennial survey  
of consumer expenditure**

**NSS 50th Round  
July 1993 - June 1994**

**National Sample Survey Organisation  
Department of Statistics  
Government of India**

# PREFACE

*The National Sample Survey Organisation (NSSO) has been carrying out all-India surveys on household consumption since the 1950's. A quinquennial series of consumer expenditure surveys was begun in 1972-73. The survey conducted during the 50th round of NSS (July 1993 - June 1994) was part of this series. It used an all-India sample of 115354 households located in 6951 villages and 4650 urban blocks.*

*Eleven reports based on this survey have so far been released. Some deal with the variation of consumer expenditure over different sections of population, over states, and over commodities. Others focus on different household characteristics on which information was collected along with consumption data. They include level and pattern of consumer expenditure, consumption of some important commodities, nutritional intake of the population, characteristics of dwellings, energy used by households, sources of household income, differences in level of consumption among socio-economic groups, adequacy of food intake, IRDP assistance & participation in public works, use of durable goods in India, ownership of livestock and cultivation of cereals. The present report is the twelfth of the series.*

*This report studies tobacco consumption habits of the Indian population. Four forms of tobacco consumption were distinguished in the survey: smoking, chewing of tobacco, use of snuff, and use of burnt tobacco powder or paste. Such data were last released for the 43rd round survey of NSSO, which related to the year 1987-88. It may be noted that only data on prevalence of tobacco consumption habits are presented here, and not estimates of expenditure on tobacco. The latter may be found in NSS Report No.404: Consumption of Some Important Commodities in India, 1993-94.*

*The report presents estimates of proportions of persons of different sexes, ages, and social groups in rural and urban areas of each state and u.t. of India with a regular/casual habit of consuming tobacco in each of the four forms distinguished here.*

*The field work of the survey was done, as usual, by the Field Operations Division of the Organisation. The collected data were processed by the Data Processing Division of NSSO and tabulated by the Computer Centre of the Department of Statistics. The report has been prepared by the Survey Design and Research Division (SDRD) of the NSSO. I am thankful to the members of the Governing Council, Heads of various Divisions of the NSSO, the Executive Director, Computer Centre, and their colleagues for their contribution in preparing the report.*

*Comments/suggestions from the readers of the report will be most welcome.*

*New Delhi  
Date: January 1998  
Organisation*

*P.R. Dongre  
Chief Executive Officer  
National Sample Survey*

---

# Highlights

---

---

- In India, during 1993-94, regular consumption of tobacco in one form or another was reported by 43% of rural males and 28% of urban males aged 10 or more. Among the female population aged 10 or more the percentages were lower, 11% for rural areas and nearly 5% in urban areas.
- Smoking was the most common form of tobacco consumption among males (29% in rural areas and 20% in urban areas) in all major states except Bihar, Maharashtra and Orissa, where chewing of tobacco was more common.
- The lowest proportions of male smokers (aged 10 or more) were found in Punjab (10% rural, 15% urban), Bihar (12% rural, 8% urban) and Maharashtra (14% rural, 11% urban).
- Regular smokers formed only 2-3% of the female population aged (10+) in rural India and only 0.7% in urban India. But rural Andhra Pradesh had 7% smokers among females and rural Haryana, nearly 5%.
- Among females, chewing of tobacco (*zarda*, *dokta* etc.) was the most common form of tobacco consumption in most parts of the country; it was reported by 5.3% of the female population (aged 10+) in rural areas and 2.6% in urban areas.
- Among males, chewing of tobacco was reported by 15% of the rural population (aged 10+) and 8% of the urban population.
- Gender differentials in the proportion of tobacco chewers were much less pronounced than in case of smokers. In Kerala and Tamil Nadu, chewing of tobacco was, in fact, more widespread among females than among males. But in Bihar - the state with the highest proportion (34%) of male chewers of tobacco - the habit was largely a male preserve, with the prevalence rate among females less than one-tenth that among males.
- Users of snuff constituted less than 1% of the population in all states except Orissa and Gujarat. In rural Orissa, they formed 8% of the male population and 3-4% of the female population. In Gujarat, the habit was much more common among females (6-7% rural and 2-3% urban) than among males (less than 1%).
- Use of burnt tobacco powder or paste was most common in Orissa and rural Maharashtra. In both these states (and in three other major states), it was more common among the female population. 20% of the females in rural Orissa were regular users. In all

major states except Orissa, Maharashtra, Bihar and Madhya Pradesh, the incidence of the habit was under 4%.

- In rural Orissa, the proportion of females consuming tobacco in some form or other was 42%, nearly four times the national average. The proportion was 24% in rural Maharashtra and 12% or less in rural areas of all other major states.
- In urban Orissa also, the proportion of females consuming tobacco in some form or other (22%) was four times the national average.
- Among males, the prevalence of

smoking habits in general increased with age up to the age-group 45-49 and then declined. Among females the prevalence increased with age uninterruptedly, being highest for the highest age-group 60+. The same was true for tobacco consumption in general.

- Among different social groups, the Scheduled Tribes had the highest prevalence of tobacco consumption habit, followed by Scheduled Castes, and then the non-SC/ST population. The differentials between Scheduled Tribes and the rest were most striking for females, and less noticeable in the case of smoking than in case of other forms of tobacco consumption.
- 
-

# Contents

---

Chapter 1	Introduction	1
Chapter 2	Sample design and concepts & definitions	3
Chapter 3	Summary of findings	10

---

<b>Appendix</b>	<b>Detailed tables</b>	
Table 1R	Number of persons aged 10 years and above reporting habit of consumption of tobacco in various forms per 1000 persons by sex and age-groups	A-1
Table 1U	Number of persons aged 10 years and above reporting habit of consumption of tobacco in various forms per 1000 persons by sex and age-groups	A-18
Table 2R	Number of persons aged 10 years and above reporting habit of consumption of tobacco in various forms either exclusively or combination per 1000 persons by sex and age-groups	A-35
Table 2U	Number of persons aged 10 years and above reporting habit of consumption of tobacco in various forms either exclusively or combination per 1000 persons by sex and age-groups	A-49
Table 3R	Number of persons reporting habit of consumption of tobacco in various forms per 1000 persons by sex and age-groups	A-62
Table 3U	Number of persons reporting habit of consumption of tobacco in various forms per 1000 persons by sex and age-groups	A-95

---

# Chapter 1

## Introduction

1.0 The NSSO conducted its fifth quinquennial survey of household consumer expenditure in India during 1993-94. The survey was spread over the entire geographical area of the country. Interviews were conducted of 115354 households in 6951 villages and 4650 urban blocks. The present report is one of a series of reports based on the survey.

1.1 The report releases data on tobacco consumption habits of the Indian population as distinct from data on the quantity and value of tobacco consumption. Data on quantity and value of per capita tobacco consumption in India was released earlier through NSS Report no. 404: *Consumption of Some Important Commodities in India*.

1.2 Four forms of tobacco consumption were distinguished in the survey schedule: smoking; chewing of tobacco (*zarda, dokta*, etc.); use of snuff; and the use of burnt tobacco powder or paste. For each member of the households surveyed, it was ascertained from the informant (in nearly all cases a member of the household) whether the person had the habit of consuming tobacco in any of these forms, and if so, whether the habit was regular or casual.

1.3 Based on the data thus obtained, estimates were generated of proportions of persons of two sexes, ages and social groups with a regular/casual habit of tobacco consumption, separately for the four different forms of consumption, in rural and urban areas of each state and union territory of India.

1.4 Such data were last released for the 43rd round survey of NSS, which related to the year 1987-88.

### Notes

1. **The National Sample Survey:** The NSS was set up in 1950, with the idea of having a permanent survey organisation to collect data on various facets of the economy through nationwide sample surveys in order to assist in socio-economic planning and policy-making. The NSS is a continuing survey in the sense that it is carried out in the form of successive "rounds", each round usually of a year's duration covering several topics of current interest in a specific survey period. At present each NSS round reaches, at the all-India level, about 12,000 to 14,000 villages and blocks in the Central sample (covered by the Central agency NSSO) and an independent sample of about 14,000 to 16,000 villages and blocks in the State sample (covered by the Governments of various states and union territories). The entire area of the country - rural and urban - is covered, with the exception of some interior areas of Nagaland and Andaman & Nicobar Islands, and Ladakh and Kargil districts of Jammu & Kashmir. In the 50th round, certain other districts of Jammu & Kashmir, viz. Doda, Anantnag, Pulwama, Srinagar, Badgam, Baramula and Kupwara, and Punjab's Amritsar district, had to be excluded from the survey due to unfavourable field conditions.

2. **Household consumer expenditure survey:** It was originally the practice to collect data on household consumer

expenditure in every round of NSS, starting from the very first round (1950-51). From 1972-73, according to a decision of the Governing Council of NSSO, the consumer expenditure survey became a quinquennial feature. It was also integrated with the employment and unemployment survey in the sense that a common sample of households was subjected to both the enquiries. An annual series of smaller-scale consumer expenditure surveys was again launched from the 42nd round (1986-87) to fill the data gaps

which planners and researchers had begun to feel. It is the larger-scale quinquennial surveys, however, which are expected to be most useful for the study of trends in the level of consumer expenditure and of the emergence of new spending patterns. The five quinquennial surveys of consumer expenditure have been those of the 27th, 32nd, 38th, 43rd and 50th rounds of NSS. They relate, respectively, to the years 1972-73, 1977-78, 1983, 1987-88 and 1993-94.

## Chapter 2

# Sample design and Concepts & Definitions

**2.0 Sample Design:** A stratified two-stage sampling design was adopted, with census villages as first stage units (fsu's) in the rural sector and Urban Frame Survey (UFS) blocks in the urban, except for a few newly declared towns of the 1991 census, for which UFS frames were not available, and census enumeration blocks (EB's) were used as first stage units. Households formed the second stage units in both rural and urban sectors.

2.1 The survey period of one year was divided into four **sub-rounds** of three months each and equal numbers of sample villages and blocks allotted to each sub-round.

	1	July - Sept 1993
sub-	2	Oct - Dec 1993
rounds	3	Jan - Mar 1994
	4	Apr - June 1994

**2.2 Sampling frame for fsu's :** In the rural sector, the sampling frame was provided sometimes by the 1981 census list of villages and sometimes by the 1991 census list of villages, depending on the sub-round (see para 2.1) and the state/union territory being surveyed, as follows.

2.2.1 In the following areas of rural India (hereafter referred to as **Group A areas**), the **1981** census lists of villages served as the sampling frame for **all 4 sub-rounds** :

Jammu & Kashmir - where the 1991 census was not conducted.

Agra district of U.P. and Durg, Sagar and Morena districts of M.P. - for which the available information for 1991 was incomplete.

2.2.2 In the following areas of rural India (hereafter referred to as **Group B areas**), the

**1991** census lists of villages served as the sampling frame for **all 4 sub-rounds** :

Andhra Pradesh, Assam, Kerala, Orissa, West Bengal & Chandigarh.

U.P. and M.P. (excepting Group A areas).

2.2.3 In the remaining states/u.t.'s of rural India (hereafter referred to as **Group C areas**), the **1981** census lists of villages were used as sampling frame for **sub-round 1** and the **1991** census lists used for **sub-rounds 2 to 4** in order to make use of the latest available information in the sample selection process.

2.2.4 For Nagaland, the villages situated within 5 km of a bus route constituted the sampling frame. For the Andaman & Nicobar Islands, the villages which remain inaccessible throughout the year were, as usual, excluded from the sampling frame.

2.2.5 In the urban sector, the lists of NSS Urban Frame Survey (UFS) blocks were the sampling frames used in most cases. However, 1991 census house listing enumeration blocks were considered as the sampling units for some of the newly declared towns of the 1991 population census, for which UFS frames were not available.

**2.3 Stratification:** As usual, each state/union territory (u.t.) was divided into one or more agro-economic regions by grouping contiguous districts which are similar with respect to population density and crop pattern. In Gujarat, however, some districts



were sub-divided for the purpose of region formation on the basis of location of dry areas and the distribution of tribal population in the state. The total number of regions formed in the whole of India was 78.

2.3.1 In the rural sector, within each region, each district normally formed a separate stratum. However, if the census population of the district according to the sampling frame used exceeded 1.8 million / 2 million (depending on whether 1981 or 1991 census frame was used), the district was split into two or more strata by grouping contiguous tehsils. In Gujarat, however, in case of districts extending over more than one region, the portion of a district falling in each region constituted a separate stratum even if the rural population of the district as a whole was less than 1.8 million / 2 million.

2.3.2 In the urban sector, strata were formed, again within NSS regions, on the basis of town population. In order to be able to allocate a larger proportion of the sample to the affluent section of society and thus improve the precision of the overall estimate of consumer expenditure, the usual first-stage stratification procedure was modified as follows. Urban blocks in towns with census population 400,000 or more were placed in different strata depending on whether they belonged to the "affluent" area of the town or not - the information on affluent areas being supplied by the regional/sub-regional field offices of NSSO. Full details of urban stratification are given below.

stratum	composition
1	towns with population less than 50000
2	towns with population 50000 - 199999
3	towns with population 200000 - 399999
4	towns with population 400000 - 999999 - affluent areas

*Sample design and concepts & definitions*

5	towns with population 400000 - 999999 - other areas
6	a single city (if any) with population 1 million or more : affluent areas
7	a single city (if any) with population 1 million or more : other areas
8	another city (if any) with population 1 million or more : affluent areas
9	another city (if any) with population 1 million or more : other areas

2.4 Following usual NSS practice, the sample of villages and blocks in which the enquiry was carried out was drawn in the form of two independent **sub-samples**. Either of these sub-samples could be used to generate a valid set of estimates which might be regarded as the provisional results of the survey until such time as the final results, based on the entire sample, were available.

2.5 **Allocation of sample:** The first-stage sample size for any state/union territory of India was determined on the basis of its investigator strength and the expected workload per investigator. This sample was first allotted to the rural and urban sectors in consideration of the relative sizes of the rural and urban population with double weightage to the urban sector.

2.5.1 Within the **urban** sector of a state/u.t., allocation of the sample to the different urban strata was done in proportion to stratum population with double weightage to affluent strata - that is, strata 4, 6 & 8 (see para 2.3.2). Stratum level allocations were adjusted to multiples of 8 as far as possible so as to have equal allocations for each sub-sample-sub-round combination.

2.5.2 Within the **rural** sector of a state/u.t., allocation of the sample to the different rural strata was done as follows.

2.5.3 For Group B areas (see para 2.2), the state/u.t. level rural sample was allocated to

the different rural strata in proportion to 1991 census population. For other areas (Group A and Group C), allocation was initially made on the basis of 1981 census population. Stratum level allocations were adjusted to multiples of 8 as far as possible so as to have equal allocations for each sub-sample-sub-round combination.

2.5.4 However, for Group C areas, the original allocations for sub-rounds 2 to 4 were revised as follows. The total state/u.t. level allocation for sub-rounds 2 to 4 combined - 75% of the total as 25% had gone to sub-round 1 - was re-allocated to the rural strata in proportion to stratum population as per 1991 census. Stratum level allocations were adjusted to multiples of 6 as far as possible so as to have equal allocations for the remaining sub-sample-sub-round combinations.

**2.6 Selection of fsu's :** Sample villages - except in Arunachal Pradesh - were selected by PPS circular systematic sampling (with population as the size variable) from the appropriate sampling frame as explained in para 2.2, in the form of two independent **sub-samples**. Sample blocks were selected by ordinary (equal probability) circular systematic sampling, also in the form of two independent sub-samples.

2.6.1 In Arunachal Pradesh the sample of villages was drawn by a cluster sampling procedure. The field staff were supplied with a list of sample "nucleus" villages and were advised to select clusters of villages - building up each cluster around a nucleus village - according to prescribed guidelines. The nucleus villages were selected circular systematically with equal probability, in the form of two independent sub-samples.

**2.7 Selection of hamlet-groups/sub-blocks :** To reduce workload the following procedure was adopted in drawing up the second- stage

sampling frame. Larger sample villages and blocks were divided - according to usual NSS practice - into a suitable number of "hamlet-groups"/"sub-blocks" of roughly equal population content : the second-stage sampling frame was constituted of the households belonging to only two of these hamlet-groups, selected circular systematically, in case of sample villages, and

one randomly selected sub-block in case of sample blocks (instead of the whole village/block). No hamlet- group formation was, however, done in Arunachal Pradesh. In Kerala, practical difficulties arose in hamlet-group formation during sub-round 1. These were resolved by selecting, instead of two hamlet-groups, two EB's from the constituent EB's of large villages.

**2.8 Selection of households :** The affluent classes of society have expenditure levels spread over a very wide section of the consumer expenditure range. As a result, the contribution of these classes to the sampling error of a consumer expenditure survey is large compared to that of an equal-sized chunk of population belonging to the more homogeneous "middle classes" (say). To improve the efficiency of consumer expenditure estimates, it was decided that the second-stage sampling frames ought to be stratified in such a way as to be able to allocate a larger proportion of the sample to the affluent sections of the population wherever they could be located.

**2.8.1 Rural :** In sample villages, households in the second-stage sampling frame were divided into two strata as follows. Households - if any - exhibiting signs of affluence such as the possession of any of a specified list of assets including land in excess of a certain specified area, or a member holding a good salaried job or belonging to a paying profession such as that of a doctor or advocate, were designated

"affluent households" and the top 10 such households (subject to availability) placed in stratum 1. The remaining households formed second-stage stratum 2. **Two** households were selected circular systematically from second-stage stratum 1. From second-stage stratum 2, **eight** households were selected circular systematically after arranging the households in the stratum by "means of livelihood" ; this meant that households

"self-employed in agriculture" were placed first, followed by "rural labour" households, and then the "others". Further, the households under "others" were arranged in five different land-possessed classes to ensure spread of the sample over households of different economic statuses.

2.8.2 **Urban** : In sample blocks, households with monthly per capita consumer expenditure (as reported at the time of household listing) Rs 1200 or more (Rs 1500 or more in towns with population one million and above) were placed in second-stage stratum 1 and the rest in second-stage stratum 2. In sample blocks belonging to first-stage strata 4,6 & 8 (affluent areas of towns with population 4 lakhs or more), as many as **four** sample households were selected for survey from second-stage stratum 1 and **six** from second-stage stratum 2. In all strata other than those numbered 4,6 & 8, **two** sample households were selected from second-stage stratum 1 and **eight** from second-stage stratum 2. In each case the sample of households, for each second-stage stratum, was drawn circular systematically with a random start. The households in second-stage stratum 2 were, prior to sample selection, placed in eight different groups and the different groups of households placed one after another in a specified order to ensure spread of the sample over the different groups. The grouping was done on considerations of means of livelihood (self-employed / regular wage or salary

earning / casual labour / others) and household monthly per capita consumer expenditure.

2.9 **Sample size** : The survey covered, in all, 115354 households spread over 11601 sample villages/blocks. The number of sample villages and blocks allotted and surveyed, and the number of sample households and persons surveyed, are given for different state/u.t.'s and all-India in Table T0, separately for rural and urban sectors.

## 2.10 Estimation Procedure

2.10.1 **Estimation of aggregates at sub-sample level** : Aggregates are first estimated at sub-sample level according to the following estimation formulae, where  $\bar{y}$  denotes the estimate - based on one sub-sample - of the aggregate of a given characteristic Y for a sector of a state/u.t.

For the rural sector of a state/u.t. other than Arunachal Pradesh,

$$\bar{y} = \sum_s \frac{1}{n_s} \sum_i \frac{P_{si} D_{si}^*}{p_{si}} \sum_{t=1}^2 \frac{H_{sit}}{h_{sit}} \sum_{j=1}^{h_{sit}} y_{sitj}$$

For the rural sector of Arunachal Pradesh,

$$\bar{y} = \sum_s \frac{1}{n_s} \sum_{i=1}^{n_s} N_{si} \sum_{t=1}^2 \frac{H_{sit}}{h_{sit}} \sum_{j=1}^{h_{sit}} y_{sitj}$$

For the urban sector of a state/u.t.,

$$\bar{y} = \sum_s \frac{N_s}{n_s} \sum_{i=1}^{n_s} D_{si} \sum_{t=1}^2 \frac{H_{sit}}{h_{sit}} \sum_{j=1}^{h_{sit}} y_{sitj}$$

where

y : observed value of the same characteristic in a sample household

s : stratum suffix

t : second-stage stratum suffix

- i : sample village/block suffix  
j : sample household suffix  
D : number of hamlet-groups/sub-blocks formed in the surveyed village/block  
H : number of households listed in the second-stage sampling frame  
h : number of sample households surveyed
- p : population of sample village as in the sampling frame  
N : for the urban sector, number of blocks in the sampling frame  
n : number of sample villages/blocks surveyed in this sub-sample  
Psi : population of the s-th stratum as per frame used in the selection of i-th sample village of the stratum  
Nsi : for Arunachal Pradesh, number of sample villages in the sampling frame for s-th stratum which was used in selection of i-th sample village of the stratum  
D\* : equals 1, if D = 1  
equals D/2 if D > 1

**2.10.2 Estimation of aggregates for the combined sample (pooling sub-samples) :**

The combined sample estimate of an aggregate is obtained as the simple average of the corresponding sub-sample estimates.

**2.10.3 Estimates of ratios :** The estimate of a ratio of the form  $R = Y/X$ , where Y and X are the population aggregates of two characters, is obtained as

$$\bar{R} = \frac{\bar{Y}}{\bar{X}}$$

where  $\bar{Y}$  and  $\bar{X}$  are estimates of Y and X obtained according to the procedure laid down in paras 2.10.1 and 2.10.2. Examples of ratio estimates are rates and percentages.

Table T0: Number of villages/blocks allotted and surveyed and number of sample households and persons surveyed

state/u.t.	number of				number of surveyed			
	villages		blocks		households		persons	
	allotted	surveyed	allotted	surveyed	rural	urban	rural	urban
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Andhra Pradesh	496	492	368	365	4908	3644	21408	15912
Arunachal Pradesh	*120	120	24	24	1065	239	5135	838
Assam	344	320	88	88	3199	880	16714	3789
Bihar	704	699	216	216	6979	2155	36567	10599
Goa	16	15	24	22	146	213	644	847
Gujarat	224	223	240	238	2219	2372	11846	10953
Haryana	104	104	72	70	1040	697	6119	3123
Himachal Pradesh	192	189	40	40	1875	400	811	1472
J & K	264	82	168	53	820	528	4624	2549
Karnataka	264	263	248	247	2617	2469	14172	11497
Kerala	256	256	184	183	2555	1830	11832	8181
M.P.	544	533	328	325	5313	3233	28789	15904
Maharashtra	448	445	560	557	4440	5528	22076	24244
Manipur	104	100	72	70	1000	699	5465	3699
Meghalaya	112	112	48	48	1117	478	5076	1890
Mizoram	48	47	96	96	470	957	2350	4365
Nagaland	48	46	24	24	460	240	2532	1172
Orissa	336	335	104	104	3338	1037	16670	4533
Punjab	224	205	200	196	2046	1947	11144	8765
Rajasthan	312	312	184	184	3097	1799	16851	8447
Sikkim	48	48	16	16	480	160	2064	571
Tamil Nadu	392	391	408	407	3901	4042	16242	16373
Tripura	176	153	56	56	1530	560	6972	2321
U.P.	904	902	448	448	9010	4451	52161	23111
West Bengal	448	448	336	335	4480	3338	23473	13517
A. & N. Is.	56	50	40	40	500	399	2656	1505
Chandigarh	8	8	16	15	80	150	337	537
D. & N. Haveli	24	24	8	8	240	78	1201	334
Daman & Diu	8	8	8	8	80	80	398	347
Delhi	8	7	112	111	61	985	244	4046
Lakshadweep	8	7	24	24	70	240	391	1342
Pondicherry	8	7	32	32	70	320	325	1465
all-India	7248	6951	4792	4650	69206	46148	356289	208248

\* 26 nucleus villages

**3.1 Household :** A group of persons normally living together and taking food from a common kitchen constitutes a household. The word "normally" means that temporary visitors are excluded but temporary stay-aways are included. Thus a son or daughter residing in a hostel for studies is excluded from the household of his/her parents, but a resident employee or resident domestic servant or paying guest (but not just a tenant in the house) is included in the employer/host's household. "Living together" is usually given more importance than "sharing food from a common kitchen" in drawing the boundaries of a household in case the two criteria are in conflict; however, in the special case of a person taking food with his family but sleeping elsewhere (say in a shop or a different house) due to space shortage, the household formed by such a

person's family members is taken to include the person also. Each inmate of a mess, hotel, boarding and lodging house, hostel, etc. is considered as a single-member household except that a family living in a hotel (say) is considered as one household only; the same applies to residential staff of such establishments.

**3.6 Major states:** This refers to the following states of India: Andhra Pradesh, Assam, Bihar, Gujarat, Haryana, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Orissa, Punjab, Rajasthan, Tamil Nadu, Uttar Pradesh and West Bengal.

**3.7 Household size:** The size of a household is the total number of persons in the household.

## Chapter 3

### Summary of findings

3.0.1 The survey findings are discussed, in the following order: 1. Changes in tobacco consumption practices since 1987-88. 2. Form of tobacco consumption: differences between sexes, states, and rural and urban areas. 3. Incidence of specific tobacco consumption practices (smoking, chewing of tobacco, use of snuff, and use of burnt tobacco): differences between sexes, states, rural and urban areas, and social groups. 4. Incidence of consumption of tobacco in any form: differences between sexes, age-groups, states, rural and urban areas, and social groups. 5. Consumption of tobacco in more than one form: differences

between sexes, states, and rural and urban areas.

### 3.1 Change over time

3.1.1 Statement 1 gives all-India percentages of persons reporting each of the four tobacco consumption practices by sex and its frequency (regular/casual), separately for rural and urban areas of the country, as obtained for two years 1987-88 (43rd round of NSS) and 1993-94. *For comparison with the 43rd round estimates, the 50th round estimates given in Statement 1 are calculated, as in the 43rd*

**Statement 1 : Percentage distribution of persons reporting consumption of tobacco in various forms by sex and NSS rounds at the national level**

**India : Rural & Urban**

form of consumption	regularity	NSS rounds							
		43rd round (1987-88)				50th round (1993-94)			
		rural		urban		rural		urban	
		male	female	male	female	male	female	male	female
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
smoking	regularly	23.6	2.2	18.2	0.7	21.7	1.7	15.8	0.5
	casually	1.6	0.3	1.5	0.1	1.6	0.2	1.4	0.1
chewing Zarda Dokta etc.	regularly	11.7	5.0	6.3	2.9	11.2	3.9	6.3	2.0
	casually	1.3	0.6	1.0	0.4	1.4	0.5	0.9	0.3
snuff	regularly	0.7	0.8	0.4	0.5	0.5	0.6	0.3	0.3
	casually	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0
burnt tobacco/powder/paste	regularly	2.7	3.1	1.4	1.6	2.7	2.5	1.2	1.0
	casually	0.3	0.2	0.2	0.1	0.3	0.1	0.1	0.1
consuming tobacco in any form	regularly	33.7	10.3	23.9	5.3	31.9	8.1	21.6	3.7
	casually	1.6	0.8	1.8	0.6	1.7	0.7	1.6	0.3

round survey, as estimated number of those reporting the practice as a proportion of total estimated population. This distinguishes them from the estimates shown in Statements 2 to 4 below (on which most of the discussion in Sections 3.2 to 3.8 are based), which are restricted to the population aged 10 and above, and are therefore somewhat higher than the figures in Statement 1.

**3.1.2 Declining trend.** Regular use of tobacco, in each of the four forms, appears to have declined for all four population groups: rural males, rural females, urban males and urban females, over the period 1987-88 to 1993-94. The decline in the proportion of persons regularly consuming tobacco in any form is sharper for females than for males. It may be noted that proportion of females chewing *zarda*, *dokta*, etc. has dropped from its 1987-88 level of 5% and 3% in rural and urban areas by as much as 1 percentage point in both sectors. Among males, prevalence of the most important form of tobacco consumption - smoking - has declined since 1987-88 by about 2 percentage points in rural areas to 21.7% in 1993-94 and by 2.4 percentage points in urban areas to 15.8% in 1993-94.

3.1.3 Statements 2R and 2U give per 1000 numbers of males and females aged 10 or more reporting specific forms of tobacco consumption (both regular and casual) in each of the 15 major states of India, in 1993-94.

3.1.4 In the Appendix, detailed results, with estimates presented not only by sex but also for five different age-groups, are available for all states and u.t.s of India (Tables 1R and 1U).

## 3.2 Form of tobacco consumption

### ALL-INDIA

3.2.1 Among **males** aged 10 or more, smoking remained by far the most common form of tobacco consumption, with 293 regular smokers per 1000 of rural population and 202 per 1000 of urban population of the country. Chewing of *zarda*, *dokta*, etc., was a regular practice of 151 per 1000 of rural males and 80 per 1000 of urban males. 35 per 1000 rural males and 15 per 1000 urban males regularly used burnt tobacco powder or paste. Finally, regular snuff-users formed 7 per 1000 of rural males and 4 per 1000 of urban males.

3.2.2 Consumption of tobacco in one form or another was a regular practice of 430 per 1000 of the rural male population and of 277 per 1000 of the urban male population aged 10 or more.

3.2.3 In contrast to the consumption pattern for males, chewing of *zarda*, *dokta*, etc. was the more common form of tobacco consumption among **females** in most parts of the country. In India as a whole, 53 per 1000 of rural females (aged 10 or more) and 26 per 1000 of urban females reported the practice in 1993-94. Next in importance, at the all-India level, was use of burnt tobacco powder or paste which was reported by 33 per 1000 of rural females and 13 per 1000 of urban females. However, as will be seen below, smoking was the most common form of tobacco consumption among the female population of several states. Regular



smokers formed 23 per 1000 of the "10+" female population in rural India and 7 per 1000 in urban India, while regular snuff-users among females, just as among males, formed 7 per 1000 of all-India rural population and 4 per 1000 of urban population.

3.2.4 Consumption of tobacco in some form or other was a regular practice of 109 per 1000 of rural females and 47 per 1000 of urban females aged 10 or more.

3.2.5 **Casual use:** Proportion of population reporting casual use of tobacco was in all cases a small fraction of those reporting a regular consumption. The "regulars" formed about 85-95% of all users. The proportion of regulars was noticeably lower for females than for males in case of smoking.

### INTER-STATE VARIATION

3.2.6 **Males:** In Bihar, in contrast to the all-India pattern, regular chewers of *zarda* or *dokta* far outnumbered regular smokers, the ratio of the former to the latter being about 2.8 in rural areas and 2.4 in urban areas. In Maharashtra, chewing of tobacco was more common than smoking among urban males and twice as prevalent as smoking among rural males. In Orissa, too, chewing of tobacco was more common than smoking among the rural male population. In the remaining major states, smokers outnumbered chewers of tobacco among rural as well as urban males.

3.2.7 In rural Haryana use of burnt tobacco powder or paste was the second most important form of regular tobacco consumption (31 per 1000) among males, after smoking.

3.2.8 **Females:** Smoking, and not chewing of tobacco, was the most common form of tobacco consumption among the female population in some of the major states, notably Andhra Pradesh (rural: 69, and urban: 15 per 1000), Haryana (rural: 47, and urban: 10 per 1000), and Rajasthan (rural: 35, and urban: 16 per 1000). In many states such as Andhra Pradesh, Assam, Bihar, and U.P., smoking, and not use of burnt tobacco, came next in order of importance after chewing of tobacco for the female population in both rural and urban areas.

3.2.9 In Gujarat, taking of snuff was by far the most widespread form of tobacco consumption among the female population (rural : 64 and urban : 26 per 1000). This was not observed in any other major state.

3.2.10 The findings of the survey regarding each of the four different forms of tobacco consumption will now be discussed separately.

## 3.3 Smoking

### INTER-STATE VARIATION

3.3.1 Regular smokers formed more than 40% of the "10+" **male** population in rural areas of Haryana and West Bengal (43%), Rajasthan (42%) and Andhra Pradesh (41%). In rural areas the lowest proportions of male smokers were found in Punjab (10%), Bihar (12%) and Maharashtra (14%), among the major states.

3.3.2 In urban areas the highest incidence of smoking among **males** was reported by West Bengal and Haryana (30%) and the

lowest by Bihar (8%) and Maharashtra (11%), among the major states.

3.3.3 Rural areas of Andhra Pradesh had the highest proportion (7%) of regular **female** smokers aged 10 and above, followed by Haryana (5%) and Rajasthan and U.P (11%) among the major states.

3.3.4 In urban areas the proportion of **female** smokers exceeded 1% only in Andhra Pradesh and Rajasthan (15-16%). For both rural and urban areas, the proportion of female smokers was lowest in Punjab (0.1%).

### MALE-FEMALE DIFFERENCES

3.3.5 **All-India:** The incidence of regular smoking among females (23 per 1000 in rural India and 7 per 1000 in urban India) was, as usual, everywhere very low compared to that among males. The relative divergence between male and female rates was greater in urban areas, where the male rate (202 per 1000) was about 29 times as high as the female rate, compared to about 13 times in rural areas.

3.3.6 **Inter-state variation:** In rural Andhra Pradesh, the incidence of regular smoking among females was 69 per 1000, which means the incidence among males (413 per 1000) was only 6 times that among females. The male-female differential was also relatively low in rural areas of Bihar, (120 for males and 24 for females), and of Haryana, Rajasthan and Uttar Pradesh. Differentials between males

and females were widest in Punjab and also wide in Karnataka and Tamil Nadu.

### RURAL-URBAN DIFFERENCES

3.3.7 **All-India:** The incidence of smoking among females in rural areas (23 per 1000) was three times that in urban areas. For males the incidence in rural areas was only one and a half times that in urban areas.

3.3.8 **Inter-state variation:** Punjab is seen to be only major state where smoking is more an urban than a rural phenomenon, the rate of prevalence among males being 154 per 1000 in urban areas and only 96 per 1000 in rural areas. In Orissa, the urban and rural rates were found to be equal among males (225-226 per 1000). In all other major states the incidence of smoking both among males and females is higher (or, at least, not lower) in rural areas than in urban areas. Apart from Orissa, rural-urban differentials are low in Tamil Nadu (194, rural males and 190, urban males) and in Kerala and Maharashtra.

### VARIATION WITH AGE

3.3.9 Appendix tables 1R and 1U show age-specific rates of incidence of regular smoking and of consumption of tobacco in any form for males and females in each state, u.t. and all-India. Five age-groups are considered : 10-14, 15-24, 25-44, 45-59 and >59. For comparison of age-specific rates of incidence of (regular) consumption of tobacco in various forms

**Statement 5: Number of persons reporting consumption of tobacco in various forms per 1000 persons by sex and age-group**

**all-India**

form of tobacco consumption	age (in years)											
	10-14*		15-24		25-44		45-59		60+		all**	
	M	F	M	F	M	F	M	F	M	F	M	F
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<b>NSS 50th round (1993 - 94)</b>												<b>rural</b>
smoking	5	1	120	7	434	25	498	46	398	48	293	23
chewing zarda, dokta etc.	4	3	66	16	205	59	259	103	264	107	151	53
snuff	0	0	04	3	7	7	12	16	13	19	7	7
burnt tobacco powder /paste	4	5	18	20	44	39	60	55	68	52	35	33
consumption of tobacco in any form	13	9	191	46	613	122	723	204	650	212	430	109
												<b>urban</b>
smoking	1	0	55	2	305	5	381	18	266	18	202	7
chewing zarda, dokta etc.	1	0	31	4	114	26	141	66	133	72	80	26
snuff	0	0	1	1	3	3	9	8	14	19	4	4
burnt tobacco powder /paste	2	1	6	6	19	14	28	29	25	28	15	13
consumption of tobacco in any form	4	2	87	12	407	45	509	114	395	130	277	47
<b>NSS 43rd round (1987 - 88)</b>												<b>rural</b>
smoking	5	1	165	14	487	33	538	61	427	57	236	22
chewing zarda, dokta etc.	3	3	75	23	214	78	291	139	289	140	117	50
snuff	1	0	4	3	12	10	17	24	18	31	7	8
burnt tobacco powder /paste	7	8	29	32	41	47	53	58	47	49	27	31
consumption of tobacco in any form	14	12	247	68	661	155	767	260	676	256	387	103
												<b>urban</b>
smoking	2	0	85	3	363	9	422	24	317	25	182	7
chewing zarda, dokta etc.	1	1	29	7	115	36	161	98	139	108	63	29
snuff	0	0	1	1	4	6	13	14	20	16	4	5
burnt tobacco powder /paste	3	4	12	16	22	25	32	31	20	26	14	16
consumption of tobacco in any form	6	5	118	28	459	69	562	154	450	165	239	53

\* NSS 43rd round figures include persons aged 0-9 also.

M - male

\*\* NSS 50th round figures exclude persons aged 0-9.

F - female

between 1987-88 and 1993-94, Statement 5 may be seen. The rate decreased over the period for all the age-groups for both males and females.

### **Males**

3.3.10 At the all-India level the incidence of smoking among males rises with each successive age-group starting from 10-14 up to the age-group 45-59, which shows the highest rate of incidence (nearly 50%), after which the proportion of smokers declines with increase in age. This pattern of variation with age is exhibited by every major state except Punjab, where the highest proportion of smokers is found in the age-group 25-44.

### **Females**

3.3.11 In contrast to the situation prevailing for males, the all-India proportion of regular smokers among females rises with each successive age-group up to the last age-group 60+, though it shows a tendency to flatten out in the uppermost range. Although a few states such as West Bengal and Orissa do not conform to this pattern, most states do, including those with the highest proportions of female smokers (Andhra Pradesh, Haryana, Rajasthan and U.P.).

## **VARIATION WITH SOCIAL GROUP**

3.3.12 Three social groups - Scheduled Tribes, Scheduled Castes and Other Households - were compared in this survey. The results are given in detail in the Appendix (Table 3R and 3U) and presented in abridged form in Statements 5(i) to 5(v). *Incidence of tobacco consumption in these tables is measured as percentage to total population (not only those aged 10 or more), and the estimates are as a result somewhat lower than those shown in the other detailed tables and*

*statements.* However, they are adequate for the purpose of identifying differences in incidence of tobacco consumption practices among the three social groups.

3.3.13 Statement 5(i) shows that in both rural and urban areas, smoking was more prevalent among the Scheduled Castes and Tribes than among the non-SC/ST population. In urban areas the percentage of regular male smokers among ST and SC were nearly equal. In rural areas the percentage was higher among ST than among SC but the differential between ST and SC was less than that between the SC/ST and the non-SC/ST population. For females, in both rural and urban areas, the incidence of regular smoking was markedly higher among STs than among SCs, and again markedly higher among SCs than among non-SC/STs. It may be noted that many states did not conform to the all-India pattern. For instance, in rural Madhya Pradesh and Uttar Pradesh, smoking was more widespread among the non-SC/ST population than among STs. The incidence of regular smoking among SC males did, however, exceed that among non-SC/ST males in every major state.

## **3.4 Chewing of tobacco (zarda, dokta, etc.)**

### **INTER-STATE VARIATION**

3.4.1 **Males:** Bihar (34%) had the highest proportion of rural males aged 10+ reporting tobacco-chewing, followed by Maharashtra, Orissa and M.P. (25-27%) and U.P. (19%). The proportion was 5% or

less in 7 major states. The all-India average was 15%.

3.4.2 In urban areas, the all-India proportion of male tobacco-chewers was 8%. Bihar(20%) and Orissa (19%) had the highest rates of incidence among the major states. The rate was around 11-12% in 5 major states M.P. U.P., West Bengal, Maharashtra and Assam and less than 4% in 6 major states.

3.4.3 **Females:** By far the highest proportion of females chewing tobacco was found in Orissa (rural, 22%, and urban, 12%). Rural Maharashtra had 10% females chewing tobacco, while rural areas of West Bengal and M.P. had about 7%, and rural areas of Tamil Nadu, Kerala, Karnataka, U.P. and Assam, and urban West Bengal and Maharashtra, had around 4-5%. The all-India proportion was 5% for rural areas and 2.6% for urban areas.

#### MALE-FEMALE DIFFERENCES

3.4.4 At the all-India level chewing of tobacco was about three times more prevalent among males than among females in both rural and urban areas. But important regional variations were present. The incidence among females was slightly higher than that among males in Tamil Nadu and about one and a half times that among males in Kerala. In all other major states the habit was more common among males than females. Nevertheless, the male-female differential was relatively low in Orissa and in rural West Bengal. However, in Bihar - the state with the highest incidence among males - chewing of tobacco remained largely a male preserve, with the rate of incidence among

females less than one-tenth that among males.

#### RURAL-URBAN DIFFERENCES

3.4.5 The all-India proportion of those chewing zarda, dokta, etc. in rural areas was roughly double that in urban areas for both males (151 per 1000, rural, and 80 per 1000, urban) and females (53 per 1000, rural, and 26 per 1000, urban).

3.4.6 However, chewing of tobacco was more widespread in urban than in rural areas in a number of states, e.g. West Bengal (males), Rajasthan, Gujarat (males), Assam(males), and Haryana.

#### VARIATION WITH SOCIAL GROUP

3.4.7 **Males:** At the all-India level the percentage chewing tobacco regularly (Statement 5(iii)) was 16% for ST, 12% for SC and 10% for Others in rural areas, and 9-10% for ST, 8% for SC and 6% for Others in urban areas. *Note that these percentages relate to population of all ages and the figures for "all" are therefore lower than the percentages shown in Statements 2-4.*

3.4.8 **Females:** the proportion chewing tobacco was 8% for ST, 4% for SC and 3% for others in rural areas, and between 3 & 4% for ST and SC and 2% for Others in urban areas.

3.4.9 Thus, the percentages of persons, male and female, regularly chewing tobacco were highest among the ST population, and this was more noticeably so in rural areas.

### 3.5 Use of snuff

## **INTER-STATE VARIATION**

3.5.1 The all-India proportion of regular snuff-users was 7 per 1000 in rural areas and 4 per 1000 in urban areas. However, the habit was even less prevalent than these figures suggest in all but a few states, of which Orissa and Gujarat are the unusually important ones. In rural Orissa, regular snuff-users constituted 77 per 1000 of the male population and 35 per 1000 of the female population. In Gujarat, the rate of incidence was 64 per 1000 for rural females and 26 per 1000 for urban females, but only 3-5 per 1000 for males; in other words, the habit was largely confined to the female population of the state. The proportion of snuff takers was around 1% among males in Tamil Nadu, rural West Bengal and urban Orissa, and females in rural Maharashtra and Haryana, and slightly under 1% in M.P. and among males of Assam. In all other major states the proportion was less than 0.5%.

### **MALE-FEMALE DIFFERENCES**

3.5.2 As mentioned above, snuff-taking is seen to be largely a female habit in Gujarat. The same appears to be true for Rajasthan and rural Haryana. The habit is more common among females in rural Maharashtra, too. In most other major states, the habit appears to be more common among males.

### **RURAL-URBAN DIFFERENCES**

3.5.3 Apart from West Bengal, where the snuff-taking habit clearly appears to be more widespread in urban areas than in rural, and perhaps Karnataka and Andhra Pradesh as well, other states showed greater rates of incidence in rural areas than urban.

## **VARIATION WITH SOCIAL GROUP**

3.5.4 Statement 5(iii) shows that in rural areas the ST population had higher proportions of persons, male and female, taking snuff than the SC and non-SC/ST populations, and also that incidence of snuff-taking was markedly higher among ST females than among ST males. In urban areas, snuff-taking was more prevalent among females than among males for both ST and SC populations, and while incidence of snuff-taking among females was higher for SC/ST than "Others", the incidence among males was higher for "Others".

## **3.6 Use of burnt tobacco powder or paste**

### **INTER-STATE AND MALE-FEMALE DIFFERENCES**

3.6.1 The states where the use of burnt tobacco powder or paste was most widespread were Orissa and Maharashtra. In both these states the habit was more common among females than males. In Orissa nearly 20% of rural females and 11% of urban females had the habit; also 15% of rural males and 11% of urban males. In rural Maharashtra the incidence was 14% among females and 12% among males. In urban Maharashtra it was much less: 4% among females and 3% among males.

3.6.2 In Bihar, on the other hand, use of burnt tobacco was largely confined to the male population (6% in both rural and

urban areas). At the all-India level the proportions were more or less the same for males and females (3.3-3.5% for rural areas and 1.3-1.5% for urban areas). Apart from the three states mentioned above, the only state where the incidence was higher than the average for the country as a whole was Madhya Pradesh. In rural Tamil Nadu, the incidence of the habit was around 3.5%, the same as for India as a whole. In all other states, the incidence was below the all-India average.

3.6.3 In Andhra Pradesh, Maharashtra, and West Bengal, use of burnt tobacco was more common among females than males, just as in case of Orissa and Maharashtra.

### RURAL-URBAN DIFFERENCES

3.6.4 The use of burnt tobacco powder or paste was more widespread in rural areas of the country than in urban areas. This was observed in all major states.

### VARIATION WITH SOCIAL GROUP

3.6.5 Prevalence of use of burnt tobacco in rural areas was highest among the ST population, and slightly higher among SCs than Others (Statement 5(iv)). In urban areas, the differences between ST and the other two groups was even more noticeable.

## 3.7 Consumption of tobacco in any form

### INTER-STATE VARIATION

3.7.1 **Males:** For India as a whole, 43% of rural males aged 10 or more reported

regular consumption of tobacco in some form or other. For 11 of the major states, the percentage ranged between 42% and 53%. The two states with the highest percentage - 53% - were Orissa and Madhya Pradesh, both of which had very high incidence of chewing of *zarda* or *dokta*. Although the latter feature was also present in Bihar and Maharashtra, the percentage of rural males regularly consuming tobacco in these two states was only 44-45% because of the low proportion of smokers there. Punjab had by far the lowest incidence of tobacco consumption habits among rural males (12%); next was Tamil Nadu with 27%; and then Kerala (31%) and Karnataka (34%).

3.7.2 In urban areas tobacco consumption among males was dominated by the smoking habit. Inter-state variation was much less, with all states except Punjab (17%) reporting proportions of male tobacco users between 22% and 41%, the all-India average being 28%. West Bengal, which had the highest proportion of urban male smokers, reported the highest rate among the major states, followed by Assam and Orissa (38%). If those consuming tobacco casually were also considered, the rate for Assam would equal that of West Bengal.

3.7.3 **Females:** It was seen in Section 3.2 that proportion of female smokers was only less than 2% in rural areas of most states and only less than 1% in urban areas. On the other hand, chewing of *zarda*, *dokta*, etc. was more prevalent among women in many states, particularly in rural areas, and use of burnt tobacco

was somewhat popular among women in three or four major states. It is these habits which are reflected in the proportions of females "consuming tobacco in any form". Considering rural areas, Orissa, which was seen to have 22% females chewing tobacco regularly and 20% using burnt tobacco powder or paste, is seen to have 42% females consuming tobacco in some form or other. This is much higher than the second highest proportion (24%), reported by Maharashtra. Next come six states with proportion of rural female tobacco users between 8 and 12%: Andhra Pradesh, with a high proportion of rural female smokers, M.P., Tamil Nadu and Karnataka, where both *zarda/dokta* and burnt tobacco are important, West Bengal (based mainly on chewing of tobacco), and Gujarat (based mainly on snuff). The all-India proportion of rural females regularly consuming tobacco in one form or another was 11%.

3.7.4 In urban areas also, Orissa had by far the largest proportion of regular female users of tobacco (22%). In Maharashtra, M.P. and West Bengal, the incidence of tobacco consumption among urban females was 6-8%. Both chewing of tobacco and consumption of burnt tobacco contributed significantly to these proportions for Orissa and Maharashtra, while chewing predominated in M.P. and

West Bengal. The all-India proportion of urban females with regular tobacco consumption habits was a little under 5%.

### MALE-FEMALE AND RURAL-URBAN DIFFERENCES

3.7.5 These are better understood at the level of specific habits (such as smoking, snuff-taking etc.); the findings have been discussed in Sections 3.3 to 3.6.

### VARIATION WITH AGE

3.7.6 For both rural urban areas, variation of tobacco consumption with age follows the same pattern, one for males and another for females, as was observed for smoking. Proportion of **males** regularly consuming tobacco increases with age up to a point, being highest for the age-group 45-59, and then declines. The proportion of males consuming tobacco in some form in the age-group 45-59 is 61% in rural areas and 51% in urban areas. The rural-urban differences are more striking in the age-group 15-24: 19% regular users among rural males compared to only 9% in urban areas.

3.7.7 For **females**, on the other hand, incidence of tobacco consumption increases with age up to the highest age-group (60+) considered here. The proportion of regular tobacco users among females in the age-group 60+ is 21% in rural areas and 13% in urban areas. The incidence of tobacco consumption among females in the age-group 15-24 in rural areas is nearly four times than that in urban areas.

### VARIATION WITH SOCIAL GROUP



3.7.8 Among the three social groups considered here, the highest incidence of tobacco consumption habits is exhibited (Statement 5(v)) by Scheduled Tribes, followed by Scheduled Castes, and then the non-SC/ST population. Among males the SC-ST differentials are less, particularly in urban areas. The preponderance of tobacco consumption habits among STs relative to the population as a whole is most striking among females, both in rural and urban areas.

## 3.8 Consumption of tobacco in more than one form

3.8.1 This is much less common in India than consumption of tobacco in one exclusive form. In Statements 4R and 4U both regular and casual habits are considered. The first four columns of figures in these statements give proportions of persons with the habit of consuming tobacco in one exclusive form. Combinations are considered in the remaining columns. Detailed results, with estimates presented not only by sex but also for different age-groups, are available for all states and u.t.s in the Appendix (Tables 2R and 2U).

3.8.2 Out of a total of 451 rural males per 1000 in the country consuming tobacco in one form or another, only 73 consumed tobacco in more than one form, out of which the combination of smoking and chewing of tobacco was most common (55

per 1000). In urban areas 30 out of 296 male users of tobacco per 1000 consumed it in more than one form, 25 of these being smokers as well as chewers of tobacco. Among females only 8 per 1000 in rural areas and 3 per 1000 in urban areas of the country consumed tobacco in more than one form.

3.8.3 In rural areas the combination of smoking and chewing of tobacco (SM & CH) was found among 60 or more males per 1000 (6% or more) in a number of states: Assam, U.P., Orissa, Bihar and West Bengal. In urban areas of these states 30 or more males per 1000 (3% or more) had the same habits. In rural Bihar and Orissa the combination of smoking and chewing of tobacco was more common than smoking alone.

3.8.4 The combination of chewing *zarda/dokta* and use of burnt tobacco (CH & BT) was seen in 6% of rural males in Maharashtra and about 5% of rural and urban males in Orissa. Among females, 3% in rural Orissa and over 1.5% in rural Maharashtra had this combination of habits.

3.8.5 The combination of smoking and use of burnt tobacco (SM & BT) had a following of 6% among males of rural and urban Orissa and about 1-2% in urban Bihar and rural areas of Haryana, Bihar, Assam and Maharashtra.

3.8.6 Other combinations were not notable except in rural areas of Orissa, where 2% combined smoking with snuff-taking, and another 2% combined snuff-taking with the use of burnt tobacco.

**Statement 2: Number per 1000 persons reporting *smoking* and *consumption of tobacco in any form* by regularity of consumption for major states**

state	number per 1000 persons								number of estimated persons (in 00)	number of sample persons
	male				female					
	smoking		consumption of tobacco in any form		smoking		consumption of tobacco in any form			
	regularly	casually	regularly	casually	regularly	casually	regularly	casually		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
<b>Rural</b>										
Andhra Pradesh	413	9	430	10	69	2	122	2	459205	21408
Assam	363	72	448	79	22	16	70	42	180755	16714
Bihar	120	26	449	28	24	5	52	8	616867	36567
Gujarat	367	10	416	13	18	2	88	3	260282	11846
Haryana	433	17	451	17	47	4	57	5	127219	6119
Karnataka	268	16	344	22	3	3	84	13	294897	14172
Kerala	283	33	311	35	5	1	57	10	177957	11832
Madhya Pradesh	303	20	528	12	8	2	113	6	488190	28789
Maharashtra	136	10	440	13	3	0	235	5	451945	22076
Orissa	225	34	528	34	13	3	417	31	280256	16670
Punjab	96	4	124	4	1	0	2	1	132293	11144
Rajasthan	420	11	450	9	35	3	45	3	302108	16851
Tamil Nadu	194	12	269	15	3	1	86	7	361373	16242
Uttar Pradesh	327	24	450	25	31	3	71	6	1069589	52161
West Bengal	428	31	495	32	13	4	95	10	498291	23473
<b>India</b>	<b>293</b>	<b>21</b>	<b>430</b>	<b>22</b>	<b>23</b>	<b>3</b>	<b>109</b>	<b>9</b>	<b>5848894</b>	<b>356289</b>
<b>Urban</b>										
Andhra Pradesh	245	7	255	7	15	0	40	0	162045	15912
Assam	284	63	378	66	6	2	34	19	20509	3789
Bihar	83	28	303	28	9	2	31	5	85131	10599
Gujarat	202	10	268	18	3	1	32	3	125192	10953
Haryana	300	19	317	20	10	6	16	5	44195	3123
Karnataka	190	15	219	20	3	1	27	5	118459	11497
Kerala	252	40	271	43	5	1	39	7	57637	8181
Madhya Pradesh	200	22	312	24	7	1	66	5	148877	15904
Maharashtra	109	16	234	20	2	1	77	3	268234	24244
Orissa	226	38	376	42	5	4	220	21	40936	4533
Punjab	154	12	166	14	1	0	2	0	53761	8765
Rajasthan	243	14	293	21	16	1	36	2	89866	8447
Tamil Nadu	190	10	220	14	2	0	36	4	196598	16373
Uttar Pradesh	213	16	294	20	8	0	28	2	256549	23111
West Bengal	302	30	411	32	6	1	60	7	150934	13517
<b>India</b>	<b>202</b>	<b>18</b>	<b>277</b>	<b>21</b>	<b>7</b>	<b>1</b>	<b>47</b>	<b>4</b>	<b>1927372</b>	<b>208248</b>

**Statement 3R: Number of persons reporting consumption of tobacco in various forms per 1000 persons by sex for major states****Rural**

state x sex		form of tobacco consumption											consumption of tobacco in any form			No. of sample persons reporting consumption of tobacco in any form			
		smoking			chewing zarda, dokta etc.			snuff			burnt tobacco/ powder / paste			regu- larly	casu- ally	not con- suming	regu- larly	casu- ally	not con- suming
		regu- larly	casu- ally	not con- suming	regu- larly	casu- ally	not con- suming	regu- larly	casu- ally	not con- suming	regu- larly	casu- ally	not con- suming						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	
Andhra Pradesh	male	413	9	577	12	1	987	0	0	1000	11	1	989	430	10	561	3292	80	4862
	female	69	2	929	22	0	977	2	0	997	30	0	970	122	2	877	907	16	7340
Assam	male	363	72	565	109	81	810	7	2	992	23	4	973	448	79	473	3161	471	3416
	female	22	16	962	43	34	922	0	2	998	9	2	989	70	42	889	385	210	5249
Bihar	male	120	26	854	337	25	637	0	1	998	63	10	927	449	28	524	5880	372	7539
	female	24	5	970	26	5	969	0	0	1000	3	0	996	52	8	940	534	95	11882
Gujarat	male	367	10	623	51	10	938	5	1	994	12	1	987	416	13	571	1882	65	2689
	female	18	2	980	4	1	996	64	2	934	2	1	997	88	3	909	354	14	4049
Haryana	male	433	17	549	8	2	991	0	0	1000	31	3	966	451	17	532	1044	33	1277
	female	47	4	949	0	0	1000	8	1	990	3	0	997	57	5	938	110	7	1962
Karnataka	male	268	16	716	79	11	910	2	2	996	21	3	977	344	22	634	1765	111	3589
	female	3	3	994	44	11	945	2	3	994	38	3	958	84	13	904	438	59	4911
Kerala	male	283	33	684	35	12	953	4	2	994	3	1	996	311	35	654	1310	164	3124
	female	5	1	995	51	10	940	0	0	1000	2	0	998	57	10	933	264	52	4868
Madhya Pradesh	male	303	20	677	251	18	730	6	2	992	37	4	958	528	12	460	5605	135	5279
	female	8	2	989	66	3	930	9	1	989	33	3	964	113	6	880	1073	54	8961
Maharashtra	male	136	10	853	276	11	712	6	0	993	117	2	880	440	13	546	3543	113	4872
	female	3	0	996	99	4	897	11	1	988	143	1	856	235	5	760	1849	35	6379
Orissa	male	225	34	741	272	34	693	77	3	920	147	19	834	528	34	438	3195	214	2927
	female	13	3	984	220	25	756	35	1	964	196	15	789	417	31	552	2474	214	3703
Punjab	male	96	4	900	33	1	965	1	0	999	5	0	994	124	4	872	485	17	4034
	female	1	0	997	0	0	999	0	0	999	0	1	998	2	1	996	10	4	4169
Rajasthan	male	420	11	569	33	3	964	1	0	998	14	0	986	450	9	542	2737	55	3489
	female	35	3	962	4	0	996	6	0	994	1	0	998	45	3	952	266	19	5576
Tamil Nadu	male	194	12	794	49	6	945	10	1	988	35	2	962	269	15	716	1646	94	4722
	female	3	1	997	53	5	942	2	0	998	33	2	965	86	7	908	571	42	5999
Uttar Pradesh	male	327	24	648	193	25	781	1	1	998	6	1	992	450	25	524	8327	473	10539
	female	31	3	965	43	4	952	0	0	999	1	0	998	71	6	923	1144	103	16661
West Bengal	male	428	31	541	89	31	880	2	0	997	13	1	985	495	32	473	4226	299	4396
	female	13	4	983	72	9	919	1	0	999	16	1	982	95	10	894	812	94	7616
India	male	293	21	686	151	19	829	7	1	992	35	3	961	430	22	547	56694	3508	77063
	female	23	3	974	53	7	941	7	1	992	33	2	965	109	9	882	13641	1871	114845

## Statement 3U: Number of persons reporting consumption of tobacco in various forms per 1000 persons by sex for major states

## Urban

state x sex		form of tobacco consumption											consumption of tobacco in any form			No. of sample persons reporting consumption of tobacco in any form			
		smoking			chewing zarda, dokta etc.			snuff			burnt tobacco/pawder/paste			regu- larly	casu- ally	not con- suming	regu- larly	casu- ally	not con- suming
		regu- larly	casu- ally	not con- suming	regu- larly	casu- ally	not con- suming	regu- larly	casu- ally	not con- suming	regu- larly	casu- ally	not con- suming						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	
Andhra Pradesh	male	245	7	749	7	2	991	2	0	998	4	0	996	255	7	738	1537	51	4757
	female	15	0	984	13	0	987	2	0	998	10	1	989	40	1	959	220	9	5859
Assam	male	284	63	651	112	50	837	7	0	991	12	1	986	378	66	554	643	120	904
	female	6	2	991	27	16	957	0	0	1000	1	0	999	34	19	947	55	28	1404
Bihar	male	83	28	889	201	19	780	0	1	998	61	4	934	303	28	670	1248	122	3075
	female	9	2	989	20	4	976	0	0	1000	3	1	997	31	5	964	96	15	3453
Gujarat	male	202	10	788	68	12	920	3	0	997	7	1	993	268	18	714	1177	94	3318
	female	3	1	996	4	1	995	26	1	974	0	0	1000	32	3	964	128	13	4027
Haryana	male	300	19	680	19	3	978	1	0	999	2	0	998	317	20	663	382	26	887
	female	10	6	984	2	0	998	2	0	998	1	0	999	16	5	979	18	3	1098
Karnataka	male	190	15	795	35	8	957	3	0	997	2	1	997	219	20	760	1013	96	3589
	female	3	1	996	14	4	982	3	0	997	11	0	989	27	5	968	117	22	4240
Kerala	male	252	40	708	22	10	968	6	2	991	0	1	999	271	43	685	840	153	2281
	female	5	1	994	34	6	960	0	0	1000	1	0	999	39	7	954	142	29	3422
Madhya Pradesh	male	200	22	778	123	16	861	7	4	989	23	4	973	312	24	664	1938	154	4345
	female	7	1	991	41	2	956	7	3	989	16	2	981	66	5	928	344	24	5360
Maharashtra	male	109	16	875	114	9	876	4	0	996	31	1	967	234	20	746	2306	200	7763
	female	2	1	997	39	2	959	3	0	997	39	1	960	77	3	920	696	31	8685
Orissa	male	226	38	736	189	31	780	12	1	987	112	9	879	376	42	582	645	87	1142
	female	5	4	991	125	20	855	1	4	995	109	6	885	220	21	759	357	31	1342
Punjab	male	154	12	833	19	3	978	0	1	999	1	2	997	166	14	820	518	47	3129
	female	1	0	998	1	0	999	0	0	999	0	0	1000	2	0	997	8	1	3267
Rajasthan	male	243	14	743	63	10	928	0	0	999	5	1	994	293	21	686	932	59	2362
	female	16	1	982	15	0	985	4	0	996	3	0	997	36	2	962	86	7	2933
Tamil Nadu	male	190	10	800	20	6	974	8	1	991	9	2	989	220	14	766	1424	97	5182
	female	2	0	998	23	4	974	3	0	996	11	1	989	36	4	960	246	29	6476
Uttar Pradesh	male	213	16	771	120	17	862	0	1	999	0	1	998	294	20	685	2637	180	6349
	female	8	0	992	21	2	977	0	0	1000	0	0	1000	28	2	970	245	21	7735
West Bengal	male	302	30	668	118	15	867	10	1	989	9	1	991	411	32	556	2428	204	3422
	female	6	1	993	42	6	952	4	0	996	11	0	989	60	7	934	279	35	4819
India	male	202	18	780	80	12	908	4	1	995	15	1	984	277	21	701	23875	2153	60116
	female	7	1	992	26	3	971	4	0	996	13	1	986	47	4	949	4300	759	73568

**Statement 4R: Number of persons reporting consumption of tobacco in various forms either exclusively or in combination per 1000 persons by sex for 15 major states**

**Rural**

state x sex		form of tobacco consumption															sample persons reporting consumption of tobacco in any form
		smoking (SM)	chewing zarda, docta etc. (CH)	taking snuff (SN)	using burnt tobacco/powder/paste (BT)	SM & CH	SM & SN	SM & BT	SN & BT	SN & CH	CH & BT	SM, CH & SN	SM, CH & BT	SM, SN & BT	CH, SN & BT	SM, CH, SN & BT	
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
Andhra Pradesh	male	414	8	0	8	5	0	3	0	0	0	0	0	0	0	0	3372
	female	69	21	2	29	1	0	0	0	0	0	0	0	0	0	0	923
Assam	male	309	74	6	11	109	1	10	0	0	1	0	4	0	1	1	3632
	female	25	62	0	8	12	0	1	0	1	1	0	0	0	1	1	595
Bihar	male	44	274	1	54	84	0	15	0	0	2	0	2	0	0	0	6252
	female	25	27	0	3	4	0	0	0	0	0	0	0	0	0	0	629
Gujarat	male	351	39	4	8	21	2	3	0	0	1	0	0	0	0	0	1947
	female	19	3	65	2	0	1	0	0	0	0	0	0	0	0	1	368
Haryana	male	424	5	0	12	4	0	22	0	0	0	0	0	0	0	0	1077
	female	48	0	9	1	0	1	2	0	0	0	0	0	0	0	0	117
Karnataka	male	260	63	1	11	17	0	3	0	0	6	0	2	0	0	2	1876
	female	3	48	3	35	0	0	0	0	0	4	0	0	0	0	3	497
Kerala	male	290	23	5	3	24	1	1	0	0	0	0	0	0	0	0	1474
	female	5	60	0	2	1	0	0	0	0	0	0	0	0	0	0	316
Madhya Pradesh	male	232	181	3	29	79	1	6	0	2	3	1	3	0	0	1	5740
	female	8	64	9	33	2	0	0	0	1	2	0	0	0	0	1	1127
Maharashtra	male	104	200	2	49	26	1	11	0	1	56	0	4	0	0	0	3656
	female	2	83	9	125	1	0	0	1	2	16	0	0	0	0	0	1884
Orissa	male	89	159	34	61	89	15	38	13	6	29	4	17	5	2	1	3409
	female	5	199	21	167	4	1	3	7	5	33	2	0	1	1	0	2688
Punjab	male	87	25	0	2	9	0	3	0	0	0	0	0	0	0	0	502
	female	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	14
Rajasthan	male	407	22	1	5	14	1	9	0	0	0	0	0	0	0	0	2792
	female	37	3	6	1	1	0	0	0	0	0	0	0	0	0	0	285
Tamil Nadu	male	185	37	8	30	13	2	4	0	1	3	1	1	0	0	0	1740
	female	3	52	2	29	1	0	0	0	0	5	0	0	0	0	0	613
Uttar Pradesh	male	251	120	1	2	96	1	3	0	0	1	0	1	0	0	0	8800
	female	28	40	0	1	6	0	0	0	0	0	0	0	0	0	0	1247
West Bengal	male	393	57	2	7	60	0	4	0	0	2	0	1	0	0	0	4525
	female	11	70	1	12	5	0	0	0	0	5	0	0	0	0	0	906
India	male	248	106	4	20	53	1	8	1	1	7	0	2	0	0	0	60202
	female	22	51	6	29	3	0	0	0	1	4	0	0	0	0	0	15512

**Statement 4U: Number of Persons Reporting Consumption of Tobacco in Various Forms Either Exclusively or in Combination per 1000 Persons by Sex for 15 Major States**

**Urban**

state x sex		form of tobacco consumption														sample persons reporting consumption of tobacco in any form	
		smoking (SM)	chewing zarda,docta etc.(CH)	taking snuff (SN)	using burnt tobacco/powder/paste (BT)	SM & CH	SM & SN	SM & BT	SN & BT	SN & CH	CH & BT	SM, CH & SN	SM, CH & BT	SM, SN & BT	CH, SN & BT		SM, CH, SN & BT
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
Andhra Pradesh	male	247	6	2	3	3	1	1	0	0	0	0	0	0	0	0	1588
	female	15	13	2	11	0	0	0	0	0	0	0	0	0	0	0	229
Assam	male	265	81	7	10	80	0	1	0	0	0	0	1	0	0	0	763
	female	9	43	0	1	0	0	0	0	0	0	0	0	0	0	0	83
Bihar	male	49	169	1	47	45	0	12	0	0	2	0	4	0	0	0	1370
	female	10	22	0	3	1	0	0	0	0	0	0	0	0	0	0	111
Gujarat	male	196	64	2	6	15	0	1	0	1	0	0	0	0	0	0	1271
	female	4	5	26	0	0	0	0	0	0	0	0	0	0	0	0	141
Haryana	male	314	14	0	1	6	0	0	0	1	1	0	0	0	0	0	408
	female	15	2	2	1	0	0	1	0	0	0	0	0	0	0	0	21
Karnataka	male	192	30	3	1	12	0	1	0	0	0	0	0	0	0	0	1109
	female	3	15	2	9	0	0	0	0	0	2	0	1	0	1	0	139
Kerala	male	275	14	7	0	16	0	1	0	1	0	0	0	0	0	0	993
	female	5	39	0	1	1	0	0	0	0	0	0	0	0	0	0	171
Madhya Pradesh	male	171	92	4	14	38	1	6	0	1	2	1	1	0	0	2	2092
	female	6	37	7	15	1	0	0	0	2	1	0	0	0	0	1	368
Maharashtra	male	106	99	2	18	13	0	4	0	1	8	0	1	0	0	0	2506
	female	2	35	2	34	0	0	0	0	0	6	0	0	0	0	0	727
Orissa	male	121	89	4	32	30	3	37	0	0	27	0	19	1	2	2	732
	female	3	122	0	91	1	0	1	0	1	18	0	0	0	1	4	388
Punjab	male	157	13	0	1	8	0	0	0	0	0	0	0	0	0	1	565
	female	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	9
Rajasthan	male	237	53	0	3	17	0	2	0	0	0	0	1	0	0	0	991
	female	16	14	3	2	1	0	0	1	0	0	0	0	0	0	0	93
Tamil Nadu	male	192	18	7	6	5	1	2	1	0	2	0	1	0	0	0	1521
	female	1	24	3	9	0	0	0	0	1	2	0	0	0	0	0	275
Uttar Pradesh	male	177	85	0	0	51	0	0	0	0	0	0	0	0	0	1	2817
	female	7	22	0	0	1	0	0	0	0	0	0	0	0	0	0	266
West Bengal	male	292	95	10	5	36	1	3	0	0	1	0	0	0	0	0	2632
	female	6	44	3	9	1	0	0	0	1	2	0	0	0	0	0	3147
<b>India</b>	<b>male</b>	<b>191</b>	<b>63</b>	<b>3</b>	<b>9</b>	<b>24</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>26028</b>
	<b>female</b>	<b>7</b>	<b>26</b>	<b>4</b>	<b>11</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5059</b>

**Statement 5R(i): Number of persons reporting habit of smoking per 1000 persons  
by habit of consumption and household group**

**Rural**

state	habit of smoking	number per 1000 persons								No. of sample persons
		scheduled tribe		scheduled caste		others		all		
		male	female	male	female	male	female	male	female	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	regularly	430	169	330	52	299	38	317	53	3656
	casually	6	3	8	2	7	1	7	1	93
Assam	regularly	274	29	296	20	276	14	278	17	2693
	casually	45	25	34	9	60	11	55	13	507
Bihar	regularly	115	16	96	17	78	18	85	18	1754
	casually	17	8	21	3	17	3	18	4	365
Gujarat	regularly	348	42	290	13	249	5	276	14	1707
	casually	9	1	5	3	8	1	8	1	59
Haryana	regularly	283	19	325	42	311	33	314	35	1084
	casually	3	0	8	3	15	3	12	3	43
Karnataka	regularly	233	7	234	2	191	2	204	2	1373
	casually	15	0	12	0	12	3	13	2	94
Kerala	regularly	213	0	340	4	216	4	228	4	1217
	casually	0	0	24	5	27	0	26	1	152
Madhya Pradesh	regularly	207	7	256	10	218	5	222	7	3319
	casually	14	2	16	2	15	2	15	2	240
Maharashtra	regularly	143	9	108	0	93	1	102	2	1050
	casually	8	0	4	0	9	0	8	0	94
Orissa	regularly	216	25	222	6	132	4	170	10	1400
	casually	23	5	29	2	26	1	26	2	221
Punjab	regularly	160	0	102	2	52	1	73	1	382
	casually	0	0	7	1	1	0	3	0	19
Rajasthan	regularly	360	34	328	33	281	20	302	25	2758
	casually	6	1	6	4	9	2	8	2	90
Tamil Nadu	regularly	145	0	199	3	139	2	154	2	1160
	casually	10	0	9	0	9	1	9	0	72
Uttar Pradesh	regularly	191	23	274	45	217	16	231	23	6413
	casually	2	0	19	4	17	2	17	2	511
West Bengal	regularly	370	23	331	11	297	7	314	10	3737
	casually	38	7	26	2	19	3	23	3	327
<b>India</b>	<b>regularly</b>	<b>255</b>	<b>35</b>	<b>244</b>	<b>22</b>	<b>202</b>	<b>13</b>	<b>217</b>	<b>17</b>	<b>42691</b>
	<b>casually</b>	<b>16</b>	<b>5</b>	<b>16</b>	<b>2</b>	<b>16</b>	<b>2</b>	<b>16</b>	<b>2</b>	<b>3975</b>

**Statement 5U(i): Number of persons reporting habit of smoking per 1000 persons  
by habit of consumption and household group**

**Urban**

state	habit of consumption	number per 1000 persons								No. of sample persons
		scheduled tribe		scheduled caste		others		all		
		male	female	male	female	male	female	male	female	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	regularly	262	29	233	25	182	11	189	12	1550
	casually	3	0	12	2	4	0	5	0	49
Assam	regularly	274	0	291	40	231	3	237	5	493
	casually	39	0	59	0	53	2	52	2	118
Bihar	regularly	88	13	56	2	62	7	63	7	371
	casually	24	0	27	6	20	1	21	2	132
Gujarat	regularly	300	4	172	7	148	1	157	2	885
	casually	15	0	8	1	7	1	8	1	77
Haryana	regularly	337	0	285	16	216	6	229	8	377
	casually	0	0	13	18	15	2	15	4	28
Karnataka	regularly	221	0	200	5	141	2	151	2	898
	casually	18	0	9	0	12	1	12	1	80
Kerala	regularly	270	0	301	12	203	4	210	4	795
	casually	6	0	40	0	33	1	34	1	156
Madhya Pradesh	regularly	211	3	200	8	134	5	151	5	1249
	casually	17	3	20	6	16	0	17	1	151
Maharashtra	regularly	101	4	112	0	82	2	87	2	1147
	casually	10	0	6	0	14	1	13	1	184
Orissa	regularly	203	0	218	0	169	6	180	4	379
	casually	30	0	49	0	27	6	30	4	80
Punjab	regularly	70	0	174	2	104	1	120	1	486
	casually	0	0	6	0	11	0	9	0	42
Rajasthan	regularly	343	36	293	31	156	8	180	12	807
	casually	34	0	0	0	12	2	10	1	46
Tamil Nadu	regularly	216	0	229	0	142	2	155	1	1239
	casually	4	0	9	0	8	0	8	0	67
Uttar Pradesh	regularly	263	0	217	9	148	5	158	6	2013
	casually	0	0	21	0	11	0	12	0	136
West Bengal	regularly	180	10	289	12	242	4	249	5	1909
	casually	49	2	31	2	24	0	25	1	201
<b>India</b>	<b>regularly</b>	<b>209</b>	<b>14</b>	<b>210</b>	<b>9</b>	<b>148</b>	<b>4</b>	<b>158</b>	<b>5</b>	<b>18942</b>
	<b>casually</b>	<b>18</b>	<b>3</b>	<b>15</b>	<b>2</b>	<b>14</b>	<b>1</b>	<b>14</b>	<b>1</b>	<b>2129</b>



**Statement 5R(ii): Number of persons reporting habit of chewing zarda, docta etc. per 1000 persons by habit of consumption and household group**

**Rural**

state	habit of consumption	number per 1000 persons								No. of sample persons
		scheduled tribe		scheduled caste		others		all		
		male	female	male	female	male	female	male	female	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	regularly	17	12	9	19	9	17	10	17	284
	casually	2	0	2	1	0	0	1	0	11
Assam	regularly	98	32	56	19	84	35	83	33	1020
	casually	50	24	77	36	63	27	62	27	640
Bihar	regularly	296	66	265	20	225	13	240	19	4696
	casually	16	11	17	1	18	3	18	3	373
Gujarat	regularly	53	5	27	0	36	3	38	3	268
	casually	4	0	2	0	10	1	8	1	52
Haryana	regularly	0	0	13	0	3	0	6	0	18
	casually	0	0	2	0	1	0	1	0	4
Karnataka	regularly	57	50	60	46	60	28	60	34	650
	casually	6	1	10	10	9	8	9	8	106
Kerala	regularly	81	177	54	89	25	35	29	43	378
	casually	0	0	19	11	9	8	10	8	99
Madhya Pradesh	regularly	242	71	174	44	157	38	185	49	3344
	casually	17	4	14	2	12	2	14	3	224
Maharashtra	regularly	227	106	216	91	202	66	207	75	3032
	casually	4	3	9	3	9	3	8	3	120
Orissa	regularly	276	269	206	183	176	119	207	168	2932
	casually	26	11	33	28	25	19	26	19	375
Punjab	regularly	0	0	45	0	13	0	25	0	134
	casually	0	0	1	0	1	0	1	0	6
Rajasthan	regularly	19	4	27	3	24	2	24	3	230
	casually	1	0	2	0	3	1	3	0	24
Tamil Nadu	regularly	24	65	54	67	34	33	39	42	696
	casually	15	24	8	3	3	4	5	4	69
Uttar Pradesh	regularly	165	36	154	39	131	28	136	31	4420
	casually	12	0	19	4	18	3	18	3	557
West Bengal	regularly	156	137	67	47	54	44	66	53	1441
	casually	99	21	23	2	13	7	23	7	376
<b>India</b>	<b>regularly</b>	<b>161</b>	<b>80</b>	<b>118</b>	<b>44</b>	<b>103</b>	<b>31</b>	<b>112</b>	<b>39</b>	<b>25959</b>
	<b>casually</b>	<b>20</b>	<b>9</b>	<b>15</b>	<b>4</b>	<b>13</b>	<b>5</b>	<b>14</b>	<b>5</b>	<b>4400</b>

**Statement 5U(ii): Number of persons reporting habit of chewing zarda, dokta etc. per 1000 persons by habit of consumption and household group**

**Urban**

state	habit of consumption	number per 1000 persons								No. of sample persons
		scheduled tribe		scheduled caste		others		all		
		male	female	male	female	male	female	male	female	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	regularly	0	2	2	2	6	11	6	10	125
	casually	0	0	2	0	2	0	2	0	20
Assam	regularly	147	30	83	15	92	22	93	22	240
	casually	45	18	46	25	41	12	42	14	109
Bihar	regularly	222	62	175	13	145	11	153	14	863
	casually	32	0	4	1	15	3	15	3	97
Gujarat	regularly	91	0	76	1	48	4	53	4	348
	casually	4	0	9	0	10	1	10	1	59
Haryana	regularly	0	0	44	0	8	2	14	2	22
	casually	0	0	4	0	2	0	2	0	5
Karnataka	regularly	18	17	42	27	26	8	28	11	213
	casually	12	2	5	5	6	3	6	3	48
Kerala	regularly	60	0	21	74	18	27	18	29	192
	casually	0	0	8	11	8	5	8	5	50
Madhya Pradesh	regularly	97	43	106	47	89	26	93	31	1018
	casually	10	0	22	9	10	1	12	2	124
Maharashtra	regularly	149	61	106	68	87	24	92	32	1456
	casually	4	4	9	1	7	1	7	2	92
Orissa	regularly	171	111	260	200	128	81	151	101	521
	casually	23	6	22	15	25	19	24	17	89
Punjab	regularly	0	0	27	0	12	1	15	1	58
	casually	0	0	5	0	1	0	2	0	9
Rajasthan	regularly	61	0	42	11	47	12	47	11	241
	casually	0	0	3	0	8	0	7	0	29
Tamil Nadu	regularly	6	29	30	38	14	15	16	19	279
	casually	15	0	13	9	4	2	5	3	68
Uttar Pradesh	regularly	189	0	98	15	87	16	89	15	1198
	casually	33	0	19	2	12	1	13	1	165
West Bengal	regularly	104	7	150	42	86	34	98	34	793
	casually	40	0	22	6	10	6	13	5	130
<b>India</b>	<b>regularly</b>	<b>95</b>	<b>38</b>	<b>83</b>	<b>34</b>	<b>58</b>	<b>17</b>	<b>63</b>	<b>20</b>	<b>8872</b>
	<b>casually</b>	<b>14</b>	<b>5</b>	<b>12</b>	<b>4</b>	<b>9</b>	<b>2</b>	<b>9</b>	<b>3</b>	<b>1752</b>

**Statement 5R(iii): Number of persons reporting *habit of taking snuff* per 1000 persons by habit of consumption and household group**

**Rural**

state	habit of consumption	number per 1000 persons								No. of sample persons
		scheduled tribe		scheduled caste		others		all		
		male	female	male	female	male	female	male	female	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	regularly	0	3	0	2	0	2	0	2	24
	casually	0	0	0	0	0	0	0	0	4
Assam	regularly	4	0	1	0	6	0	5	0	49
	casually	0	0	3	0	2	3	2	2	28
Bihar	regularly	1	1	0	0	1	0	1	0	10
	casually	0	0	2	0	1	0	1	0	28
Gujarat	regularly	3	41	3	55	4	51	4	49	284
	casually	0	1	0	3	1	1	0	1	9
Haryana	regularly	0	16	0	5	0	6	0	6	18
	casually	0	0	0	2	0	1	0	1	2
Karnataka	regularly	1	4	0	0	2	2	1	2	25
	casually	0	0	0	0	2	3	1	2	18
Kerala	regularly	0	0	3	0	3	0	3	0	20
	casually	0	0	0	0	2	0	2	0	10
Madhya Pradesh	regularly	4	5	5	11	5	7	5	7	154
	casually	1	1	2	1	2	1	2	1	38
Maharashtra	regularly	4	8	3	4	5	9	4	8	135
	casually	0	0	1	0	0	1	0	1	8
Orissa	regularly	68	48	63	30	53	18	59	28	648
	casually	2	1	3	1	2	1	2	1	25
Punjab	regularly	0	0	1	0	0	0	1	0	4
	casually	0	0	0	0	0	0	0	0	1
Rajasthan	regularly	0	5	2	5	1	4	1	4	39
	casually	0	1	0	0	1	0	1	0	9
Tamil Nadu	regularly	0	0	8	1	9	2	8	2	85
	casually	0	0	1	0	1	0	1	0	9
Uttar Pradesh	regularly	0	0	0	0	1	0	1	0	32
	casually	0	0	1	0	0	0	0	0	12
West Bengal	regularly	0	0	1	2	2	0	2	1	32
	casually	0	0	0	0	0	0	0	0	5
India	regularly	9	12	4	4	4	5	5	6	1624
	casually	1	1	1	0	1	1	1	1	237

**Statement 5U(iii): Number of persons reporting habit of taking snuff per 1000 persons  
by habit of consumption and household group**

**Urban**

state	habit of consumption	number per 1000 persons								No. of sample persons
		scheduled tribe		scheduled caste		others		all		
		male	female	male	female	male	female	male	female	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	regularly	0	0	0	4	2	1	1	1	17
	casually	0	0	0	0	0	0	0	0	2
Assam	regularly	0	0	16	0	5	0	6	0	13
	casually	0	0	0	0	0	0	0	0	1
Bihar	regularly	0	0	0	0	0	0	0	0	1
	casually	0	0	0	0	1	0	1	0	5
Gujarat	regularly	0	37	0	17	2	20	2	20	103
	casually	0	0	0	0	0	1	0	1	4
Haryana	regularly	0	0	0	0	1	2	1	2	3
	casually	0	0	0	0	0	0	0	0	0
Karnataka	regularly	0	5	0	11	3	2	3	3	30
	casually	0	0	0	0	0	0	0	0	0
Kerala	regularly	0	0	10	0	5	0	5	0	22
	casually	0	0	0	0	2	0	2	0	6
Madhya Pradesh	regularly	2	1	7	6	5	6	5	6	66
	casually	0	3	8	5	2	1	3	2	26
Maharashtra	regularly	3	7	2	3	3	2	3	2	62
	casually	0	0	0	0	0	0	0	0	3
Orissa	regularly	10	0	3	3	11	1	10	1	32
	casually	0	0	0	0	1	5	1	4	7
Punjab	regularly	0	0	0	1	0	0	0	0	2
	casually	0	0	2	0	1	0	1	0	4
Rajasthan	regularly	0	32	0	0	0	3	0	3	10
	casually	0	0	1	0	0	0	0	0	2
Tamil Nadu	regularly	1	0	2	7	8	2	7	3	84
	casually	0	0	0	1	1	0	0	0	8
Uttar Pradesh	regularly	0	0	0	0	0	0	0	0	14
	casually	33	0	0	0	0	0	0	0	4
West Bengal	regularly	5	0	8	2	8	3	8	3	71
	casually	0	0	2	0	0	0	1	0	5
<b>India</b>	<b>regularly</b>	<b>2</b>	<b>6</b>	<b>2</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>555</b>
	<b>casually</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>91</b>

**Statement 5R(iv): Number of persons reporting habit of consumption of burnt tobacco / powder / paste per 1000 persons by habit of consumption and household group**

**Rural**

state	habit of consumption	number per 1000 persons								No. of sample persons
		scheduled tribe		scheduled caste		others		all		
		male	female	male	female	male	female	male	female	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	regularly	7	9	8	33	8	22	8	23	313
	casually	1	0	1	1	0	0	1	0	9
Assam	regularly	16	5	21	11	18	7	18	7	190
	casually	1	0	6	2	3	2	3	2	43
Bihar	regularly	45	1	57	2	41	3	45	2	895
	casually	4	0	11	1	6	0	7	0	155
Gujarat	regularly	2	3	7	4	12	1	9	2	78
	casually	0	0	0	0	1	1	1	0	5
Haryana	regularly	45	0	20	5	22	2	22	3	93
	casually	13	0	3	0	2	0	2	0	7
Karnataka	regularly	15	18	13	39	17	28	16	29	310
	casually	0	0	1	1	3	3	2	2	29
Kerala	regularly	0	0	7	8	2	1	3	1	20
	casually	0	0	0	0	1	0	1	0	4
Madhya Pradesh	regularly	27	29	25	22	30	23	28	25	707
	casually	4	2	4	1	4	3	4	3	91
Maharashtra	regularly	92	99	113	116	90	113	94	112	2184
	casually	0	0	0	1	2	1	2	1	28
Orissa	regularly	83	150	136	177	117	142	112	150	2150
	casually	6	5	19	14	17	14	14	12	238
Punjab	regularly	14	0	3	0	4	0	4	0	19
	casually	0	0	0	1	0	0	0	0	3
Rajasthan	regularly	2	1	6	1	13	1	10	1	121
	casually	0	0	0	0	1	0	0	0	7
Tamil Nadu	regularly	6	42	48	39	22	22	28	27	435
	casually	14	14	3	3	1	0	2	1	29
Uttar Pradesh	regularly	0	0	6	2	4	1	4	1	140
	casually	0	0	1	0	1	0	1	0	25
West Bengal	regularly	5	13	10	9	10	13	10	12	260
	casually	0	1	1	2	1	0	1	1	26
<b>India</b>	<b>regularly</b>	<b>31</b>	<b>37</b>	<b>29</b>	<b>26</b>	<b>25</b>	<b>23</b>	<b>27</b>	<b>25</b>	<b>8433</b>
	<b>casually</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>845</b>

**Statement 5U(iv): Number of persons reporting habit of consumption of burnt tobacco /powder/ paste per 1000 persons by habit of consumption and household group**

**Urban**

state	habit of consumption	number per 1000 persons								No. of sample persons
		scheduled tribe		scheduled caste		others		all		
		male	female	male	female	male	female	male	female	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	regularly	3	9	9	27	2	6	3	8	86
	casually	0	0	0	0	0	0	0	0	5
Assam	regularly	20	9	27	0	8	1	10	1	24
	casually	0	0	0	0	1	0	1	0	2
Bihar	regularly	60	5	67	1	43	2	47	2	283
	casually	3	0	5	0	3	1	4	1	22
Gujarat	regularly	8	0	5	1	5	0	5	0	36
	casually	0	0	0	0	1	0	1	0	3
Haryana	regularly	0	0	2	0	1	1	1	1	6
	casually	0	0	0	0	0	0	0	0	1
Karnataka	regularly	11	30	5	20	1	7	2	9	55
	casually	0	0	2	0	0	0	1	0	3
Kerala	regularly	0	0	0	0	0	1	0	1	7
	casually	0	0	0	0	1	0	1	0	3
Madhya Pradesh	regularly	36	30	10	10	18	11	18	12	214
	casually	0	0	10	8	1	1	3	2	33
Maharashtra	regularly	51	43	54	59	19	26	25	32	677
	casually	0	0	0	0	1	1	1	1	20
Orissa	regularly	138	171	111	94	78	72	89	87	385
	casually	4	2	11	2	6	7	7	6	32
Punjab	regularly	0	0	0	0	1	0	0	0	2
	casually	0	0	3	0	1	0	1	0	8
Rajasthan	regularly	0	64	6	0	3	2	4	2	21
	casually	0	0	1	0	0	0	1	0	6
Tamil Nadu	regularly	18	0	8	12	7	8	7	9	135
	casually	0	0	3	0	1	1	1	1	11
Uttar Pradesh	regularly	0	0	0	0	0	0	0	0	17
	casually	33	0	0	0	1	0	1	0	6
West Bengal	regularly	4	0	10	11	7	9	7	9	100
	casually	0	0	1	0	1	0	1	0	8
India	regularly	33	31	18	17	10	9	12	10	2216
	casually	2	0	2	1	1	1	1	1	205

**Statement 5R(v): Number of persons reporting consumption of tobacco in any form per 1000 persons by habit of consumption and household group**

**Rural**

state	habit of consumption	number per 1000 persons								No. of sample persons
		scheduled tribe		scheduled caste		others		all		
		male	female	male	female	male	female	male	female	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	regularly	447	193	343	103	311	77	330	93	4205
	casually	7	3	9	3	7	1	8	1	99
Assam	regularly	357	65	350	44	340	53	343	53	3555
	casually	41	22	59	40	66	34	61	33	693
Bihar	regularly	402	79	357	38	296	32	319	37	6425
	casually	12	13	23	4	20	5	20	6	476
Gujarat	regularly	379	87	313	71	290	60	313	67	2238
	casually	10	2	5	5	11	2	10	3	81
Haryana	regularly	299	35	339	49	323	39	327	42	1159
	casually	0	0	9	3	14	3	12	3	40
Karnataka	regularly	293	79	286	83	251	56	262	64	2205
	casually	14	1	18	11	17	10	17	10	172
Kerala	regularly	262	177	379	102	236	40	251	48	1577
	casually	0	0	26	13	29	8	28	9	216
Madhya Pradesh	regularly	439	110	397	83	357	70	388	84	6726
	casually	8	6	10	3	9	5	9	5	200
Maharashtra	regularly	379	202	363	192	322	176	336	182	5490
	casually	3	3	8	3	11	4	10	4	151
Orissa	regularly	501	438	434	354	345	257	402	320	5689
	casually	16	16	29	28	29	26	26	24	436
Punjab	regularly	174	0	135	2	66	2	94	2	497
	casually	0	0	6	2	2	0	3	1	25
Rajasthan	regularly	375	44	353	40	302	27	323	32	3007
	casually	4	2	6	4	8	2	7	2	79
Tamil Nadu	regularly	167	96	284	106	191	55	214	69	2222
	casually	32	24	12	5	11	5	12	5	136
Uttar Pradesh	regularly	300	55	365	79	303	42	318	51	9500
	casually	8	0	18	6	17	4	18	4	581
West Bengal	regularly	467	162	384	64	340	60	364	70	5049
	casually	30	17	26	5	22	8	24	8	401
<b>India</b>	<b>regularly</b>	<b>407</b>	<b>153</b>	<b>348</b>	<b>89</b>	<b>297</b>	<b>68</b>	<b>319</b>	<b>82</b>	<b>70628</b>
	<b>casually</b>	<b>13</b>	<b>11</b>	<b>17</b>	<b>7</b>	<b>17</b>	<b>7</b>	<b>17</b>	<b>7</b>	<b>5462</b>

**Statement 5U(v): Number of persons reporting consumption of tobacco in any form per 1000 persons by habit of consumption and household group**

**Urban**

state	habit of consumption	number per 1000 persons								No. of sample persons
		scheduled tribe		scheduled caste		others		all		
		male	female	male	female	male	female	male	female	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	regularly	265	40	240	58	190	28	196	31	1758
	casually	3	0	12	2	5	1	6	1	60
Assam	regularly	366	39	372	55	309	26	315	28	699
	casually	23	18	46	25	57	15	55	16	148
Bihar	regularly	334	80	260	16	219	20	230	23	1346
	casually	29	0	13	7	22	4	21	4	139
Gujarat	regularly	386	41	240	25	195	25	209	26	1308
	casually	15	0	13	1	14	3	14	3	107
Haryana	regularly	337	0	319	16	223	11	241	12	400
	casually	0	0	13	18	16	1	15	4	29
Karnataka	regularly	239	46	230	47	163	17	174	22	1136
	casually	18	2	12	5	17	4	16	4	118
Kerala	regularly	330	0	318	86	219	31	226	34	985
	casually	6	0	38	11	36	6	36	6	185
Madhya Pradesh	regularly	298	72	286	66	219	46	236	51	2291
	casually	9	6	27	13	17	2	18	4	181
Maharashtra	regularly	267	105	242	120	175	50	188	62	3017
	casually	12	4	13	1	17	3	16	3	234
Orissa	regularly	390	269	390	262	269	146	299	177	1004
	casually	25	8	43	17	33	19	33	17	119
Punjab	regularly	70	0	189	3	112	1	129	2	527
	casually	0	0	9	0	12	0	11	0	49
Rajasthan	regularly	357	100	322	42	195	23	218	27	1020
	casually	21	0	3	0	18	2	15	2	68
Tamil Nadu	regularly	242	29	258	53	164	26	179	30	1673
	casually	19	0	14	8	11	3	12	3	126
Uttar Pradesh	regularly	406	0	289	23	206	20	219	21	2883
	casually	0	0	24	2	14	1	15	1	203
West Bengal	regularly	265	17	401	64	328	47	339	49	2709
	casually	47	2	30	7	26	6	27	6	245
<b>India</b>	<b>regularly</b>	<b>304</b>	<b>84</b>	<b>284</b>	<b>58</b>	<b>202</b>	<b>32</b>	<b>217</b>	<b>37</b>	<b>28243</b>
	<b>casually</b>	<b>17</b>	<b>8</b>	<b>18</b>	<b>5</b>	<b>17</b>	<b>3</b>	<b>17</b>	<b>4</b>	<b>2944</b>



# **Appendix**

## **Detailed tables**

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

ANDHRA PRADESH		RURAL												NO. OF SAMPLE VILLAGES : 492	
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)												SAMPLE PERSONS	
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	17	3	168	23	559	74	681	134	574	148	413	69	3160	491
	: CASUALLY	2	4	4	0	14	1	8	2	13	4	9	2	78	12
	: NOT CONSUMING	981	994	827	977	427	925	311	864	412	849	577	929	4996	7760
CHEWING	: REGULARLY	0	0	4	6	16	22	14	47	34	51	12	22	101	182
ZARDA	: CASUALLY	0	1	1	0	1	0	2	2	2	0	1	0	8	3
DOKTA ETC	: NOT CONSUMING	1000	999	995	994	983	978	984	951	965	949	987	977	8125	8078
SNUFF	: REGULARLY	0	0	0	1	0	2	0	4	2	6	0	2	4	20
	: CASUALLY	0	1	0	0	0	0	0	0	0	0	0	0	0	4
	: NOT CONSUMING	1000	999	1000	999	1000	997	1000	995	998	994	1000	997	8230	8239
BURNT TOBACCO	: REGULARLY	0	0	4	7	11	30	21	58	24	78	11	30	81	232
	: CASUALLY	0	1	0	0	1	1	1	0	2	0	1	0	5	4
	: NOT CONSUMING	1000	999	996	993	988	969	977	942	974	922	989	970	8148	8027
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	17	3	174	35	576	127	705	241	624	272	430	122	3292	907
	: CASUALLY	2	4	4	0	15	1	8	3	13	4	10	2	80	16
	: NOT CONSUMING	981	994	821	965	409	872	287	756	363	725	561	877	4862	7340
ARUNACHAL PRADESH		RURAL												NO. OF SAMPLE VILLAGES : 120	
SMOKING	: REGULARLY	0	1	78	9	267	55	350	107	199	135	192	50	512	234
	: CASUALLY	2	3	81	13	157	59	133	123	237	73	118	51	248	111
	: NOT CONSUMING	998	996	841	978	576	886	517	770	564	793	690	899	1261	1494
CHEWING	: REGULARLY	0	0	34	43	96	109	258	247	260	209	104	106	173	148
ZARDA	: CASUALLY	8	4	85	42	93	93	146	106	183	145	93	73	232	162
DOKTA ETC	: NOT CONSUMING	992	996	881	915	811	798	596	647	557	645	802	820	1616	1529
SNUFF	: REGULARLY	0	0	0	0	0	0	4	1	0	12	1	1	1	2
	: CASUALLY	0	0	0	0	5	4	4	1	0	0	3	2	4	2
	: NOT CONSUMING	1000	1000	1000	1000	995	996	993	998	1000	988	997	997	2016	1835
BURNT TOBACCO	: REGULARLY	0	0	6	1	59	49	93	44	51	7	43	27	101	73
	: CASUALLY	0	6	0	0	30	27	66	77	86	24	28	25	43	33
	: NOT CONSUMING	1000	994	994	998	911	924	841	880	863	969	929	948	1877	1733
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	1	113	54	397	200	649	360	498	336	319	171	716	413
	: CASUALLY	9	12	133	46	184	148	219	212	306	188	160	117	287	216
	: NOT CONSUMING	991	987	754	900	419	652	132	428	196	475	520	713	1018	1210

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1F): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND AGE-GROUP		RURAL												NO. OF SAMPLE VILLAGES : 320	
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)												SAMPLE PERSONS	
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	: REGULARLY	3	1	110	6	567	25	680	50	579	62	363	22	2561	130
	: CASUALLY	8	1	66	7	91	23	115	27	70	30	72	16	421	82
	: NOT CONSUMING	988	998	823	987	342	953	206	924	351	907	565	962	4066	5632
CHEWING	: REGULARLY	0	1	66	15	180	68	154	54	87	67	109	43	774	243
ZARDA	: CASUALLY	11	12	80	40	102	43	125	24	58	28	81	34	464	165
DOKTA ETC	: NOT CONSUMING	989	987	855	945	717	889	722	922	855	905	810	922	5810	5436
SNUFF	: REGULARLY	0	0	9	0	10	0	3	2	4	0	7	0	47	2
	: CASUALLY	1	6	1	1	2	2	3	0	0	0	2	2	14	9
	: NOT CONSUMING	999	994	990	999	987	998	995	998	996	1000	992	998	6987	5833
BURNT TOBACCO	: REGULARLY	2	1	20	4	34	16	34	3	16	14	23	9	146	40
	: CASUALLY	1	0	2	3	6	3	7	0	3	0	4	2	29	11
	: NOT CONSUMING	997	999	978	994	961	981	959	997	981	986	973	989	6873	5793
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	5	4	191	23	705	99	758	108	624	137	448	70	3161	385
	: CASUALLY	16	13	102	44	83	53	108	36	74	44	79	42	471	210
	: NOT CONSUMING	979	983	707	933	212	849	134	856	302	819	473	889	3416	5249
BIHAR		RURAL												NO. OF SAMPLE VILLAGES : 699	
SMOKING	: REGULARLY	1	0	35	4	174	31	228	41	189	63	120	24	1513	241
	: CASUALLY	0	0	12	1	41	6	42	9	25	15	26	5	320	44
	: NOT CONSUMING	999	1000	953	995	785	963	730	950	787	922	854	970	11958	12226
CHEWING	: REGULARLY	1	7	163	14	482	27	551	45	540	57	337	26	4412	275
ZARDA	: CASUALLY	7	1	21	3	33	7	36	7	24	4	25	5	311	59
DOKTA ETC	: NOT CONSUMING	992	993	817	983	486	966	413	948	436	939	637	969	9068	12177
SNUFF	: REGULARLY	0	0	1	1	1	0	1	0	0	0	0	0	6	2
	: CASUALLY	0	0	1	0	1	0	1	0	2	0	1	0	20	3
	: NOT CONSUMING	1000	1000	998	999	998	1000	998	1000	998	1000	998	1000	13765	12506
BURNT TOBACCO	: REGULARLY	0	0	22	0	90	3	109	6	115	13	63	3	852	43
	: CASUALLY	1	0	7	0	16	0	10	1	10	1	10	0	140	10
	: NOT CONSUMING	999	1000	970	999	894	997	881	993	874	985	927	996	12799	12458
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	2	7	201	18	635	58	762	89	732	129	449	52	5880	534
	: CASUALLY	8	1	25	3	36	11	37	12	26	13	28	8	372	95
	: NOT CONSUMING	990	993	775	979	329	931	201	899	242	858	524	940	7539	11882

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

NATIONAL SAMPLE SURVEY, 50TH ROUND: JULY 1993 - JUNE 1994

PAGE NO. : 5

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERS BY SEX AND AGE-GROUP.

GOA		RURAL										NO. OF SAMPLE VILLAGES : 15			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	15	0	182	13	563	50	526	87	211	23	58	5
	: CASUALLY	0	0	0	0	13	0	3	0	0	0	5	0	2	0
	: NOT CONSUMING	1000	1000	985	1000	805	987	434	950	474	913	783	977	215	285
CHEWING	: REGULARLY	0	0	0	0	11	32	27	19	52	142	13	28	3	9
ZARDA	: CASUALLY	0	0	0	0	0	0	0	19	0	0	0	4	0	1
DOKTA ETC	: NOT CONSUMING	1000	1000	1000	1000	989	968	973	962	948	858	987	968	272	280
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	275	290
BURNT TOBACCO	: REGULARLY	0	0	5	0	0	0	29	0	36	0	9	0	5	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	995	1000	1000	1000	971	1000	964	1000	991	1000	270	290
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	19	0	182	45	563	69	549	229	215	51	61	14
	: CASUALLY	0	0	0	0	13	0	3	19	0	0	5	4	2	1
	: NOT CONSUMING	1000	1000	981	1000	805	955	434	912	451	771	780	945	212	275
GUJARAT		RURAL										NO. OF SAMPLE VILLAGES : 223			
SMOKING	: REGULARLY	2	0	156	9	523	20	617	36	556	38	367	18	1635	70
	: CASUALLY	1	0	8	0	12	1	17	8	8	2	10	2	50	8
	: NOT CONSUMING	997	1000	836	991	465	979	366	956	436	960	623	980	2951	4339
CHEWING	: REGULARLY	0	0	35	1	83	4	59	8	29	8	51	4	254	14
ZARDA	: CASUALLY	0	0	15	0	13	0	5	2	10	3	10	1	47	4
DOKTA ETC	: NOT CONSUMING	1000	1000	950	999	904	996	936	989	962	989	938	996	4335	4399
SNUFF	: REGULARLY	0	0	0	7	3	57	13	157	27	205	5	64	21	263
	: CASUALLY	0	0	0	0	0	2	2	6	2	0	1	2	3	6
	: NOT CONSUMING	1000	1000	1000	993	997	940	985	836	970	795	994	934	4612	4148
BURNT TOBACCO	: REGULARLY	0	0	4	0	16	2	19	6	35	10	12	2	66	12
	: CASUALLY	0	0	0	0	1	0	2	2	2	2	1	1	3	2
	: NOT CONSUMING	1000	1000	996	1000	983	998	979	992	962	988	987	997	4567	4403
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	2	0	185	16	594	83	680	206	630	254	416	88	1882	354
	: CASUALLY	1	0	17	0	16	3	15	12	5	1	13	3	65	14
	: NOT CONSUMING	997	1000	798	984	391	914	305	782	365	745	571	909	2689	4049

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND AGE-GROUP

HARYANA		RURAL										NO. OF SAMPLE VILLAGES : 104			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	14	0	243	7	696	66	768	96	591	99	433	47	989	90
	: CASUALLY	0	0	31	3	20	7	3	4	20	4	17	4	37	6
	: NOT CONSUMING	986	1000	727	991	284	927	229	900	389	896	549	949	1328	1983
CHEWING	: REGULARLY	0	0	3	0	16	0	11	0	5	0	8	0	18	0
ZARDA	: CASUALLY	0	0	0	0	2	0	4	0	6	0	2	0	4	0
DOKTA ETC	: NOT CONSUMING	1000	1000	997	1000	982	1000	985	1000	989	1000	991	1000	2332	2079
SNUFF	: REGULARLY	0	0	0	0	0	4	0	26	1	35	0	8	1	17
	: CASUALLY	0	0	0	0	0	0	0	0	0	10	0	1	0	2
	: NOT CONSUMING	1000	1000	1000	1000	1000	996	1000	974	999	954	1000	990	2353	2060
BURNT TOBACCO	: REGULARLY	0	0	5	0	25	7	88	2	115	6	31	3	86	7
	: CASUALLY	0	0	0	0	9	0	6	0	0	0	3	0	7	0
	: NOT CONSUMING	1000	1000	995	1000	966	993	906	998	885	994	966	997	2261	2072
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	14	0	248	7	711	72	792	123	674	141	451	57	1044	110
	: CASUALLY	0	0	29	3	20	7	1	4	19	9	17	5	33	7
	: NOT CONSUMING	986	1000	723	991	269	921	206	873	306	851	532	938	1277	1962
HIMACHAL PRADESH		RURAL										NO. OF SAMPLE VILLAGES : 189			
SMOKING	: REGULARLY	2	0	122	5	581	18	709	92	676	116	393	33	1403	133
	: CASUALLY	0	0	10	0	24	1	27	12	17	7	16	3	54	12
	: NOT CONSUMING	998	1000	869	995	395	981	264	896	308	876	591	963	2156	3793
CHEWING	: REGULARLY	0	0	2	0	7	0	9	0	15	3	6	0	23	1
ZARDA	: CASUALLY	0	0	0	0	1	0	4	0	0	0	1	0	4	0
DOKTA ETC	: NOT CONSUMING	1000	1000	998	1000	992	1000	988	1000	985	997	993	999	3586	3937
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	999	1000	1000	999	3612	3938
BURNT TOBACCO	: REGULARLY	0	0	2	0	24	5	84	12	91	23	31	6	99	19
	: CASUALLY	0	0	0	0	5	0	4	0	2	2	2	0	8	1
	: NOT CONSUMING	1000	1000	998	1000	971	995	912	988	907	975	966	993	3506	3918
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	2	0	124	5	587	21	720	102	715	127	402	37	1436	145
	: CASUALLY	0	0	10	0	24	1	27	5	12	4	15	1	52	8
	: NOT CONSUMING	998	1000	866	995	389	979	253	893	273	869	583	961	2125	3785

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND AGE-GROUP		RURAL										NO. OF SAMPLE VILLAGES: 82			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	: REGULARLY	0	0	84	2	541	17	727	55	618	111	354	25	591	32
	: CASUALLY	0	0	9	0	29	0	27	0	26	13	18	1	25	4
	: NOT CONSUMING	1000	1000	907	998	430	982	246	945	356	876	628	974	1093	1673
CHEWING	: REGULARLY	0	0	0	0	6	0	13	0	0	0	3	0	6	0
ZARDA	: CASUALLY	0	0	0	0	2	0	0	0	2	0	1	0	2	0
DOKTA ETC	: NOT CONSUMING	1000	1000	1000	1000	993	1000	987	1000	998	1000	996	999	1701	1709
SNUFF	: REGULARLY	0	0	0	2	4	4	20	14	30	6	7	4	14	10
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	998	996	996	980	986	970	994	993	995	1695	1699
BURNT TOBACCO	: REGULARLY	0	0	0	2	5	0	15	8	20	0	6	2	11	3
	: CASUALLY	0	0	0	0	0	0	5	0	2	0	1	0	2	0
	: NOT CONSUMING	1000	1000	1000	998	995	1000	979	992	977	1000	993	998	1696	1706
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	84	6	553	22	756	76	655	117	366	31	614	45
	: CASUALLY	0	0	9	0	31	0	22	0	13	13	16	1	22	4
	: NOT CONSUMING	1000	1000	907	994	416	978	221	924	331	871	618	968	1073	1660
KARNATAKA		RURAL										NO. OF SAMPLE VILLAGES: 263			
SMOKING	: REGULARLY	0	1	46	2	407	2	534	8	385	6	268	3	1355	16
	: CASUALLY	5	6	10	0	19	3	12	4	44	4	16	3	80	12
	: NOT CONSUMING	995	993	944	998	573	995	453	988	571	990	716	994	4030	5380
CHEWING	: REGULARLY	3	2	34	11	94	47	162	105	148	89	79	44	412	238
ZARDA	: CASUALLY	5	6	7	1	11	9	16	28	26	20	11	11	56	49
DOKTA ETC	: NOT CONSUMING	992	992	958	988	895	944	823	867	826	891	910	945	4997	5121
SNUFF	: REGULARLY	0	0	0	1	1	3	1	5	15	3	2	2	13	12
	: CASUALLY	5	6	1	0	1	3	3	4	0	2	2	3	6	11
	: NOT CONSUMING	995	994	999	999	998	994	996	991	985	995	996	994	5446	5385
BURNT TOBACCO	: REGULARLY	1	0	2	3	23	44	44	91	63	83	21	38	112	198
	: CASUALLY	5	6	1	1	3	3	4	0	0	13	3	3	13	15
	: NOT CONSUMING	994	994	997	996	974	954	952	909	937	904	977	958	5340	5195
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	3	2	80	17	494	91	688	199	542	170	344	84	1765	438
	: CASUALLY	5	6	17	1	25	11	22	30	52	33	22	13	111	59
	: NOT CONSUMING	991	991	904	982	481	899	291	771	406	797	634	904	3589	4911

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1F): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

KERALA		RURAL										NO. OF SAMPLE VILLAGES: 256			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	3	0	41	2	432	3	530	13	353	11	283	5	1193	23
	: CASUALLY	0	0	6	0	43	2	62	0	57	0	33	1	149	3
	: NOT CONSUMING	997	1000	953	998	524	995	409	987	590	989	684	995	3256	5158
CHEWING	: REGULARLY	0	0	1	1	34	27	77	129	98	184	35	51	143	233
ZARDA	: CASUALLY	0	0	0	1	12	8	35	23	18	28	12	10	50	49
DOKTA ETC	: NOT CONSUMING	1000	1000	999	998	954	965	889	849	884	788	953	940	4405	4902
SNUFF	: REGULARLY	0	0	0	0	5	0	13	0	3	0	4	0	19	1
	: CASUALLY	0	0	0	0	1	0	5	0	8	0	2	0	10	0
	: NOT CONSUMING	1000	1000	1000	1000	994	1000	983	1000	989	1000	994	1000	4569	5183
BURNT TOBACCO	: REGULARLY	0	0	0	0	1	1	7	2	14	10	3	2	12	8
	: CASUALLY	0	0	0	0	0	0	3	0	3	2	1	0	3	1
	: NOT CONSUMING	1000	1000	1000	1000	999	999	990	998	983	989	996	998	4583	5175
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	3	0	41	2	460	31	583	142	441	205	311	57	1310	264
	: CASUALLY	0	0	6	1	46	9	61	23	70	29	35	10	164	52
	: NOT CONSUMING	997	1000	953	997	494	960	356	835	489	766	654	933	3124	4868
MADHYA PRADESH		RURAL										NO. OF SAMPLE VILLAGES: 533			
SMOKING	: REGULARLY	2	1	138	6	440	10	497	13	449	15	303	8	3223	86
	: CASUALLY	2	0	14	1	27	3	28	2	26	5	20	2	214	19
	: NOT CONSUMING	996	999	847	993	533	987	475	985	525	981	677	989	7582	9983
CHEWING	: REGULARLY	12	2	137	39	347	77	404	114	380	111	251	66	2698	629
ZARDA	: CASUALLY	2	1	12	2	26	3	26	5	21	7	18	3	184	29
DOKTA ETC	: NOT CONSUMING	986	997	851	959	627	920	570	881	600	882	730	930	8137	9430
SNUFF	: REGULARLY	4	1	6	12	8	11	4	10	7	9	6	9	67	85
	: CASUALLY	1	0	1	1	2	1	2	3	0	0	2	1	15	12
	: NOT CONSUMING	995	999	993	986	989	988	994	988	993	990	992	989	10937	9991
BURNT TOBACCO	: REGULARLY	8	14	42	38	52	41	31	33	28	14	37	33	382	306
	: CASUALLY	2	1	3	2	6	4	6	4	4	3	4	3	52	28
	: NOT CONSUMING	990	985	955	959	942	956	963	962	968	983	958	964	10585	9754
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	25	17	293	91	743	135	828	165	753	145	528	113	5605	1073
	: CASUALLY	3	2	12	3	15	6	13	11	19	11	12	6	135	54
	: NOT CONSUMING	972	981	695	906	242	859	159	825	227	844	460	880	5279	8961

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND AGE-GROUP

MAHARASHTRA		RURAL										NO. OF SAMPLE VILLAGES: 445			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	19	2	189	1	264	8	248	7	136	3	1027	23
	: CASUALLY	1	0	2	0	17	0	18	0	15	1	10	0	91	3
	: NOT CONSUMING	999	1000	979	998	795	999	719	992	737	992	853	996	7410	8237
CHEWING	: REGULARLY	7	2	93	23	400	111	466	207	424	173	276	99	2263	761
ZARDA	: CASUALLY	0	0	3	3	17	4	17	7	17	3	11	4	91	27
DOKTA ETC	: NOT CONSUMING	993	998	904	974	583	885	518	786	559	824	712	897	6174	7475
SNUFF	: REGULARLY	1	0	4	3	5	5	11	23	8	41	6	11	47	88
	: CASUALLY	0	0	0	0	0	0	1	2	0	4	0	1	1	6
	: NOT CONSUMING	999	1000	996	997	995	995	988	975	992	955	993	988	8480	8169
BURNT TOBACCO	: REGULARLY	38	36	79	97	141	173	167	205	175	177	117	143	956	1137
	: CASUALLY	0	0	0	0	3	1	4	3	7	2	2	1	20	8
	: NOT CONSUMING	962	964	920	903	856	826	829	792	818	822	880	856	7552	7118
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	45	38	173	121	610	272	734	394	676	356	440	235	3543	1849
	: CASUALLY	1	0	4	3	18	4	24	10	21	7	13	5	113	35
	: NOT CONSUMING	954	962	823	876	372	724	242	596	303	636	546	760	4872	6379
MANIPUR		RURAL										NO. OF SAMPLE VILLAGES: 100			
SMOKING	: REGULARLY	0	0	56	23	499	137	753	404	823	533	373	146	753	282
	: CASUALLY	4	0	6	2	73	42	48	120	29	93	39	39	85	84
	: NOT CONSUMING	996	1000	938	975	428	820	199	476	148	375	588	816	1272	1724
CHEWING	: REGULARLY	6	0	36	8	110	31	75	5	23	43	65	18	134	30
ZARDA	: CASUALLY	0	6	44	26	129	58	132	50	37	35	82	39	167	75
DOKTA ETC	: NOT CONSUMING	994	994	920	966	762	911	792	945	940	922	854	944	1809	1985
SNUFF	: REGULARLY	0	0	0	0	0	2	0	0	0	0	0	1	0	1
	: CASUALLY	0	0	0	0	0	0	0	0	0	9	0	1	0	1
	: NOT CONSUMING	1000	1000	1000	1000	1000	998	1000	1000	1000	991	1000	999	2110	2088
BURNT TOBACCO	: REGULARLY	0	0	0	0	19	2	46	5	31	57	16	5	33	8
	: CASUALLY	0	0	0	0	17	12	3	15	3	24	7	8	15	19
	: NOT CONSUMING	1000	1000	1000	1000	963	987	952	980	965	918	977	987	2062	2063
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	6	0	82	31	534	160	767	404	840	579	398	159	802	305
	: CASUALLY	4	6	38	24	100	71	52	131	18	72	57	56	120	117
	: NOT CONSUMING	990	994	880	946	366	769	181	465	143	349	545	785	1188	1668

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.



TABLE (1F): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

MEGHALAYA		RURAL										NO. OF SAMPLE VILLAGES: 112			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	21	15	280	96	840	273	906	240	954	243	592	178	1187	268
	: CASUALLY	14	0	35	15	16	25	2	35	8	60	19	21	37	46
	: NOT CONSUMING	965	985	684	889	144	702	91	724	38	697	389	801	796	1504
CHEWING	: REGULARLY	0	0	13	14	31	56	29	80	47	21	22	38	49	69
ZARDA	: CASUALLY	0	13	6	90	10	72	15	150	11	141	8	84	17	172
DOKTA ETC	: NOT CONSUMING	1000	987	982	896	959	872	956	770	942	838	969	878	1954	1577
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	2020	1818
BURNT TOBACCO	: REGULARLY	0	0	4	5	8	2	7	1	10	0	6	3	17	10
	: CASUALLY	0	0	0	0	0	0	0	3	0	0	0	0	0	1
	: NOT CONSUMING	1000	1000	996	995	992	998	993	996	990	1000	994	997	2003	1807
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	21	15	293	111	853	328	919	313	963	264	603	215	1210	336
	: CASUALLY	14	13	37	103	16	95	7	185	0	200	19	104	39	213
	: NOT CONSUMING	965	973	670	785	131	577	73	502	37	536	377	681	771	1269
MIZORAM		RURAL										NO. OF SAMPLE VILLAGES: 47			
SMOKING	: REGULARLY	27	21	440	185	882	583	986	774	799	794	626	414	590	352
	: CASUALLY	5	13	53	104	18	123	0	74	0	25	23	89	24	80
	: NOT CONSUMING	968	967	507	711	100	294	14	152	201	181	352	497	339	428
CHEWING	: REGULARLY	0	0	91	139	91	147	37	51	0	0	65	102	57	84
ZARDA	: CASUALLY	27	24	64	115	101	114	86	96	0	0	72	93	62	76
DOKTA ETC	: NOT CONSUMING	973	976	845	746	807	739	877	852	1000	1000	863	805	834	700
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	5	5	0	0	0	0	2	2	1	1
	: NOT CONSUMING	1000	1000	1000	1000	995	995	1000	1000	1000	1000	998	998	952	859
BURNT TOBACCO	: REGULARLY	0	0	0	22	19	10	9	22	101	108	12	18	12	16
	: CASUALLY	0	0	0	7	9	5	12	0	43	42	7	6	4	3
	: NOT CONSUMING	1000	1000	1000	972	972	984	980	978	856	850	981	976	937	841
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	27	21	502	337	930	727	995	835	900	860	666	523	628	441
	: CASUALLY	27	36	65	151	24	113	0	111	0	25	32	108	33	99
	: NOT CONSUMING	946	943	432	512	46	160	5	54	100	115	302	368	292	320

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1F): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND AGE-GROUP

NAGALAND		RURAL										NO. OF SAMPLE VILLAGES: 46			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	56	1	560	4	605	0	243	0	287	2	288	2
	: CASUALLY	0	0	20	0	11	0	0	0	0	81	9	3	12	2
	: NOT CONSUMING	1000	1000	925	999	429	996	395	1000	757	919	703	995	736	904
CHEWING	: REGULARLY	0	0	3	6	99	8	21	0	60	0	37	5	34	4
ZARDA	: CASUALLY	0	0	20	3	24	14	46	0	0	26	20	7	26	10
DOKTA ETC	: NOT CONSUMING	1000	1000	977	991	877	977	933	1000	940	974	943	988	976	894
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	3	7	0	3	0	0	0	26	1	4	1	3
	: NOT CONSUMING	1000	1000	997	993	1000	997	1000	1000	1000	974	999	996	1035	905
BURNT TOBACCO	: REGULARLY	0	0	16	0	0	0	10	0	0	0	6	0	5	0
	: CASUALLY	0	0	3	0	4	3	0	0	0	26	2	2	4	2
	: NOT CONSUMING	1000	1000	981	1000	996	997	990	1000	1000	974	992	998	1027	906
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	71	6	590	8	617	0	269	0	305	5	305	4
	: CASUALLY	0	0	22	10	23	14	1	0	0	107	14	12	20	13
	: NOT CONSUMING	1000	1000	906	984	387	977	382	1000	731	893	682	983	711	891
ORISSA		RURAL										NO. OF SAMPLE VILLAGES: 335			
SMOKING	: REGULARLY	13	1	100	9	324	14	374	25	263	10	225	13	1333	64
	: CASUALLY	0	2	19	3	49	2	43	5	55	2	34	3	209	12
	: NOT CONSUMING	987	997	881	988	628	983	583	970	682	988	741	984	4794	6315
CHEWING	: REGULARLY	18	22	130	130	383	301	408	303	398	298	272	220	1644	1281
ZARDA	: CASUALLY	4	4	30	18	47	36	35	29	46	21	34	25	204	167
DOKTA ETC	: NOT CONSUMING	978	974	840	852	570	663	557	668	556	682	693	756	4488	4943
SNUFF	: REGULARLY	1	3	54	24	95	37	122	64	115	58	77	35	460	184
	: CASUALLY	0	0	2	1	4	1	2	1	4	1	3	1	16	8
	: NOT CONSUMING	999	997	944	975	901	961	876	935	881	941	920	964	5860	6199
BURNT TOBACCO	: REGULARLY	9	27	61	139	190	249	265	297	223	218	147	196	922	1216
	: CASUALLY	3	2	7	6	28	23	30	20	20	21	19	15	124	110
	: NOT CONSUMING	988	971	932	855	782	728	705	683	757	761	834	789	5290	5065
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	38	48	275	283	722	543	818	601	744	521	528	417	3195	2474
	: CASUALLY	6	8	31	23	49	47	30	29	34	29	34	31	214	214
	: NOT CONSUMING	956	944	695	694	229	410	152	370	222	450	438	552	2927	3703

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1F): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

PUNJAB RURAL NO. OF SAMPLE VILLAGES: 205

FORM OF TOBACCO CONSUMPTION	AGE (IN YEARS)												SAMPLE PERSONS	
	10-14		15-24		25-44		45-59		60 & ABOVE		ALL **		-----	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING : REGULARLY	2	1	45	1	158	0	150	3	99	7	96	1	372	8
: CASUALLY	0	0	2	0	7	1	4	0	6	0	4	0	17	1
: NOT CONSUMING	998	999	954	999	835	999	845	997	895	993	900	997	4147	4174
CHEWING : REGULARLY	1	0	16	0	57	1	50	0	32	0	33	0	133	1
ZARDA : CASUALLY	0	0	0	0	1	0	1	1	2	0	1	0	3	1
DOKTA ETC : NOT CONSUMING	999	1000	984	1000	942	999	949	999	967	1000	965	999	4400	4181
SNUFF : REGULARLY	2	0	0	0	1	0	0	0	3	3	1	0	3	1
: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
: NOT CONSUMING	998	1000	1000	1000	999	1000	1000	1000	997	997	999	999	4533	4182
BURNT TOBACCO : REGULARLY	0	0	2	0	3	0	9	0	20	2	5	0	18	1
: CASUALLY	0	0	1	0	0	1	0	0	0	2	0	1	1	2
POWDER/PASTE : NOT CONSUMING	1000	1000	997	1000	997	999	991	1000	980	996	994	998	4517	4180
CONSUMPTION OF TOBACCO IN ANY FORM : REGULARLY	5	1	56	1	203	1	192	3	136	9	124	2	485	10
: CASUALLY	0	0	2	0	5	2	4	1	8	2	4	1	17	4
: NOT CONSUMING	995	999	942	999	791	998	803	996	857	988	872	996	4034	4169
RAJASTHAN RURAL NO. OF SAMPLE VILLAGES: 312														
SMOKING : REGULARLY	4	3	212	12	645	42	685	65	583	69	420	35	2549	205
: CASUALLY	0	0	4	2	18	5	18	3	13	0	11	3	69	16
: NOT CONSUMING	996	997	785	986	336	953	296	932	404	931	569	962	3663	5640
CHEWING : REGULARLY	0	0	18	4	50	3	45	4	57	10	33	4	206	24
ZARDA : CASUALLY	0	0	4	0	6	1	3	0	1	0	3	0	18	3
DOKTA ETC : NOT CONSUMING	1000	1000	978	996	944	995	952	996	941	990	964	996	6057	5834
SNUFF : REGULARLY	0	0	0	1	1	1	3	21	4	23	1	6	6	33
: CASUALLY	1	0	0	0	1	0	0	1	0	0	0	0	4	2
: NOT CONSUMING	999	1000	1000	999	998	998	997	978	996	977	998	994	6271	5826
BURNT TOBACCO : REGULARLY	0	0	5	0	12	0	29	5	44	4	14	1	110	11
: CASUALLY	0	0	0	0	1	0	0	0	0	0	0	0	2	2
POWDER/PASTE : NOT CONSUMING	1000	1000	995	999	987	999	971	995	956	996	986	998	6169	5848
CONSUMPTION OF TOBACCO IN ANY FORM : REGULARLY	4	3	227	17	683	47	736	92	651	103	450	45	2737	266
: CASUALLY	1	0	6	2	14	5	10	5	12	0	9	3	55	19
: NOT CONSUMING	995	997	768	981	304	948	254	904	337	897	542	952	3489	5576

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1F): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

SIKKIM		RURAL										NO. OF SAMPLE VILLAGES: 48			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	18	0	210	15	281	29	364	100	150	15	134	9
	: CASUALLY	0	0	29	0	224	22	292	28	186	40	151	14	119	9
	: NOT CONSUMING	1000	1000	953	1000	566	963	427	942	450	860	699	971	637	736
CHEWING	: REGULARLY	0	0	197	7	291	12	213	1	112	12	204	8	172	6
ZARDA	: CASUALLY	0	0	14	0	45	8	19	14	31	66	26	8	23	5
DOKTA ETC	: NOT CONSUMING	1000	1000	789	993	664	980	768	984	857	922	770	984	695	743
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	890	754
BURNT TOBACCO	: REGULARLY	0	0	20	0	56	0	69	0	0	0	38	0	32	0
	: CASUALLY	0	0	0	0	1	0	0	0	0	0	0	0	1	0
	: NOT CONSUMING	1000	1000	980	1000	943	1000	931	1000	1000	1000	962	1000	857	754
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	217	7	525	27	531	31	457	112	369	23	317	15
	: CASUALLY	0	0	43	0	223	30	299	42	218	107	157	23	128	14
	: NOT CONSUMING	1000	1000	741	993	252	943	171	927	325	782	474	954	445	725
TAMIL NADU		RURAL										NO. OF SAMPLE VILLAGES: 391			
SMOKING	: REGULARLY	0	0	48	0	290	5	346	4	186	6	194	3	1142	16
	: CASUALLY	0	0	5	0	20	2	12	0	12	0	12	1	71	1
	: NOT CONSUMING	1000	1000	947	1000	691	994	642	996	802	994	794	997	5249	6595
CHEWING	: REGULARLY	1	0	7	3	37	52	106	116	154	140	49	53	332	363
ZARDA	: CASUALLY	0	2	0	0	5	6	21	7	6	13	6	5	33	36
DOKTA ETC	: NOT CONSUMING	999	998	993	997	958	942	873	877	840	847	945	942	6097	6213
SNUFF	: REGULARLY	0	0	0	0	5	2	29	4	33	10	10	2	69	15
	: CASUALLY	0	0	0	0	2	0	3	0	2	0	1	0	7	2
	: NOT CONSUMING	1000	1000	1000	1000	993	998	968	996	965	989	988	998	6386	6595
BURNT TOBACCO	: REGULARLY	0	0	1	3	28	27	79	71	106	106	35	33	227	207
	: CASUALLY	0	0	0	0	3	0	7	8	1	3	2	2	18	11
	: NOT CONSUMING	1000	1000	999	997	969	973	914	921	892	891	962	965	6217	6394
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	1	0	55	6	345	81	500	186	445	237	269	86	1646	571
	: CASUALLY	0	2	5	0	24	7	20	13	16	15	15	7	94	42
	: NOT CONSUMING	999	998	940	994	631	911	480	802	539	748	716	908	4722	5999

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

TRIPURA		RURAL										NO. OF SAMPLE VILLAGES: 153			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	7	4	141	17	779	69	913	66	788	68	519	46	1459	124
	: CASUALLY	0	0	16	2	28	5	20	6	24	11	19	4	55	10
	: NOT CONSUMING	993	996	843	981	193	926	67	928	188	921	463	947	1334	2464
CHEWING	: REGULARLY	4	2	51	63	101	173	139	207	223	195	87	128	282	368
ZARDA	: CASUALLY	0	3	9	15	43	57	90	47	68	98	37	41	116	118
DOKTA ETC	: NOT CONSUMING	996	995	940	922	856	770	771	746	710	707	876	829	2450	2112
SNUFF	: REGULARLY	0	0	0	0	1	2	3	3	4	5	1	2	3	4
	: CASUALLY	0	0	0	0	2	2	3	2	8	0	2	1	5	3
	: NOT CONSUMING	1000	1000	1000	1000	997	995	994	994	987	995	997	995	2840	2591
BURNT TOBACCO	: REGULARLY	0	0	4	3	11	11	30	10	56	13	14	8	35	16
	: CASUALLY	0	0	2	0	3	2	3	0	0	0	2	1	5	2
	: NOT CONSUMING	1000	1000	994	997	986	986	967	990	944	987	984	989	2808	2580
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	11	6	174	82	805	235	939	261	848	262	544	170	1538	480
	: CASUALLY	0	3	18	15	22	59	25	48	15	91	17	41	51	119
	: NOT CONSUMING	989	991	809	903	173	706	36	691	138	646	439	786	1259	1999
UTTAR PRADESH		RURAL										NO. OF SAMPLE VILLAGES: 902			
SMOKING	: REGULARLY	7	0	165	6	507	33	537	72	431	70	327	31	5886	507
	: CASUALLY	1	0	12	1	37	3	39	7	38	7	24	3	455	53
	: NOT CONSUMING	992	1000	823	993	456	963	425	921	531	923	648	965	12998	17348
CHEWING	: REGULARLY	3	1	66	6	245	45	380	98	407	105	193	43	3713	692
ZARDA	: CASUALLY	0	0	15	2	38	5	42	10	34	7	25	4	476	78
DOKTA ETC	: NOT CONSUMING	997	999	919	992	717	951	578	892	559	889	781	952	15150	17138
SNUFF	: REGULARLY	0	0	1	0	1	1	3	1	3	0	1	0	24	6
	: CASUALLY	0	0	0	0	1	0	1	0	1	0	1	0	11	1
	: NOT CONSUMING	1000	1000	999	1000	998	999	996	999	996	1000	998	999	19304	17901
BURNT TOBACCO	: REGULARLY	0	0	1	0	5	1	15	4	19	3	6	1	119	21
	: CASUALLY	0	0	0	0	1	0	2	1	4	0	1	0	20	5
	: NOT CONSUMING	1000	1000	999	1000	994	999	983	995	977	997	992	998	19200	17882
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	9	1	209	13	650	74	776	160	736	170	450	71	8327	1144
	: CASUALLY	1	1	18	2	35	7	34	13	38	9	25	6	473	103
	: NOT CONSUMING	990	998	773	985	315	919	190	827	225	821	524	923	10539	16661

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1F): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

WEST BENGAL RURAL NO. OF SAMPLE VILLAGES: 448

---

FORM OF TOBACCO CONSUMPTION	AGE (IN YEARS)												SAMPLE PERSONS	
	10-14		15-24		25-44		45-59		60 & ABOVE		ALL **		-----	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING : REGULARLY	5	0	204	4	615	14	735	35	585	29	428	13	3626	108
: CASUALLY	1	1	27	3	45	5	36	5	29	2	31	4	291	31
: NOT CONSUMING	995	999	769	993	340	981	229	960	385	969	541	983	5004	8383
CHEWING : REGULARLY	6	5	50	23	120	78	140	161	156	176	89	72	813	620
ZARDA : CASUALLY	1	0	16	7	46	11	48	19	35	6	31	9	288	86
DOKTA ETC : NOT CONSUMING	993	995	934	970	833	911	812	820	809	817	880	919	7820	7816
SNUFF : REGULARLY	0	0	0	0	2	0	8	6	2	0	2	1	23	9
: CASUALLY	0	0	0	0	1	0	1	0	2	0	0	0	4	1
: NOT CONSUMING	1000	1000	1000	1000	997	1000	991	993	996	1000	997	999	8894	8512
BURNT TOBACCO : REGULARLY	2	2	13	10	15	25	14	16	27	22	13	16	114	144
: CASUALLY	1	1	0	1	2	2	3	1	1	0	1	1	15	10
POWDER/PASTE : NOT CONSUMING	998	997	986	989	982	973	983	983	973	978	985	982	8792	8368
CONSUMPTION OF TOBACCO IN ANY FORM : REGULARLY	11	7	251	34	705	108	819	201	705	217	495	95	4226	812
: CASUALLY	3	2	29	8	42	13	39	18	37	6	32	10	299	94
: NOT CONSUMING	986	991	719	958	253	879	142	780	258	777	473	894	4396	7616
ANDAMAN & NICOBAR RURAL NO. OF SAMPLE VILLAGES: 50														
SMOKING : REGULARLY	0	0	40	0	227	15	342	102	464	53	176	20	195	27
: CASUALLY	0	0	10	0	54	5	33	5	0	27	28	4	36	7
: NOT CONSUMING	1000	1000	951	1000	719	980	625	893	536	920	795	976	855	922
CHEWING : REGULARLY	0	0	216	51	591	204	676	434	501	369	416	160	428	160
ZARDA : CASUALLY	0	0	23	17	52	39	31	44	42	0	32	25	48	35
DOKTA ETC : NOT CONSUMING	1000	1000	761	932	357	756	293	521	456	631	551	815	610	761
SNUFF : REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
: CASUALLY	0	0	0	0	0	1	3	7	5	0	1	1	3	4
: NOT CONSUMING	1000	1000	1000	1000	1000	999	997	993	995	1000	999	999	1083	952
BURNT TOBACCO : REGULARLY	0	0	0	6	0	0	0	0	0	0	0	2	0	1
: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
POWDER/PASTE : NOT CONSUMING	1000	1000	1000	994	1000	1000	1000	1000	1000	1000	1000	998	1086	955
CONSUMPTION OF TOBACCO IN ANY FORM : REGULARLY	0	0	228	57	686	216	846	480	724	374	495	172	527	176
: CASUALLY	0	0	28	17	44	40	18	50	37	27	28	27	41	40
: NOT CONSUMING	1000	1000	744	926	270	743	136	470	239	600	477	801	518	740

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1F): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

CHANDIGARH		RURAL										NO. OF SAMPLE VILLAGES: 8			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	257	26	311	10	427	0	89	0	259	13	33	2
	: CASUALLY	0	0	0	0	41	0	0	0	0	0	17	0	2	0
	: NOT CONSUMING	1000	1000	743	974	648	990	573	1000	911	1000	724	987	109	102
CHEWING	: REGULARLY	0	0	20	0	153	0	155	0	0	0	87	0	12	0
ZARDA	: CASUALLY	0	0	0	0	48	0	0	0	0	0	20	0	2	0
DOKTA ETC	: NOT CONSUMING	1000	1000	980	1000	799	1000	845	1000	1000	1000	893	1000	130	104
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	65	0	6	0	1	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	935	1000	994	1000	143	104
BURNT TOBACCO	: REGULARLY	0	0	0	0	0	0	33	0	0	0	3	0	2	0
	: CASUALLY	0	0	28	0	0	0	0	0	0	0	8	0	1	0
	: NOT CONSUMING	1000	1000	972	1000	1000	1000	967	1000	1000	1000	988	1000	141	104
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	277	26	443	10	582	0	154	0	343	13	45	2
	: CASUALLY	0	0	28	0	69	0	0	0	0	0	38	0	4	0
	: NOT CONSUMING	1000	1000	696	974	488	990	418	1000	846	1000	620	987	95	102
DADER NAGAR-HAVELI		RURAL										NO. OF SAMPLE VILLAGES: 24			
SMOKING	: REGULARLY	0	0	62	0	444	0	917	14	704	45	373	5	157	2
	: CASUALLY	0	0	0	3	14	0	0	0	39	0	8	1	3	1
	: NOT CONSUMING	1000	1000	938	997	543	1000	83	986	257	955	620	994	297	454
CHEWING	: REGULARLY	0	0	199	11	316	0	15	45	0	0	180	11	74	3
ZARDA	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOKTA ETC	: NOT CONSUMING	1000	1000	801	989	684	1000	985	955	1000	1000	820	989	383	454
SNUFF	: REGULARLY	0	0	0	7	0	10	15	141	46	158	5	38	2	18
	: CASUALLY	0	0	0	0	5	6	0	0	0	0	2	2	1	1
	: NOT CONSUMING	1000	1000	1000	993	995	984	985	859	954	842	993	960	454	438
BURNT TOBACCO	: REGULARLY	0	0	16	3	40	0	0	0	14	0	21	1	12	1
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	984	997	960	1000	1000	1000	986	1000	979	999	445	456
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	276	21	763	10	932	199	764	203	561	54	238	24
	: CASUALLY	0	0	0	0	8	6	0	0	39	0	6	2	2	1
	: NOT CONSUMING	1000	1000	724	979	229	984	68	801	197	797	433	944	217	432

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1F): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

DAMAN & DIU		RURAL										NO. OF SAMPLE VILLAGES: 8			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	81	0	204	0	342	0	162	188	148	18	25	2
	: CASUALLY	0	0	18	0	10	26	0	0	0	0	10	9	2	1
	: NOT CONSUMING	1000	1000	902	1000	786	974	658	1000	838	812	842	973	142	147
CHEWING	: REGULARLY	0	0	32	0	155	0	20	0	7	0	69	0	16	0
ZARDA	: CASUALLY	0	0	0	0	28	0	0	0	0	0	10	0	1	0
DOKTA ETC	: NOT CONSUMING	1000	1000	968	1000	817	1000	980	1000	993	1000	921	1000	152	150
SNUFF	: REGULARLY	0	0	0	0	0	0	0	156	0	240	0	44	0	5
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	844	1000	760	1000	956	169	145
BURNT TOBACCO	: REGULARLY	0	0	0	0	96	0	133	0	0	0	49	0	4	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	904	1000	867	1000	1000	1000	951	1000	165	150
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	112	0	434	0	491	156	169	428	258	63	42	7
	: CASUALLY	0	0	18	0	10	26	0	0	0	0	10	9	2	1
	: NOT CONSUMING	1000	1000	870	1000	556	974	509	844	831	572	732	928	125	142
DELHI		RURAL										NO. OF SAMPLE VILLAGES: 7			
SMOKING	: REGULARLY	0	0	233	0	534	6	482	0	746	260	393	35	39	3
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	767	1000	466	994	518	1000	254	740	607	965	66	69
CHEWING	: REGULARLY	0	0	83	0	48	0	0	0	0	0	53	0	4	0
ZARDA	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOKTA ETC	: NOT CONSUMING	1000	1000	917	1000	952	1000	1000	1000	1000	1000	947	1000	101	72
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	105	72
BURNT TOBACCO	: REGULARLY	0	0	0	0	32	0	0	0	0	0	15	0	1	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	968	1000	1000	1000	1000	1000	985	1000	104	72
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	275	0	590	6	482	0	746	260	434	35	42	3
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	725	1000	410	994	518	1000	254	740	566	965	63	69

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.



TABLE (1F): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

LAKSHADWEEP		RURAL										NO. OF SAMPLE VILLAGES: 7			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	22	0	281	19	558	0	382	0	204	7	33	1
	: CASUALLY	0	0	54	0	94	0	37	0	165	0	62	0	9	0
	: NOT CONSUMING	1000	1000	924	1000	625	981	406	1000	453	1000	734	993	106	157
CHEWING	: REGULARLY	69	0	34	34	98	237	158	478	432	317	113	170	17	30
ZARDA	: CASUALLY	0	0	0	0	0	66	0	95	82	0	7	37	1	7
DOKTA ETC	: NOT CONSUMING	931	1000	966	966	902	698	842	426	486	683	880	793	130	121
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	148	158
BURNT TOBACCO	: REGULARLY	0	0	0	0	46	0	0	0	0	0	14	0	1	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	954	1000	1000	1000	1000	1000	986	1000	147	158
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	69	0	56	34	425	256	644	478	814	317	320	177	49	31
	: CASUALLY	0	0	54	0	94	66	37	95	165	0	62	37	9	7
	: NOT CONSUMING	931	1000	890	966	481	679	319	426	21	683	617	786	90	120
PONDICHERY		RURAL										NO. OF SAMPLE VILLAGES: 7			
SMOKING	: REGULARLY	0	0	119	0	192	0	310	88	416	0	192	11	20	1
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	881	1000	808	1000	690	912	584	1000	808	989	113	121
CHEWING	: REGULARLY	0	0	0	0	37	0	272	136	181	171	66	35	8	7
ZARDA	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOKTA ETC	: NOT CONSUMING	1000	1000	1000	1000	963	1000	728	864	819	829	934	965	125	115
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	126	0	15	0	2	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	874	1000	985	1000	131	122
BURNT TOBACCO	: REGULARLY	0	0	0	0	0	0	17	0	0	0	2	0	1	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	983	1000	1000	1000	998	133	121
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	119	0	205	0	478	241	565	171	232	48	26	9
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	881	1000	795	1000	522	759	435	829	768	952	107	113

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

ALL-INDIA RURAL NO. OF SAMPLE VILLAGES: 6951

FORM OF TOBACCO CONSUMPTION	AGE (IN YEARS)												SAMPLE PERSONS	
	10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING : REGULARLY	5	1	120	7	434	25	498	46	398	48	293	23	39041	3557
: CASUALLY	1	1	13	1	31	4	30	5	28	5	21	3	3265	670
: NOT CONSUMING	994	998	866	992	535	971	472	949	574	947	686	974	94959	126130
CHEWING : REGULARLY	4	3	66	19	205	59	259	103	264	107	151	53	19408	6475
ZARDA : CASUALLY	2	1	13	4	26	8	29	11	22	9	19	7	2938	1417
DOKTA ETC : NOT CONSUMING	994	996	921	977	769	933	712	886	714	884	829	941	114919	122465
SNUFF : REGULARLY	0	0	4	3	7	7	12	16	13	19	7	7	834	778
: CASUALLY	0	1	0	0	1	1	1	1	1	1	1	1	126	82
: NOT CONSUMING	999	999	996	997	992	993	986	983	986	980	992	992	136305	129497
BURNT TOBACCO : REGULARLY	4	5	18	20	44	39	60	55	68	52	35	33	4573	3731
: CASUALLY	1	1	2	1	5	2	5	3	4	3	3	2	535	280
POWDER/PASTE : NOT CONSUMING	995	994	981	980	951	959	934	942	928	946	961	965	132157	126346
CONSUMPTION OF TOBACCO IN ANY FORM : REGULARLY	13	9	191	46	613	122	723	204	650	212	430	109	56694	13641
: CASUALLY	3	2	19	5	30	11	28	15	29	13	22	9	3508	1871
: NOT CONSUMING	984	989	791	949	357	866	249	781	321	775	547	882	77063	114845

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

ANDHRA PRADESH		URBAN										NO. OF SAMPLE BLOCKS: 365			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	: REGULARLY	0	0	56	4	353	12	488	41	341	49	245	15	1471	78
	: CASUALLY	1	0	5	0	6	0	16	0	5	2	7	0	48	1
	: NOT CONSUMING	999	1000	939	996	640	988	497	959	654	948	749	984	4826	6009
CHEWING	: REGULARLY	0	0	1	1	9	13	13	30	21	38	7	13	52	73
ZARDA	: CASUALLY	0	0	2	0	3	0	4	1	0	2	2	0	15	5
DOKTA ETC	: NOT CONSUMING	1000	1000	997	999	988	987	983	969	979	960	991	987	6278	6010
SNUFF	: REGULARLY	0	0	0	0	2	2	4	1	12	7	2	2	9	8
	: CASUALLY	0	0	0	0	1	0	0	0	0	0	0	0	2	0
	: NOT CONSUMING	1000	1000	1000	1000	997	998	996	999	988	993	998	998	6334	6080
BURNT TOBACCO	: REGULARLY	0	0	0	3	4	9	7	23	21	35	4	10	24	62
	: CASUALLY	0	1	0	1	1	0	1	1	0	0	0	1	2	3
	: NOT CONSUMING	1000	999	1000	996	996	991	992	976	979	965	996	989	6319	6023
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	57	8	365	36	501	95	390	127	255	40	1537	220
	: CASUALLY	1	1	5	1	8	0	18	2	5	5	7	1	51	9
	: NOT CONSUMING	999	999	938	991	627	964	480	903	605	869	738	959	4757	5859
ARUNACHAL PRADESH		URBAN										NO. OF SAMPLE BLOCKS: 24			
SMOKING	: REGULARLY	0	0	44	8	260	47	373	56	44	132	183	29	74	7
	: CASUALLY	0	0	28	0	85	23	50	20	0	0	50	10	17	3
	: NOT CONSUMING	1000	1000	927	992	655	930	577	924	956	868	767	961	272	271
CHEWING	: REGULARLY	0	0	43	8	181	50	29	116	0	0	92	33	38	12
ZARDA	: CASUALLY	0	0	33	9	107	95	171	70	0	0	80	43	34	14
DOKTA ETC	: NOT CONSUMING	1000	1000	924	982	713	855	800	814	1000	1000	828	924	291	255
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	363	281
BURNT TOBACCO	: REGULARLY	0	0	27	0	40	12	76	0	83	0	39	4	13	1
	: CASUALLY	0	0	0	0	46	6	36	38	0	0	26	6	10	2
	: NOT CONSUMING	1000	1000	973	1000	913	982	888	962	917	1000	936	990	340	278
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	114	17	426	109	478	172	127	132	289	66	115	20
	: CASUALLY	0	0	33	9	141	79	115	51	0	0	86	36	37	13
	: NOT CONSUMING	1000	1000	853	974	433	812	407	776	873	868	625	898	211	248

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

ASSAM		URBAN										NO. OF SAMPLE BLOCKS: 88			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	9	0	34	6	405	4	592	11	434	29	284	6	482	10
	: CASUALLY	0	0	26	2	83	1	119	13	103	0	63	2	114	4
	: NOT CONSUMING	991	1000	940	992	512	995	290	976	463	971	651	991	1071	1473
CHEWING	: REGULARLY	0	0	42	12	164	38	212	59	46	31	112	27	196	44
ZARDA	: CASUALLY	0	0	42	20	74	15	53	23	24	34	50	16	84	24
DOKTA ETC	: NOT CONSUMING	1000	1000	916	967	763	947	735	918	929	934	837	957	1387	1419
SNUFF	: REGULARLY	0	0	6	0	11	0	5	0	0	0	7	0	13	0
	: CASUALLY	0	0	0	0	1	0	0	0	0	0	0	0	1	0
	: NOT CONSUMING	1000	1000	994	1000	988	1000	995	1000	1000	1000	991	1000	1653	1487
BURNT TOBACCO	: REGULARLY	0	0	5	2	20	0	17	5	0	0	12	1	22	2
	: CASUALLY	0	0	0	0	2	0	0	0	0	0	1	0	2	0
	: NOT CONSUMING	1000	1000	995	998	979	1000	983	995	1000	1000	986	999	1643	1485
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	9	0	82	20	550	41	733	75	461	60	378	34	643	55
	: CASUALLY	0	0	57	22	84	16	80	35	114	34	66	19	120	28
	: NOT CONSUMING	991	1000	861	958	365	942	187	890	425	906	554	947	904	1404
BIHAR		URBAN										NO. OF SAMPLE BLOCKS: 216			
SMOKING	: REGULARLY	0	0	7	2	137	6	171	27	137	39	83	9	344	27
	: CASUALLY	0	0	12	0	44	3	44	6	48	3	28	2	124	6
	: NOT CONSUMING	1000	1000	981	998	819	991	785	967	815	958	889	989	3977	3531
CHEWING	: REGULARLY	0	0	52	13	338	20	357	41	289	48	201	20	802	60
ZARDA	: CASUALLY	0	0	12	1	24	3	38	14	29	9	19	4	82	14
DOKTA ETC	: NOT CONSUMING	1000	1000	936	987	638	977	605	945	681	942	780	976	3561	3490
SNUFF	: REGULARLY	0	0	0	0	0	0	3	0	0	0	0	0	1	0
	: CASUALLY	0	0	0	0	2	1	3	0	0	0	1	0	3	1
	: NOT CONSUMING	1000	1000	1000	1000	998	999	994	1000	1000	1000	998	1000	4441	3563
BURNT TOBACCO	: REGULARLY	0	0	27	0	84	2	139	8	77	11	61	3	272	10
	: CASUALLY	0	0	1	0	10	2	2	0	5	0	4	1	19	2
	: NOT CONSUMING	1000	1000	972	1000	906	996	859	992	918	989	934	997	4154	3552
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	82	15	484	27	576	76	476	96	303	31	1248	96
	: CASUALLY	0	0	13	1	39	6	54	14	37	9	28	5	122	15
	: NOT CONSUMING	1000	1000	905	985	477	966	370	910	487	894	670	964	3075	3453

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

PERSONS BY SEX AND AGE-GROUP		URBAN												NO. OF SAMPLE BLOCKS: 22	
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)												SAMPLE PERSONS	
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	: REGULARLY	0	0	25	0	246	14	363	69	392	31	179	19	67	4
	: CASUALLY	0	0	17	0	37	0	0	0	0	0	19	0	6	0
	: NOT CONSUMING	1000	1000	959	1000	717	986	637	931	608	969	802	981	298	347
CHEWING	: REGULARLY	0	0	77	0	46	14	47	8	0	0	46	7	13	2
ZARDA	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOKTA ETC	: NOT CONSUMING	1000	1000	923	1000	954	986	953	992	1000	1000	954	993	358	349
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	371	351
BURNT TOBACCO	: REGULARLY	0	0	0	15	27	34	48	0	0	0	17	18	5	5
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	985	973	966	952	1000	1000	1000	983	982	366	346
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	90	15	298	62	438	69	392	31	228	42	80	10
	: CASUALLY	0	0	0	0	25	0	0	0	0	0	10	0	4	0
	: NOT CONSUMING	1000	1000	910	985	677	938	562	931	608	969	762	958	287	341
GUJARAT		URBAN												NO. OF SAMPLE BLOCKS: 238	
SMOKING	: REGULARLY	4	0	58	2	290	2	412	9	264	4	202	3	872	12
	: CASUALLY	1	1	6	0	15	1	13	4	9	6	10	1	71	6
	: NOT CONSUMING	995	999	936	998	694	997	575	987	726	990	788	996	3646	4150
CHEWING	: REGULARLY	0	0	50	1	107	4	75	11	29	11	68	4	322	24
ZARDA	: CASUALLY	0	0	8	0	20	3	18	0	3	3	12	1	53	6
DOKTA ETC	: NOT CONSUMING	1000	1000	942	999	874	993	907	989	968	986	920	995	4214	4138
SNUFF	: REGULARLY	0	0	0	1	3	14	3	63	14	147	3	26	12	91
	: CASUALLY	0	0	0	0	0	0	0	3	4	3	0	1	1	3
	: NOT CONSUMING	1000	1000	1000	999	997	985	997	933	982	850	997	974	4576	4074
BURNT TOBACCO	: REGULARLY	0	0	4	1	10	0	8	0	7	2	7	0	32	3
	: CASUALLY	0	0	0	0	2	0	1	0	0	0	1	0	3	0
	: NOT CONSUMING	1000	1000	996	999	989	1000	991	1000	993	998	993	1000	4554	4165
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	4	0	108	3	392	21	480	82	311	165	268	32	1177	128
	: CASUALLY	1	1	12	0	27	4	22	8	16	9	18	3	94	13
	: NOT CONSUMING	995	999	880	997	581	975	499	910	673	826	714	964	3318	4027

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

HARYANA		URBAN										NO. OF SAMPLE BLOCKS: 70			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	160	0	440	11	514	16	403	52	300	10	364	13
	: CASUALLY	0	0	21	0	28	8	10	24	27	0	19	6	24	4
	: NOT CONSUMING	1000	1000	819	1000	532	981	476	960	570	948	680	984	907	1102
CHEWING	: REGULARLY	0	0	13	0	20	0	13	18	88	0	19	2	21	1
ZARDA	: CASUALLY	0	0	0	0	6	0	3	0	0	0	3	0	5	0
DOKTA ETC	: NOT CONSUMING	1000	1000	987	1000	973	1000	984	982	912	1000	978	998	1269	1118
SNUFF	: REGULARLY	0	0	5	0	0	0	0	8	0	17	1	2	1	2
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	995	1000	1000	1000	1000	992	1000	983	999	998	1294	1117
BURNT TOBACCO	: REGULARLY	0	0	0	0	3	0	4	6	0	9	2	1	4	2
	: CASUALLY	0	0	0	0	1	0	0	0	0	0	0	0	1	0
	: NOT CONSUMING	1000	1000	1000	1000	996	1000	996	994	1000	991	998	999	1290	1117
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	166	0	459	11	525	49	491	78	317	16	382	18
	: CASUALLY	0	0	21	0	28	8	13	18	27	0	20	5	26	3
	: NOT CONSUMING	1000	1000	813	1000	513	981	461	933	482	922	663	979	887	1098
HIMACHAL PRADESH		URBAN										NO. OF SAMPLE BLOCKS: 40			
SMOKING	: REGULARLY	9	0	110	19	391	13	454	76	299	95	248	28	175	12
	: CASUALLY	0	0	30	0	28	0	22	0	15	20	22	2	16	1
	: NOT CONSUMING	991	1000	860	981	581	987	524	924	686	885	730	970	488	539
CHEWING	: REGULARLY	0	0	5	0	4	0	21	0	20	0	7	0	6	0
ZARDA	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOKTA ETC	: NOT CONSUMING	1000	1000	995	1000	996	1000	979	1000	980	1000	993	1000	673	552
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	12	0	1	0	1
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	988	1000	999	679	551
BURNT TOBACCO	: REGULARLY	0	0	0	0	2	0	2	0	56	20	4	2	4	1
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	998	1000	998	1000	944	980	996	998	675	551
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	9	0	115	19	397	13	474	76	375	126	259	31	184	14
	: CASUALLY	0	0	30	0	28	0	22	0	15	0	22	0	16	0
	: NOT CONSUMING	991	1000	855	981	575	987	504	924	610	874	719	969	479	538

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND AGE-GROUP

JAMMU & KASHMIR		URBAN										NO. OF SAMPLE BLOCKS: 53			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	35	0	231	0	354	23	320	0	175	3	181	4
	: CASUALLY	0	0	3	0	21	0	68	0	0	0	19	0	19	0
	: NOT CONSUMING	1000	1000	962	1000	748	1000	578	977	680	1000	805	994	867	968
CHEWING	: REGULARLY	0	0	3	0	11	0	18	0	0	0	8	0	5	0
ZARDA	: CASUALLY	0	0	0	0	5	0	0	0	0	0	2	0	2	0
DOKTA ETC	: NOT CONSUMING	1000	1000	997	1000	984	1000	982	1000	1000	1000	990	997	1060	972
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	2	0	0	0	0	0	1	0	1	0
	: NOT CONSUMING	1000	1000	1000	1000	998	1000	1000	1000	1000	1000	999	997	1066	972
BURNT TOBACCO	: REGULARLY	0	0	3	0	0	0	0	0	16	0	2	0	2	0
	: CASUALLY	0	0	0	0	2	0	0	0	0	0	1	0	1	0
	: NOT CONSUMING	1000	1000	997	1000	998	1000	1000	1000	984	1000	997	997	1064	972
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	35	0	238	0	354	23	320	0	178	3	183	4
	: CASUALLY	0	0	3	0	24	0	68	0	0	0	20	0	20	0
	: NOT CONSUMING	1000	1000	962	1000	738	1000	578	977	680	1000	802	994	864	968
KARNATAKA		URBAN										NO. OF SAMPLE BLOCKS: 247			
SMOKING	: REGULARLY	0	0	39	3	302	1	380	7	196	3	190	3	886	12
	: CASUALLY	0	0	6	0	27	3	12	0	25	0	15	1	78	2
	: NOT CONSUMING	1000	1000	956	997	671	996	608	993	779	997	795	996	3734	4365
CHEWING	: REGULARLY	0	0	15	2	50	19	67	31	45	20	35	14	149	63
ZARDA	: CASUALLY	2	0	6	0	11	6	8	6	13	16	8	4	28	20
DOKTA ETC	: NOT CONSUMING	998	1000	980	998	940	975	926	963	942	963	957	982	4521	4296
SNUFF	: REGULARLY	0	0	0	0	2	3	11	13	21	4	3	3	15	14
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	998	997	989	987	979	996	997	997	4683	4365
BURNT TOBACCO	: REGULARLY	1	0	1	0	1	13	6	27	5	29	2	11	14	37
	: CASUALLY	0	0	0	0	1	0	0	3	6	0	1	0	2	1
	: NOT CONSUMING	999	1000	999	1000	998	987	994	971	989	971	997	989	4682	4341
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	1	0	52	6	339	29	432	71	260	56	219	27	1013	117
	: CASUALLY	2	0	11	0	32	7	20	9	39	16	20	5	96	22
	: NOT CONSUMING	997	1000	936	994	630	964	548	921	701	927	760	968	3589	4240

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000

KERALA		URBAN										NO. OF SAMPLE BLOCKS: 183			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	38	1	348	4	474	9	387	12	252	5	779	14
	: CASUALLY	0	0	13	1	60	2	66	1	43	0	40	1	146	7
	: NOT CONSUMING	1000	1000	949	999	592	993	459	990	570	988	708	994	2349	3572
CHEWING	: REGULARLY	0	0	2	0	10	9	49	92	98	141	22	34	67	124
ZARDA	: CASUALLY	0	0	1	0	9	1	18	19	35	22	10	6	26	24
DOKTA ETC	: NOT CONSUMING	1000	1000	997	1000	981	990	932	889	868	837	968	960	3181	3445
SNUFF	: REGULARLY	0	0	2	0	6	0	17	0	10	3	6	0	21	1
	: CASUALLY	0	0	0	0	0	0	1	0	18	0	2	0	6	0
	: NOT CONSUMING	1000	1000	998	1000	994	1000	982	1000	972	997	991	1000	3247	3592
BURNT TOBACCO	: REGULARLY	0	0	0	0	0	0	3	2	5	0	1	2	5	
	: CASUALLY	0	0	0	0	2	0	1	0	0	0	1	0	3	0
	: NOT CONSUMING	1000	1000	1000	1000	998	1000	999	997	998	995	999	999	3269	3588
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	42	1	360	13	518	102	458	158	271	39	840	142
	: CASUALLY	0	0	14	1	61	3	66	19	68	22	43	7	153	29
	: NOT CONSUMING	1000	1000	944	999	579	983	416	879	474	820	685	954	2281	3422
MADHYA PRADESH		URBAN										NO. OF SAMPLE BLOCKS: 325			
SMOKING	: REGULARLY	2	0	58	2	322	8	391	18	225	13	200	7	1219	28
	: CASUALLY	4	2	15	1	34	1	33	2	12	0	22	1	143	6
	: NOT CONSUMING	994	998	927	997	645	991	576	979	763	987	778	991	5075	5694
CHEWING	: REGULARLY	0	0	47	7	188	40	212	116	215	119	123	41	794	222
ZARDA	: CASUALLY	2	2	14	2	20	2	27	5	20	3	16	2	107	15
DOKTA ETC	: NOT CONSUMING	998	998	939	991	792	957	760	879	765	878	861	956	5536	5491
SNUFF	: REGULARLY	0	2	5	5	10	6	11	9	7	32	7	7	35	30
	: CASUALLY	2	2	4	1	5	4	3	6	0	0	4	3	16	9
	: NOT CONSUMING	998	997	991	994	984	991	986	986	993	968	989	989	6386	5689
BURNT TOBACCO	: REGULARLY	6	2	11	8	35	23	31	24	34	20	23	16	127	83
	: CASUALLY	2	2	5	1	4	1	5	8	0	2	4	2	21	11
	: NOT CONSUMING	992	997	984	991	961	975	964	968	966	977	973	981	6289	5634
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	9	3	102	20	490	75	576	154	447	168	312	66	1938	344
	: CASUALLY	4	2	20	2	33	7	29	7	27	6	24	5	154	24
	: NOT CONSUMING	988	995	878	978	477	919	395	838	526	826	664	928	4345	5360

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.



TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND AGE-GROUP

MAHARASTRA		URBAN										NO. OF SAMPLE BLOCKS: 557			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	21	0	159	2	227	2	145	10	109	2	1131	14
	: CASUALLY	0	2	5	1	29	1	18	1	18	2	16	1	170	11
	: NOT CONSUMING	1000	998	974	999	811	997	755	997	837	988	875	997	8968	9387
CHEWING	: REGULARLY	1	0	41	5	166	40	189	93	189	113	114	39	1099	355
ZARDA	: CASUALLY	0	0	2	1	13	2	15	4	21	4	9	2	75	17
DOKTA ETC	: NOT CONSUMING	999	1000	957	994	820	957	796	903	789	882	876	959	9095	9040
SNUFF	: REGULARLY	1	2	3	0	3	3	6	4	9	14	4	3	35	26
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	1	2
	: NOT CONSUMING	999	998	997	1000	997	997	994	996	991	986	996	997	10233	9384
BURNT TOBACCO	: REGULARLY	8	6	19	21	39	43	52	80	43	63	31	39	304	363
	: CASUALLY	0	0	0	0	2	2	2	2	1	1	1	1	8	12
	: NOT CONSUMING	992	994	981	978	959	956	946	918	956	936	967	960	9957	9037
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	10	7	78	25	333	82	432	161	342	184	234	77	2306	696
	: CASUALLY	0	2	6	2	34	3	23	6	33	7	20	3	200	31
	: NOT CONSUMING	990	991	915	973	633	914	545	833	625	809	746	920	7763	8685
MANIPUR		URBAN										NO. OF SAMPLE BLOCKS: 70			
SMOKING	: REGULARLY	4	0	58	5	383	57	664	260	622	434	292	89	487	144
	: CASUALLY	0	0	5	8	63	19	67	93	63	73	38	27	64	40
	: NOT CONSUMING	996	1000	938	987	555	924	269	647	315	492	671	884	955	1282
CHEWING	: REGULARLY	0	0	24	9	61	13	58	3	7	5	37	8	70	12
ZARDA	: CASUALLY	0	0	33	3	84	23	77	20	21	6	51	12	91	26
DOKTA ETC	: NOT CONSUMING	1000	1000	943	988	855	965	865	977	972	989	912	980	1345	1428
SNUFF	: REGULARLY	0	0	0	0	1	0	6	0	0	0	1	0	2	0
	: CASUALLY	0	0	1	0	0	0	0	0	0	0	0	0	1	0
	: NOT CONSUMING	1000	1000	999	1000	999	1000	994	1000	1000	1000	998	1000	1503	1466
BURNT TOBACCO	: REGULARLY	0	0	1	0	15	0	26	5	21	5	11	1	29	3
	: CASUALLY	0	0	0	0	4	2	3	18	0	0	2	3	4	9
	: NOT CONSUMING	1000	1000	999	1000	982	998	971	977	979	995	988	996	1473	1454
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	4	0	69	14	415	68	665	260	622	434	306	96	511	153
	: CASUALLY	0	0	23	11	78	36	69	106	63	73	48	36	88	60
	: NOT CONSUMING	996	1000	908	975	507	896	265	634	315	492	646	868	907	1253

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

MEGHALAYA		URBAN										NO. OF SAMPLE BLOCKS: 48			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	16	0	49	0	704	27	833	113	463	101	464	24	351	18
	: CASUALLY	0	0	37	0	24	8	26	0	0	0	23	4	17	2
	: NOT CONSUMING	984	1000	914	1000	272	965	141	887	537	899	513	972	381	669
CHEWING	: REGULARLY	0	0	27	22	88	38	26	72	192	83	56	32	38	22
ZARDA	: CASUALLY	0	4	0	47	23	105	34	140	0	81	15	73	10	53
DOKTA ETC	: NOT CONSUMING	1000	996	973	931	890	857	939	788	808	836	929	895	701	614
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	749	689
BURNT TOBACCO	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	3	0	0	0	0	0	1	0	1	0
POWDER/PASTE	: NOT CONSUMING	1000	1000	1000	1000	997	1000	1000	1000	1000	1000	999	1000	748	689
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	16	0	76	22	768	66	849	182	556	185	505	56	379	39
	: CASUALLY	0	4	37	47	32	109	26	140	0	81	27	75	19	54
	: NOT CONSUMING	984	996	887	931	200	826	125	678	444	735	467	869	351	596
MIZORAM		URBAN										NO. OF SAMPLE BLOCKS: 96			
SMOKING	: REGULARLY	0	5	289	90	826	325	818	600	754	668	551	260	949	437
	: CASUALLY	3	0	102	36	46	146	101	201	67	88	63	99	101	165
	: NOT CONSUMING	997	995	610	874	128	529	81	199	180	244	386	642	704	1087
CHEWING	: REGULARLY	0	5	42	168	54	156	53	45	28	44	41	116	86	192
ZARDA	: CASUALLY	0	5	71	134	87	143	62	61	33	40	64	104	94	151
DOKTA ETC	: NOT CONSUMING	1000	990	887	698	859	700	885	894	939	917	895	780	1574	1346
SNUFF	: REGULARLY	0	5	2	1	0	1	5	15	0	20	1	4	2	8
	: CASUALLY	0	0	3	1	0	1	3	3	0	0	1	1	3	3
	: NOT CONSUMING	1000	995	995	998	1000	998	992	982	1000	980	998	995	1749	1678
BURNT TOBACCO	: REGULARLY	0	14	9	47	5	53	5	9	0	20	5	38	7	50
	: CASUALLY	0	0	8	0	0	1	0	0	0	0	2	0	4	1
POWDER/PASTE	: NOT CONSUMING	1000	986	984	953	995	946	995	991	1000	980	993	961	1743	1638
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	14	334	306	870	525	865	649	781	712	589	408	1029	673
	: CASUALLY	3	5	151	151	61	232	89	207	89	107	80	166	127	264
	: NOT CONSUMING	997	981	515	543	69	244	46	144	129	180	331	426	598	752

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

NAGALAND		URBAN										NO. OF SAMPLE BLOCKS: 24			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	33	0	478	0	481	0	124	0	253	0	127	0
	: CASUALLY	14	0	50	0	17	0	0	0	0	0	22	0	9	0
	: NOT CONSUMING	986	1000	917	1000	505	1000	519	1000	876	1000	725	1000	394	355
CHEWING	: REGULARLY	0	0	20	0	76	0	100	0	33	0	48	0	27	0
ZARDA	: CASUALLY	0	0	9	0	14	0	145	0	38	0	28	0	18	0
DOKTA ETC	: NOT CONSUMING	1000	1000	971	1000	910	1000	755	1000	929	1000	924	1000	485	355
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	530	355
BURNT TOBACCO	: REGULARLY	0	0	8	0	31	0	37	0	0	0	18	0	8	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	992	1000	969	1000	963	1000	1000	1000	982	1000	522	355
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	55	0	560	0	573	0	157	0	303	0	153	0
	: CASUALLY	14	0	50	0	22	0	100	0	5	0	38	0	18	0
	: NOT CONSUMING	986	1000	895	1000	418	1000	327	1000	838	1000	660	1000	359	355
ORISSA		URBAN										NO. OF SAMPLE BLOCKS: 104			
SMOKING	: REGULARLY	0	0	80	2	322	3	366	17	374	10	226	5	367	11
	: CASUALLY	8	19	12	0	60	3	66	0	25	0	38	4	74	4
	: NOT CONSUMING	992	981	909	998	618	994	568	983	600	990	736	991	1433	1716
CHEWING	: REGULARLY	11	0	54	28	266	162	354	284	268	253	189	125	325	195
ZARDA	: CASUALLY	0	26	18	11	49	29	36	13	24	5	31	20	59	29
DOKTA ETC	: NOT CONSUMING	989	974	928	962	685	809	610	702	708	742	780	855	1490	1507
SNUFF	: REGULARLY	0	0	2	0	7	2	37	3	50	5	12	1	29	3
	: CASUALLY	0	19	0	0	0	3	6	0	2	0	1	4	2	4
	: NOT CONSUMING	1000	981	998	1000	993	996	957	997	948	995	987	995	1843	1724
BURNT TOBACCO	: REGULARLY	0	7	30	47	140	136	227	223	230	189	112	109	198	186
	: CASUALLY	7	19	1	0	11	7	15	3	11	9	9	6	19	12
	: NOT CONSUMING	993	974	969	953	848	857	758	775	759	802	879	885	1657	1533
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	11	7	131	74	523	278	659	487	586	400	376	220	645	357
	: CASUALLY	15	26	24	11	65	32	43	12	38	0	42	21	87	31
	: NOT CONSUMING	975	967	845	915	413	690	299	501	376	600	582	759	1142	1343

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

PUNJAB		URBAN										NO. OF SAMPLE BLOCKS: 196			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	6	0	78	2	244	0	198	4	175	0	154	1	480	5
	: CASUALLY	0	0	8	0	20	0	14	0	6	1	12	0	41	1
	: NOT CONSUMING	994	1000	914	998	736	1000	788	996	819	999	833	998	3173	3270
CHEWING	: REGULARLY	0	0	16	0	28	0	27	5	10	0	19	1	57	1
ZARDA	: CASUALLY	0	0	1	0	4	0	5	0	4	0	3	0	9	0
DOKTA ETC	: NOT CONSUMING	1000	1000	983	1000	969	1000	968	995	985	1000	978	999	3628	3275
SNUFF	: REGULARLY	0	0	0	0	0	0	0	1	0	0	0	0	0	2
	: CASUALLY	0	0	1	0	2	0	1	0	0	0	1	0	4	0
	: NOT CONSUMING	1000	1000	999	1000	998	1000	999	999	1000	1000	999	999	3690	3274
BURNT TOBACCO	: REGULARLY	0	0	0	0	1	0	0	0	2	0	1	0	2	0
	: CASUALLY	0	0	1	0	2	0	5	0	0	0	2	0	7	0
	: NOT CONSUMING	1000	1000	999	1000	997	1000	995	1000	998	1000	997	1000	3685	3276
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	6	0	89	2	260	1	216	10	181	0	166	2	518	8
	: CASUALLY	0	0	8	0	23	0	20	0	6	1	14	0	47	1
	: NOT CONSUMING	994	1000	903	998	717	999	764	990	813	999	820	997	3129	3267
RAJASTHAN		URBAN										NO. OF SAMPLE BLOCKS: 184			
SMOKING	: REGULARLY	1	0	83	5	357	14	492	55	357	23	243	16	769	37
	: CASUALLY	0	0	3	0	29	2	8	0	30	6	14	1	41	4
	: NOT CONSUMING	999	1000	914	995	614	984	500	945	613	971	743	982	2543	2985
CHEWING	: REGULARLY	0	0	32	2	93	20	110	25	80	34	63	15	202	38
ZARDA	: CASUALLY	0	0	6	0	20	0	8	1	0	4	10	0	27	2
DOKTA ETC	: NOT CONSUMING	1000	1000	962	998	887	980	882	974	920	962	928	985	3124	2986
SNUFF	: REGULARLY	0	0	0	0	1	2	0	7	0	25	0	4	1	9
	: CASUALLY	0	0	0	0	1	0	0	0	0	0	0	0	2	0
	: NOT CONSUMING	1000	1000	1000	1000	998	998	1000	993	1000	975	999	996	3350	3017
BURNT TOBACCO	: REGULARLY	0	0	2	3	4	0	10	8	21	15	5	3	13	8
	: CASUALLY	0	0	0	0	2	0	0	0	0	0	1	0	3	1
	: NOT CONSUMING	1000	1000	998	997	994	1000	990	992	979	985	994	997	3337	3017
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	1	0	110	8	427	35	580	87	440	89	293	36	932	86
	: CASUALLY	0	0	8	0	41	2	12	1	30	9	21	2	59	7
	: NOT CONSUMING	999	1000	881	992	532	962	408	912	530	902	686	962	2362	2933

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND AGE-GROUP

SIKKIM		URBAN										NO. OF SAMPLE BLOCKS: 16			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	52	0	223	4	228	0	94	0	134	2	35	1
	: CASUALLY	0	0	35	0	129	0	185	0	0	0	84	0	25	0
	: NOT CONSUMING	1000	1000	912	1000	648	996	587	1000	906	1000	782	998	205	201
CHEWING	: REGULARLY	0	0	81	15	199	0	252	0	0	0	132	4	38	1
ZARDA	: CASUALLY	0	0	16	0	52	0	0	0	0	0	25	0	6	0
DOKTA ETC	: NOT CONSUMING	1000	1000	903	985	749	1000	748	1000	1000	1000	843	996	221	201
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	265	202
BURNT TOBACCO	: REGULARLY	0	0	0	0	58	0	0	0	0	0	22	0	6	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	942	1000	1000	1000	1000	1000	978	1000	259	202
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	134	15	440	4	357	0	94	0	258	6	71	2
	: CASUALLY	0	0	51	0	169	0	185	0	0	0	104	0	30	0
	: NOT CONSUMING	1000	1000	815	985	391	996	458	1000	906	1000	638	994	164	200
TAMIL NADU		URBAN										NO. OF SAMPLE BLOCKS: 407			
SMOKING	: REGULARLY	0	0	43	0	300	2	330	4	180	6	190	2	1226	10
	: CASUALLY	0	0	3	0	14	0	19	2	12	3	10	0	65	2
	: NOT CONSUMING	1000	1000	954	1000	686	998	651	994	808	991	800	998	5412	6739
CHEWING	: REGULARLY	0	0	0	1	13	20	52	63	81	75	20	23	131	148
ZARDA	: CASUALLY	0	0	3	1	9	4	9	13	7	3	6	4	41	27
DOKTA ETC	: NOT CONSUMING	1000	1000	997	998	977	977	939	924	912	922	974	974	6531	6576
SNUFF	: REGULARLY	0	0	0	1	8	2	20	9	28	10	8	3	59	25
	: CASUALLY	0	0	0	0	0	1	2	0	2	1	1	0	5	3
	: NOT CONSUMING	1000	1000	1000	999	992	997	979	991	970	989	991	996	6639	6723
BURNT TOBACCO	: REGULARLY	0	0	0	1	7	3	23	36	31	47	9	11	60	75
	: CASUALLY	0	0	0	0	4	0	2	2	0	7	2	1	7	4
	: NOT CONSUMING	1000	1000	1000	999	990	997	974	962	969	947	989	989	6636	6672
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	43	2	320	25	405	108	294	128	220	36	1424	246
	: CASUALLY	0	0	5	1	20	4	26	13	17	6	14	4	97	29
	: NOT CONSUMING	1000	1000	951	997	659	970	569	879	688	866	766	960	5182	6476

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

TRIPURA		URBAN										NO. OF SAMPLE BLOCKS: 56			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	3	0	33	0	648	5	785	0	754	27	448	4	410	5
	: CASUALLY	0	0	0	0	40	11	41	6	17	0	24	5	25	3
	: NOT CONSUMING	997	1000	967	1000	312	984	174	994	229	973	528	990	523	947
CHEWING	: REGULARLY	5	2	22	85	175	263	286	422	368	296	149	201	135	175
ZARDA	: CASUALLY	9	0	9	9	48	55	99	77	36	64	42	39	45	37
DOKTA ETC	: NOT CONSUMING	986	998	969	907	777	682	615	501	596	640	809	760	778	743
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	3	0	0	0	0	0	1	0	1
	: NOT CONSUMING	1000	1000	1000	1000	1000	997	1000	1000	1000	1000	1000	999	958	954
BURNT TOBACCO	: REGULARLY	0	0	0	0	16	15	24	0	0	23	10	8	6	6
	: CASUALLY	0	0	0	0	0	5	23	0	0	0	4	2	2	1
	: NOT CONSUMING	1000	1000	1000	1000	984	980	952	1000	1000	977	986	990	950	948
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	8	2	50	85	695	267	814	422	788	346	478	206	442	181
	: CASUALLY	6	0	9	9	39	58	59	83	12	48	29	40	33	38
	: NOT CONSUMING	986	998	940	907	266	675	127	495	200	606	493	754	483	736
UTTAR PRADESH		URBAN										NO. OF SAMPLE BLOCKS: 448			
SMOKING	: REGULARLY	1	0	64	1	309	6	450	30	375	16	213	8	1954	59
	: CASUALLY	0	0	4	0	31	1	26	0	11	0	16	0	130	5
	: NOT CONSUMING	999	1000	932	999	659	994	524	970	614	984	771	992	7082	7937
CHEWING	: REGULARLY	5	0	49	2	165	15	212	71	271	66	120	21	1002	195
ZARDA	: CASUALLY	0	0	7	0	32	3	25	5	18	2	17	2	149	15
DOKTA ETC	: NOT CONSUMING	995	1000	944	998	803	982	763	924	711	932	862	977	8015	7791
SNUFF	: REGULARLY	0	0	0	0	1	0	1	1	0	0	0	0	10	4
	: CASUALLY	0	0	1	0	1	0	0	0	0	0	1	0	3	1
	: NOT CONSUMING	1000	1000	999	1000	998	1000	999	999	1000	1000	999	1000	9153	7996
BURNT TOBACCO	: REGULARLY	0	0	0	0	0	0	0	0	4	0	0	0	17	0
	: CASUALLY	0	0	1	0	3	0	0	0	0	0	1	0	6	0
	: NOT CONSUMING	1000	1000	999	1000	997	1000	1000	1000	996	1000	998	1000	9143	8001
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	5	0	100	3	428	21	577	97	550	82	294	28	2637	245
	: CASUALLY	0	0	10	0	39	3	23	5	16	2	20	2	180	21
	: NOT CONSUMING	995	1000	890	997	532	976	401	898	434	916	685	970	6349	7735

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

WEST BENGAL		URBAN										NO. OF SAMPLE BLOCKS: 335			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	81	4	456	4	461	13	309	17	302	6	1872	35
	: CASUALLY	0	0	26	0	44	1	28	1	31	0	30	1	193	5
	: NOT CONSUMING	1000	1000	893	996	500	994	511	986	660	983	668	993	3989	5093
CHEWING	: REGULARLY	1	1	44	10	160	36	206	100	120	118	118	42	594	199
ZARDA	: CASUALLY	0	0	4	6	25	8	20	6	11	7	15	6	96	30
DOKTA ETC	: NOT CONSUMING	999	999	953	984	816	956	774	894	869	875	867	952	5364	4904
SNUFF	: REGULARLY	0	0	1	0	4	2	21	8	56	20	10	4	52	19
	: CASUALLY	0	0	1	0	0	0	1	0	4	0	1	0	5	0
	: NOT CONSUMING	1000	1000	998	1000	995	998	978	992	940	980	989	996	5997	5114
BURNT TOBACCO	: REGULARLY	0	3	4	8	9	9	17	23	15	19	9	11	53	47
	: CASUALLY	0	0	0	0	0	0	2	2	3	1	1	0	6	2
	: NOT CONSUMING	1000	997	996	992	990	991	981	975	981	980	991	989	5995	5084
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	2	4	120	19	591	49	661	138	461	165	411	60	2428	279
	: CASUALLY	0	0	26	6	44	8	35	9	39	7	32	7	204	35
	: NOT CONSUMING	998	996	854	975	364	943	304	853	499	829	556	934	3422	4819
ANDAMAN & NICOBAR		URBAN										NO. OF SAMPLE BLOCKS: 40			
SMOKING	: REGULARLY	0	0	22	0	252	2	381	32	299	0	175	4	123	3
	: CASUALLY	0	0	34	0	39	0	31	0	0	0	30	0	24	0
	: NOT CONSUMING	1000	1000	943	1000	708	998	587	968	701	1000	795	996	519	530
CHEWING	: REGULARLY	0	0	149	0	391	86	383	230	372	212	271	68	179	38
ZARDA	: CASUALLY	0	0	19	40	27	35	37	0	0	0	22	26	18	11
DOKTA ETC	: NOT CONSUMING	1000	1000	833	960	582	879	580	770	628	788	707	906	469	484
SNUFF	: REGULARLY	0	0	0	0	13	0	15	0	0	0	8	0	4	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	987	1000	985	1000	1000	1000	992	1000	662	533
BURNT TOBACCO	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	666	533
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	171	0	580	89	657	246	610	212	402	70	267	40
	: CASUALLY	0	0	50	40	37	35	23	0	0	0	32	26	23	11
	: NOT CONSUMING	1000	1000	779	960	383	876	320	754	390	788	565	903	376	482

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

CHANDIGARH		URBAN										NO. OF SAMPLE BLOCKS: 15			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	126	0	438	18	394	43	137	0	283	13	71	2
	: CASUALLY	0	0	0	0	14	0	0	0	0	0	6	0	2	0
	: NOT CONSUMING	1000	1000	874	1000	549	982	606	957	863	1000	711	987	173	179
CHEWING	: REGULARLY	0	0	19	0	81	0	0	0	42	0	46	0	10	0
ZARDA	: CASUALLY	0	0	0	0	21	0	0	0	0	0	9	0	2	0
DOKTA ETC	: NOT CONSUMING	1000	1000	981	1000	898	1000	1000	1000	958	1000	944	1000	234	181
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	246	181
BURNT TOBACCO	: REGULARLY	0	0	0	0	0	0	56	0	0	0	5	0	1	0
	: CASUALLY	0	0	0	0	0	0	11	0	0	0	1	0	1	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	933	1000	1000	1000	994	1000	244	181
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	145	0	441	18	450	43	137	0	294	13	74	2
	: CASUALLY	0	0	0	0	14	0	11	0	0	0	7	0	3	0
	: NOT CONSUMING	1000	1000	855	1000	545	982	539	957	863	1000	698	987	169	179
DADER NAGAR-HAVELI		URBAN										NO. OF SAMPLE BLOCKS: 8			
SMOKING	: REGULARLY	0	0	23	0	229	0	579	0	361	0	209	0	29	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	977	1000	771	1000	421	1000	639	1000	791	1000	103	126
CHEWING	: REGULARLY	0	0	25	0	59	37	0	43	0	0	34	19	5	2
ZARDA	: CASUALLY	0	0	50	0	0	0	0	0	0	0	11	0	2	0
DOKTA ETC	: NOT CONSUMING	1000	1000	925	1000	941	963	1000	957	1000	1000	955	981	125	124
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	140	0	12	0	1
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	860	1000	988	132	125
BURNT TOBACCO	: REGULARLY	0	0	0	0	42	0	81	0	0	0	29	0	3	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	958	1000	919	1000	1000	1000	971	1000	129	126
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	48	0	330	37	661	43	361	140	272	31	37	3
	: CASUALLY	0	0	50	0	0	0	0	0	0	0	11	0	2	0
	: NOT CONSUMING	1000	1000	902	1000	670	963	339	957	639	860	718	969	93	123

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.



TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

DAMAN & DIU		URBAN										NO. OF SAMPLE BLOCKS: 8			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	0	0	240	0	333	0	480	0	183	0	22	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	760	1000	667	1000	520	1000	817	1000	113	143
CHEWING	: REGULARLY	0	0	36	0	0	0	49	0	0	0	17	0	3	0
ZARDA	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOKTA ETC	: NOT CONSUMING	1000	1000	964	1000	1000	1000	951	1000	1000	1000	983	1000	132	143
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	32	0	5	0	1
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	968	1000	995	135	142
BURNT TOBACCO	: REGULARLY	0	0	0	0	31	0	0	0	0	0	13	0	2	0
	: CASUALLY	0	0	0	0	10	0	0	0	0	0	4	0	1	0
	: NOT CONSUMING	1000	1000	1000	1000	958	1000	1000	1000	1000	1000	983	1000	132	143
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	36	0	252	0	382	0	480	0	206	0	26	0
	: CASUALLY	0	0	0	0	10	0	0	0	0	32	4	5	1	1
	: NOT CONSUMING	1000	1000	964	1000	738	1000	618	1000	520	968	790	995	108	142
DELHI		URBAN										NO. OF SAMPLE BLOCKS: 111			
SMOKING	: REGULARLY	0	0	91	6	358	5	329	9	219	40	222	8	323	11
	: CASUALLY	0	0	10	0	9	2	4	0	20	0	8	1	18	2
	: NOT CONSUMING	1000	1000	900	994	633	993	666	991	761	960	769	992	1439	1478
CHEWING	: REGULARLY	0	0	8	0	30	11	36	4	29	0	21	5	54	3
ZARDA	: CASUALLY	0	0	11	0	8	0	0	0	0	0	6	0	6	1
DOKTA ETC	: NOT CONSUMING	1000	1000	981	1000	962	989	964	996	971	1000	973	995	1720	1487
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	999	1000	1779	1490
BURNT TOBACCO	: REGULARLY	0	0	4	1	15	0	5	0	0	0	7	0	13	1
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	2	1
	: NOT CONSUMING	1000	1000	996	999	985	1000	995	1000	1000	1000	992	1000	1765	1489
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	95	7	392	16	348	13	231	40	240	13	371	15
	: CASUALLY	0	0	21	0	10	2	4	0	20	0	12	1	20	2
	: NOT CONSUMING	1000	1000	884	993	598	982	648	987	748	960	748	986	1389	1474

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000 PERSONS BY SEX AND AGE-GROUP

LAKSHADWEEP		URBAN										NO. OF SAMPLE BLOCKS: 24			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	0	0	174	0	519	17	573	7	542	0	364	7	174	5
	: CASUALLY	0	0	18	0	43	0	17	0	0	19	23	2	10	1
	: NOT CONSUMING	1000	1000	808	1000	438	983	409	993	458	981	613	992	309	554
CHEWING	: REGULARLY	0	13	30	55	72	134	97	252	104	230	57	120	33	89
ZARDA	: CASUALLY	0	0	16	12	14	35	66	20	10	34	20	21	12	15
DOKTA ETC	: NOT CONSUMING	1000	987	954	933	913	831	837	729	886	736	923	859	448	456
SNUFF	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	493	560
BURNT TOBACCO	: REGULARLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	493	560
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	13	204	55	579	151	647	259	636	230	412	127	201	94
	: CASUALLY	0	0	18	12	40	35	17	20	10	53	23	22	10	16
	: NOT CONSUMING	1000	987	778	933	381	814	336	721	354	717	565	851	282	450
PONDICHERY		URBAN										NO. OF SAMPLE BLOCKS: 32			
SMOKING	: REGULARLY	0	0	6	0	209	0	236	0	242	11	134	1	77	1
	: CASUALLY	0	0	9	0	23	0	20	8	32	0	16	1	10	1
	: NOT CONSUMING	1000	1000	985	1000	769	1000	744	992	727	989	850	998	500	623
CHEWING	: REGULARLY	0	0	0	0	5	4	8	78	20	19	5	15	3	10
ZARDA	: CASUALLY	0	0	0	0	4	0	0	8	14	10	3	2	2	2
DOKTA ETC	: NOT CONSUMING	1000	1000	1000	1000	992	996	992	914	966	971	993	983	582	613
SNUFF	: REGULARLY	0	0	5	0	8	0	0	8	19	0	6	1	4	1
	: CASUALLY	0	0	0	0	0	0	37	0	0	0	6	0	2	0
	: NOT CONSUMING	1000	1000	995	1000	992	1000	963	992	981	1000	989	999	581	624
BURNT TOBACCO	: REGULARLY	0	0	0	0	0	0	0	0	0	13	0	2	0	1
	: CASUALLY	0	0	0	0	0	0	11	0	0	0	2	0	1	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	989	1000	1000	987	998	998	586	624
CONSUMPTION OF TOBACCO IN ANY FORM	: REGULARLY	0	0	11	0	221	4	244	86	280	43	144	19	84	13
	: CASUALLY	0	0	9	0	23	0	60	8	32	10	22	2	12	2
	: NOT CONSUMING	1000	1000	980	1000	756	996	697	906	688	948	833	979	491	610

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (1U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND AGE-GROUP

ALL-INDIA		URBAN										NO. OF SAMPLE BLOCKS: 4650			
FORM OF TOBACCO CONSUMPTION		AGE (IN YEARS)										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL **			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING	: REGULARLY	1	0	55	2	305	5	381	18	266	18	202	7	17891	1019
	: CASUALLY	1	1	9	0	28	1	25	2	19	2	18	1	1825	286
	: NOT CONSUMING	998	999	936	998	667	993	595	980	715	980	780	992	66428	77322
CHEWING	: REGULARLY	1	0	31	4	114	26	141	66	133	72	80	26	6556	2300
ZARDA	: CASUALLY	0	1	6	1	17	4	17	6	13	6	12	3	1198	538
DOKTA ETC	: NOT CONSUMING	999	999	963	994	869	971	842	928	854	922	908	971	78390	75789
SNUFF	: REGULARLY	0	0	1	1	3	3	9	8	14	19	4	4	306	245
	: CASUALLY	0	1	1	0	1	1	1	1	2	0	1	0	58	29
	: NOT CONSUMING	1000	999	998	999	996	997	990	991	984	980	995	996	85780	78353
BURNT TOBACCO/	: REGULARLY	2	1	6	6	19	14	28	29	25	28	15	13	1243	951
	: CASUALLY	0	1	1	0	2	1	2	2	1	1	1	1	136	62
	: NOT CONSUMING	998	998	993	994	979	986	970	970	974	971	984	986	84765	77614
CONSUMPTION OF TOBACCO	: REGULARLY	4	2	87	12	407	45	509	114	395	130	277	47	23875	4300
	: CASUALLY	1	1	13	2	32	5	27	8	27	7	21	4	2153	759
	: NOT CONSUMING	995	997	901	986	560	950	464	877	578	862	701	949	60116	73568

\*\* ALL WILL EXCLUDE AGE NOT RECORDED CASES AND CHILDREN AGED 0-9 YRS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

ANDHRA PRADESH		RURAL										NO. OF SAMPLE VILLAGES : 492			
FORM OF TOBACCO CONSUMPTION	AGE ( IN YEARS )												SAMPLE PERSONS		
	10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----		
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	19	5	170	22	562	74	674	133	574	144	414	69	3174	490	
CHWewing ZARDA ETC	-	-	3	5	10	21	10	45	25	45	8	21	67	167	
SNUFF	-	-	-	1	-	2	-	4	2	5	-	2	3	18	
BURNT TOB. POWD/PASTE	-	-	3	7	8	30	15	57	22	71	8	29	63	227	
SM & CHW	-	-	1	1	7	-	6	3	10	3	5	1	41	8	
SM & BT	-	-	1	-	4	-	8	-	4	5	3	-	23	3	
CHW & SN	-	-	-	-	-	1	-	-	-	1	-	-	1	4	
CHW & BT	-	-	-	-	-	1	-	1	-	2	-	-	-	4	
SM, CHW, SN & BT	-	1	-	-	-	-	-	-	-	-	-	-	-	2	
SAMPLE PERSONS	17	5	317	69	1634	360	914	306	490	183	3372	923	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
ARUNACHAL PRADESH		RURAL										NO. OF SAMPLE VILLAGES : 120			
SMOKING	1	3	120	13	302	68	313	99	226	150	212	55	461	216	
CHWewing ZARDA ETC	6	3	80	76	87	171	264	250	260	275	114	144	154	213	
SNUFF	-	-	-	-	4	4	-	-	-	-	1	2	1	1	
BURNT TOB. POWD/PASTE	-	6	6	2	64	57	119	90	106	20	53	39	84	65	
SM & CHW	1	1	39	9	98	29	130	102	181	57	81	34	241	92	
SM & BT	-	-	-	-	22	18	33	29	30	-	16	11	52	36	
SN & BT	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
CHW & SN	-	-	-	-	-	-	-	-	-	12	-	1	-	1	
CHW & BT	-	-	-	-	2	1	3	-	1	11	1	1	4	3	
SM, CHW, & SN	-	-	-	-	1	-	3	-	-	-	1	-	2	0	
SM, CHW & BT	-	-	-	-	-	-	-	-	-	-	-	-	2	0	
SM, CHW, SN & BT	-	-	-	-	-	-	4	1	-	-	1	-	2	1	
SAMPLE PERSONS	3	4	122	71	445	298	318	189	115	67	1003	629	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

ASSAM		RURAL												NO. OF SAMPLE VILLAGES : 320	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )												SAMPLE PERSONS	
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----	
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		9	2	120	7	465	25	557	61	532	72	309	25	2210	146
CHWewing ZARDA ETC		6	8	89	50	108	87	56	63	41	78	74	62	525	335
SNUFF		-	-	8	-	9	-	3	2	3	-	6	-	41	2
BURNT TOB.POWD/PASTE		2	1	17	3	11	14	10	3	4	11	11	8	71	35
SM & CHW		3	-	54	4	165	20	208	15	101	17	109	12	672	59
SM & SN		-	-	1	-	2	-	1	-	1	-	1	-	9	0
SM & BT		-	-	2	2	18	1	17	-	13	3	10	1	63	4
CHW & SN		-	6	-	-	-	-	-	-	-	-	-	1	-	2
CHW & BT		-	-	1	1	1	2	3	-	-	-	1	1	7	4
SM, CHW & BT		-	-	-	-	7	-	9	-	2	-	4	-	23	1
CHW, SN & BT		1	-	1	1	-	1	-	-	-	-	1	1	6	5
SM, CHW,SN & BT		-	-	-	-	2	1	2	-	-	-	1	-	5	2
SAMPLE PERSONS		29	11	519	83	1986	333	827	103	271	65	3632	595	X	X

REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.

BIHAR		RURAL												NO. OF SAMPLE VILLAGES : 699	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )												SAMPLE PERSONS	
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----	
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		1	-	13	4	57	32	98	42	74	66	44	25	600	244
CHWewing ZARDA ETC		8	7	153	15	377	29	435	44	445	51	274	27	3630	291
SNUFF		-	-	1	-	-	-	1	-	1	-	1	-	6	1
BURNT TOB.POWD/PASTE		1	-	24	-	75	3	89	6	94	13	54	3	738	46
SM & CHW		-	-	28	1	129	5	146	8	111	10	84	4	1015	39
SM & SN		-	-	-	-	-	-	-	-	1	-	-	-	3	0
SM & BT		-	-	3	-	24	-	24	-	23	1	15	-	181	1
SN & BT		-	-	-	-	-	-	-	-	-	-	-	-	1	3
CHW & SN		-	-	-	-	-	-	1	-	-	-	-	-	4	0
CHW & BT		-	-	1	-	4	-	3	-	4	-	2	-	36	3
SM,CHW, & SN		-	-	-	1	-	-	-	-	-	-	-	-	2	1
SM, CHW & BT		-	-	1	-	4	-	2	-	4	-	2	-	26	0
CHW, SN & BT		-	-	-	-	-	-	-	-	-	-	-	-	4	0
SM, CHW,SN & BT		-	-	1	-	-	-	1	-	-	-	-	-	6	0
SAMPLE PERSONS		12	7	654	56	3029	273	1645	188	912	105	6252	629	X	X

REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

GOA		RURAL												NO. OF SAMPLE VILLAGES : 15	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )												SAMPLE PERSONS	
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	15	-	184	13	510	50	461	87	197	23	55	5
CHWewing ZARDA ETC		-	-	-	-	-	32	-	38	-	142	-	32	-	10
BURNT TOB.POWD/PASTE		-	-	5	-	-	-	-	-	24	-	4	-	3	0
SM & CHW		-	-	-	-	11	-	27	-	52	-	13	-	3	0
SM & BT		-	-	-	-	-	-	29	-	13	-	6	-	2	0
SAMPLE PERSONS		-	-	2	-	19	5	25	4	17	6	63	15	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
GUJARAT		RURAL												NO. OF SAMPLE VILLAGES : 223	
SMOKING		3	-	148	9	496	20	600	40	537	31	351	19	1561	71
CHWewing ZARDA ETC		-	-	34	-	61	4	36	7	29	9	39	3	197	14
SNUFF		-	-	-	7	2	59	12	161	15	196	4	65	14	265
BURNT TOB.POWD/PASTE		-	-	4	-	9	2	13	6	27	10	8	2	48	11
SM & CHW		-	-	16	1	33	-	24	1	6	-	21	-	98	2
SM & SN		-	-	-	-	1	-	1	-	13	7	2	1	8	2
SM & BT		-	-	-	-	6	-	5	-	3	-	3	-	15	1
CHW & BT		-	-	-	-	2	-	-	-	5	-	1	-	3	0
SM, CHW & BT		-	-	-	-	-	-	1	-	-	-	-	-	1	0
SM, CHW, SN & BT		-	-	-	-	-	-	2	2	2	2	-	1	2	2
SAMPLE PERSONS		3	-	241	18	993	122	482	138	228	90	1947	368	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.															

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

HARYANA		RURAL												NO. OF SAMPLE VILLAGES : 104	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )												SAMPLE PERSONS	
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----	
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		14	-	268	9	679	68	685	98	567	98	424	48	961	91
CHWewing ZARDA ETC		-	-	3	-	8	-	4	-	11	-	5	-	12	0
SNUFF		-	-	-	-	-	4	-	26	1	40	-	9	1	18
BURNT TOB.POWD/PASTE		-	-	-	-	7	2	18	-	71	6	12	1	38	3
SM & CHW		-	-	-	-	10	-	11	-	-	-	4	-	10	0
SM & SN		-	-	-	-	-	-	-	-	-	6	-	1	-	1
SM & BT		-	-	5	-	27	5	76	2	44	-	22	2	55	4
SAMPLE PERSONS		5	-	169	4	515	47	190	30	198	36	1077	117	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
HIMACHAL PRADESH		RURAL												NO. OF SAMPLE VILLAGES : 189	
SMOKING		2	-	130	5	574	17	647	95	618	103	376	32	1353	132
CHWewing ZARDA ETC		-	-	2	-	3	-	6	-	9	-	4	-	14	0
SNUFF		-	-	-	-	-	-	-	-	1	-	-	-	1	0
BURNT TOB.POWD/PASTE		-	-	-	-	2	3	5	3	24	8	5	2	16	8
SM & CHW		-	-	-	-	5	-	6	-	7	3	3	-	13	1
SM & BT		-	-	1	-	26	2	82	8	68	18	29	4	91	12
SAMPLE PERSONS		2	-	129	7	619	28	413	66	325	52	1488	153	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
JAMMU & KASHMIR		RURAL												NO. OF SAMPLE VILLAGES : 82	
SMOKING		-	-	93	2	568	18	725	55	618	123	365	26	603	36
CHWewing ZARDA ETC		-	-	-	-	6	-	9	-	-	-	3	-	5	0
SNUFF		-	-	-	2	4	4	12	14	17	6	5	4	9	10
BURNT TOB.POWD/PASTE		-	-	-	2	5	-	4	8	8	-	3	2	6	3
SM & CHW		-	-	-	-	2	-	4	-	-	-	1	-	2	0
SM & SN		-	-	-	-	-	-	8	-	11	-	2	-	4	0
SM & BT		-	-	-	-	-	-	16	-	13	-	4	-	6	0
SM, CHW, SN & BT		-	-	-	-	-	-	-	-	2	-	-	-	1	0
SAMPLE PERSONS		-	-	38	3	284	15	179	16	135	15	636	49	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.															

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

KARNATAKA		RURAL												NO. OF SAMPLE VILLAGES : 263	
FORM OF TOBACCO CONSUMPTION	AGE ( IN YEARS )												SAMPLE PERSONS		
	10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----		
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	-	1	53	2	399	2	497	8	365	7	260	3	1313	17	
CHWewing ZARDA ETC	3	2	38	11	73	49	122	121	107	96	63	48	335	251	
SNUFF	-	-	-	1	1	3	1	7	12	3	1	3	10	13	
BURNT TOB.POWD/PASTE	1	-	2	3	11	39	31	81	24	84	11	35	66	180	
SM & CHW	-	-	2	-	20	-	41	2	42	1	17	-	90	2	
SM & SN	-	-	-	-	-	-	-	-	3	-	-	-	1	0	
SM & BT	-	-	-	-	4	-	3	-	14	-	3	-	18	0	
CHW & SN	-	-	-	-	-	-	-	-	-	-	-	-	2	1	
CHW & BT	-	-	-	1	8	4	9	8	21	10	6	4	28	24	
SM, CHW & BT	-	-	-	-	2	-	3	-	3	-	2	-	7	0	
SM, CHW,SN & BT	5	6	1	-	1	3	3	2	-	2	2	3	6	9	
SAMPLE PERSONS	7	5	116	24	942	187	520	179	291	102	1876	497	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
KERALA		RURAL												NO. OF SAMPLE VILLAGES : 256	
SMOKING	3	-	46	2	453	4	509	11	367	11	290	5	1242	24	
CHWewing ZARDA ETC	-	-	-	2	25	34	36	150	73	212	23	60	99	280	
SNUFF	-	-	-	-	6	-	12	-	11	-	5	-	23	1	
BURNT TOB.POWD/PASTE	-	-	-	-	-	1	4	2	17	11	3	2	10	9	
SM & CHW	-	-	1	-	20	1	74	2	43	-	24	1	91	2	
SM & SN	-	-	-	-	1	-	3	-	-	-	1	-	4	0	
SM & BT	-	-	-	-	-	-	4	-	-	-	1	-	2	0	
SM, CHW & BT	-	-	-	-	1	-	-	-	-	-	-	-	1	0	
SM, CHW,SN & BT	-	-	-	-	-	-	2	-	-	-	-	-	2	0	
SAMPLE PERSONS	2	-	44	4	718	66	455	113	255	133	1474	316	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.															



TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

MADHYA PRADESH		RURAL										NO. OF SAMPLE VILLAGES : 533			
FORM OF TOBACCO CONSUMPTION	AGE ( IN YEARS )												SAMPLE PERSONS		
	10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		PERSONS		
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	2	1	109	5	333	9	384	10	342	16	232	8	2455	80	
CHWING ZARDA ETC	12	3	107	36	242	73	294	114	270	110	181	64	1923	609	
SNUFF	4	1	5	11	2	11	-	8	2	8	3	9	32	78	
BURNT TOB.POWD/PASTE	9	15	37	37	39	41	16	36	20	15	29	33	293	309	
SM & CHW	1	-	37	-	115	3	121	3	122	3	79	2	859	17	
SM & SN	-	-	1	-	3	-	2	1	-	-	1	-	13	1	
SM & BT	-	-	4	-	8	-	9	-	9	-	6	-	64	0	
SN & BT	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
CHW & SN	-	-	-	1	3	1	-	1	5	2	2	1	15	8	
CHW & BT	-	-	3	2	5	2	6	-	2	2	3	2	38	15	
SM,CHW, & SN	-	-	1	-	1	-	2	-	-	-	1	-	9	0	
SM, CHW & BT	-	-	1	-	5	-	6	-	1	-	3	-	26	0	
SM, SN & BT	-	-	-	-	-	-	-	-	-	-	-	-	1	0	
CHW, SN & BT	1	-	-	-	-	-	-	-	-	-	-	-	2	2	
SM, CHW,SN & BT	1	-	1	1	1	1	1	1	-	-	1	1	10	7	
SAMPLE PERSONS	47	27	796	204	2779	468	1403	277	715	151	5740	1127	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
MAHARASTRA		RURAL										NO. OF SAMPLE VILLAGES : 445			
SMOKING	1	-	13	1	146	-	205	4	180	6	104	2	785	13	
CHWING ZARDA ETC	6	2	74	22	294	96	329	166	285	143	200	83	1651	636	
SNUFF	1	-	3	3	1	5	2	17	3	32	2	9	22	70	
BURNT TOB.POWD/PASTE	37	36	63	94	47	155	43	165	45	142	49	125	401	1000	
SM & CHW	-	-	5	1	39	1	43	2	43	1	26	1	200	8	
SM & SN	-	-	-	-	2	-	5	-	2	-	1	-	8	1	
SM & BT	-	-	2	-	15	-	20	1	22	-	11	-	84	2	
SN & BT	-	-	-	-	-	1	-	2	2	7	-	1	1	9	
CHW & SN	-	-	1	1	2	-	3	6	-	4	1	2	12	11	
CHW & BT	1	-	15	2	78	17	99	40	96	26	56	16	450	130	
SM,CHW, & SN	-	-	1	-	-	-	1	-	-	-	-	-	2	0	
SM, CHW & BT	-	-	-	-	4	-	7	-	14	-	4	-	37	1	
SM, SN & BT	-	-	-	-	-	-	1	-	-	2	-	-	1	1	
CHW, SN & BT	-	-	-	-	-	-	-	-	1	1	-	-	1	2	
SM, CHW,SN & BT	-	-	-	-	-	-	1	-	-	-	-	-	1	0	
SAMPLE PERSONS	56	42	343	212	1657	749	994	555	606	326	3656	1884	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

MANIPUR		RURAL												NO. OF SAMPLE VILLAGES : 100	
FORM OF TOBACCO CONSUMPTION	AGE ( IN YEARS )												SAMPLE PERSONS		
	10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----		
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	4	-	40	20	391	131	593	460	762	501	302	148	606	293	
CHWewing ZARDA ETC	6	6	58	29	54	51	5	11	5	14	38	30	76	55	
BURNT TOB.POWD/PASTE	-	-	-	-	2	-	3	-	-	13	1	1	3	1	
SM & CHW	-	-	22	5	152	35	173	44	55	55	92	24	192	47	
SM & BT	-	-	-	-	2	11	16	20	35	60	6	11	12	23	
CHW & BT	-	-	-	-	6	-	11	-	-	-	4	-	5	0	
SM, CHW & BT	-	-	-	-	27	1	19	-	-	-	13	-	28	1	
SM, CHW,SN & BT	-	-	-	-	-	2	-	-	-	9	-	1	-	2	
SAMPLE PERSONS	2	1	57	25	466	159	251	153	146	84	922	422	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
MEGHALAYA		RURAL												NO. OF SAMPLE VILLAGES : 112	
SMOKING	35	15	307	106	820	293	876	264	895	302	586	194	1166	297	
CHWewing ZARDA ETC	-	13	14	104	13	125	15	223	1	161	11	120	24	235	
BURNT TOB.POWD/PASTE	-	-	-	-	-	-	3	-	-	-	-	-	1	0	
SM & CHW	-	-	4	-	28	3	29	8	57	-	19	2	42	6	
SM & BT	-	-	4	5	8	2	4	4	10	-	5	3	16	11	
SAMPLE PERSONS	8	4	181	122	681	267	295	127	84	29	1249	549	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
MIZORAM		RURAL												NO. OF SAMPLE VILLAGES : 47	
SMOKING	27	33	413	212	742	569	863	776	756	735	548	417	529	363	
CHWewing ZARDA ETC	21	24	75	177	38	128	-	89	-	-	39	116	38	97	
BURNT TOB.POWD/PASTE	-	-	-	22	11	6	8	10	101	66	9	13	8	11	
SM & CHW	5	-	80	70	140	122	111	59	-	-	91	74	77	60	
SM & BT	-	-	-	-	8	4	-	12	43	84	5	7	5	6	
CHW & BT	-	-	-	-	4	-	-	-	-	-	2	-	1	0	
SM,CHW, & SN	-	-	-	-	5	5	-	-	-	-	2	2	1	1	
SM, CHW & BT	-	-	-	7	5	5	12	-	-	-	3	4	2	2	
SAMPLE PERSONS	6	5	158	126	322	259	143	117	32	33	661	540	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.															

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

NAGALAND		RURAL												NO. OF SAMPLE VILLAGES : 46	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )												SAMPLE PERSONS	
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	55	-	486	-	541	-	209	81	254	3	257	2
CHWING ZARDA ETC		-	-	3	8	39	16	3	-	26	-	14	8	19	10
SNUFF		-	-	-	7	-	-	-	-	-	-	-	2	-	1
BURNT TOB.POWD/PASTE		-	-	16	-	3	-	10	-	-	-	7	-	6	0
SM & CHW		-	-	18	1	84	4	64	-	34	-	42	2	40	2
SM & BT		-	-	-	-	1	-	-	-	-	-	-	-	2	0
CHW, SN & BT		-	-	-	-	-	3	-	-	-	26	-	2	-	2
SM, CHW,SN & BT		-	-	3	-	-	-	-	-	-	-	1	-	1	0
SAMPLE PERSONS		1	-	30	5	176	9	101	-	17	3	325	17	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
ORISSA		RURAL												NO. OF SAMPLE VILLAGES : 335	
SMOKING		11	3	52	6	130	2	122	12	94	3	89	5	556	26
CHWING ZARDA ETC		19	23	103	132	220	277	197	252	228	253	159	199	946	1169
SNUFF		1	1	26	18	36	19	51	33	75	41	34	21	207	99
BURNT TOB.POWD/PASTE		10	24	35	126	76	221	100	226	83	178	61	167	383	1055
SM & CHW		2	-	34	3	133	7	143	4	117	2	89	4	518	23
SM & SN		-	-	14	1	20	1	26	1	9	2	15	1	75	4
SM & BT		-	-	12	2	53	3	76	8	50	3	38	3	223	12
SN & BT		-	2	5	6	19	7	23	15	15	2	13	7	83	41
CHW & SN		-	-	7	1	6	9	5	8	9	9	6	5	39	34
CHW & BT		1	3	10	12	38	40	52	64	47	51	29	33	197	210
SM,CHW, & SN		-	-	3	-	6	3	8	3	1	-	4	2	22	7
SM, CHW & BT		-	-	3	-	21	1	33	-	38	-	17	-	110	1
SM, SN & BT		-	-	3	-	7	-	7	3	6	3	5	1	34	3
CHW, SN & BT		-	-	-	-	4	-	2	2	2	2	2	1	12	4
SM, CHW,SN & BT		-	-	-	-	-	-	2	-	2	-	1	-	4	0
SAMPLE PERSONS		38	47	424	440	1618	1225	826	648	503	328	3409	2688	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

PUNJAB		RURAL										NO. OF SAMPLE VILLAGES : 205			
FORM OF TOBACCO CONSUMPTION	AGE ( IN YEARS )												SAMPLE PERSONS		
	10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----		
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	2	1	39	1	147	1	136	3	88	5	87	2	344	8	
CHWewing ZARDA ETC	1	-	9	-	43	1	42	1	23	-	25	-	103	2	
SNUFF	2	-	-	-	1	-	-	-	-	3	-	-	2	1	
BURNT TOB.POWD/PASTE	-	-	2	-	-	1	-	-	16	2	2	1	8	2	
SM & CHW	-	-	7	-	15	-	10	-	11	-	9	-	33	0	
SM & SN	-	-	-	-	-	-	-	-	3	-	-	-	1	0	
SM & BT	-	-	1	-	3	-	9	-	4	2	3	-	11	1	
SAMPLE PERSONS	4	1	65	1	249	3	119	4	65	5	502	14	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
RAJASTHAN		RURAL										NO. OF SAMPLE VILLAGES : 312			
SMOKING	4	3	205	13	627	46	665	66	557	66	407	37	2451	213	
CHWewing ZARDA ETC	-	-	15	4	29	4	33	1	39	6	22	3	136	21	
SNUFF	1	-	-	1	-	1	2	21	4	23	1	6	4	33	
BURNT TOB.POWD/PASTE	-	-	2	-	4	-	7	4	24	4	5	1	34	9	
SM & CHW	-	-	7	-	26	1	15	1	20	3	14	1	85	4	
SM & SN	-	-	-	-	1	-	1	-	-	-	1	-	3	0	
SM & BT	-	-	3	-	9	-	22	1	19	-	9	-	76	3	
CHW & SN	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
SM,CHW, & SN	-	-	-	-	-	-	-	-	-	-	-	-	1	0	
SM, CHW,SN & BT	-	-	-	-	1	-	-	-	-	-	-	-	2	1	
SAMPLE PERSONS	6	3	343	28	1345	111	716	89	382	54	2792	285	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SIKKIM		RURAL										NO. OF SAMPLE VILLAGES : 48			
SMOKING	-	-	29	-	355	37	528	58	532	140	257	29	217	18	
CHWewing ZARDA ETC	-	-	193	7	258	20	187	16	125	78	186	16	159	11	
BURNT TOB.POWD/PASTE	-	-	20	-	57	-	69	-	-	-	38	-	33	0	
SM & CHW	-	-	18	-	79	-	45	-	18	-	45	-	36	0	
SAMPLE PERSONS	-	-	52	1	258	13	106	6	29	9	445	29	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

TAMIL NADU		RURAL												NO. OF SAMPLE VILLAGES : 391	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )												SAMPLE PERSONS	
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	52	-	293	5	293	3	173	4	185	3	1092	14
CHWewing ZARDA ETC		1	2	5	3	29	54	69	114	132	127	37	52	257	364
SNUFF		-	-	-	-	4	2	21	3	27	10	8	2	56	14
BURNT TOB. POWD/PASTE		-	-	1	3	24	24	63	68	95	85	30	29	190	183
SM & CHW		-	-	1	-	11	1	42	-	16	2	13	1	75	2
SM & SN		-	-	-	-	2	-	4	-	2	-	2	-	7	0
SM & BT		-	-	-	-	4	-	11	1	5	-	4	-	28	1
SN & BT		-	-	-	-	-	-	1	1	-	-	-	-	1	2
CHW & SN		-	-	-	-	-	-	3	-	2	1	1	-	5	1
CHW & BT		-	-	-	-	3	3	6	9	5	24	3	5	15	32
SM, CHW, & SN		-	-	-	-	-	-	2	-	2	-	1	-	3	0
SM, CHW & BT		-	-	-	-	-	-	5	-	1	-	1	-	7	0
SM, SN & BT		-	-	-	-	-	-	1	-	-	-	-	-	1	0
CHW, SN & BT		-	-	-	-	-	-	-	-	2	-	-	-	3	0
SAMPLE PERSONS		2	1	77	12	768	196	579	239	314	165	1740	613	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
TRIPURA		RURAL												NO. OF SAMPLE VILLAGES : 153	
SMOKING		7	4	125	16	672	47	699	42	527	47	422	33	1156	92
CHWewing ZARDA ETC		4	5	34	75	19	218	27	237	39	271	22	160	70	460
SNUFF		-	-	-	-	-	2	-	-	-	-	-	1	-	2
BURNT TOB. POWD/PASTE		-	-	-	3	-	-	4	-	10	1	1	1	3	3
SM & CHW		-	-	25	3	122	11	200	15	228	14	99	8	317	22
SM & SN		-	-	-	-	-	1	6	3	4	-	1	1	3	2
SM & BT		-	-	6	-	10	13	26	9	31	12	12	7	28	14
CHW & BT		-	-	-	-	1	-	-	-	1	-	-	-	2	0
SM, CHW, & SN		-	-	-	-	1	1	-	2	9	4	1	1	3	3
SM, CHW & BT		-	-	-	-	1	1	2	-	13	-	2	-	5	1
SM, SN & BT		-	-	-	-	1	-	-	-	-	-	-	-	1	0
SM, CHW, SN & BT		-	-	-	-	1	-	-	-	-	-	-	-	1	0
SAMPLE PERSONS		6	4	128	64	837	318	420	130	198	83	1589	599	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.															

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

UTTAR PRADESH		RURAL												NO. OF SAMPLE VILLAGES : 902	
FORM OF TOBACCO CONSUMPTION	AGE ( IN YEARS )												SAMPLE PERSONS		
	10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----		
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	7	-	145	6	398	30	374	61	312	65	251	28	4494	452	
CHWewing ZARDA ETC	1	1	49	8	139	42	226	89	289	98	120	40	2385	659	
SNUFF	-	-	-	-	-	-	-	-	4	-	1	-	10	4	
BURNT TOB. POWD/PASTE	-	-	1	-	1	1	6	4	9	1	2	1	44	19	
SM & CHW	1	-	31	1	141	7	190	18	145	11	96	6	1755	104	
SM & SN	-	-	-	-	-	-	2	-	-	-	1	-	11	0	
SM & BT	-	-	-	-	3	-	6	-	9	1	3	-	51	2	
SN & BT	-	-	-	-	-	-	-	-	-	-	-	-	1	0	
CHW & SN	-	-	-	-	-	-	1	-	-	-	-	-	3	2	
CHW & BT	-	-	-	-	1	-	1	1	3	2	1	-	14	3	
SM, CHW, & SN	-	-	-	-	-	-	1	-	-	-	-	-	3	0	
SM, CHW & BT	-	-	-	-	1	-	3	-	2	-	1	-	22	1	
CHW, SN & BT	-	-	-	-	-	-	-	-	-	-	-	-	2	0	
SM, CHW, SN & BT	-	-	-	-	-	-	-	-	-	-	-	-	5	1	
SAMPLE PERSONS	30	4	1032	57	3853	445	2281	441	1604	300	8800	1247	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
WEST BENGAL		RURAL												NO. OF SAMPLE VILLAGES : 448	
SMOKING	5	1	205	4	565	12	649	27	525	24	393	11	3303	91	
CHWewing ZARDA ETC	6	4	39	24	74	75	75	156	110	169	57	70	512	605	
SNUFF	-	-	-	-	2	-	7	3	3	-	2	1	18	6	
BURNT TOB. POWD/PASTE	2	2	8	8	8	19	3	10	11	16	7	12	59	103	
SM & CHW	1	-	23	3	88	6	106	13	75	7	60	5	556	47	
SM & SN	-	-	-	-	-	-	2	-	-	-	-	-	4	0	
SM & BT	-	-	2	-	5	-	8	-	11	-	4	-	40	0	
CHW & SN	-	-	-	-	-	-	-	3	-	-	-	-	3	3	
CHW & BT	-	1	3	2	2	8	1	7	3	6	2	5	16	50	
SM, CHW & BT	-	-	1	-	1	-	5	-	1	-	1	-	12	0	
SM, CHW, SN & BT	-	-	-	-	-	-	-	-	1	-	-	-	2	1	
SAMPLE PERSONS	21	12	569	91	2433	372	1025	262	477	169	4525	906	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

ANDAMAN & NICOBAR		RURAL										NO. OF SAMPLE VILLAGES : 50			
FORM OF TOBACCO CONSUMPTION	AGE ( IN YEARS )												SAMPLE PERSONS		
	10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----		
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING	-	-	17	-	87	13	157	51	212	31	74	12	91	20	
CHWewing ZARDA ETC	-	-	206	68	449	236	489	416	297	321	319	173	337	177	
BURNT TOB. POWD/PASTE	-	-	-	6	-	-	-	-	-	-	-	2	-	1	
SM & CHW	-	-	32	-	194	7	216	56	247	49	130	11	137	14	
SM & SN	-	-	-	-	-	-	-	-	5	-	-	-	1	0	
CHW & SN	-	-	-	-	-	1	-	7	-	-	-	1	-	4	
SM, CHW, & SN	-	-	-	-	-	-	3	-	-	-	-	-	2	0	
SAMPLE PERSONS	-	-	73	21	283	105	166	73	46	17	568	216	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
CHANDIGARH		RURAL										NO. OF SAMPLE VILLAGES : 8			
SMOKING	-	-	257	26	311	10	394	-	89	-	256	13	31	2	
CHWewing ZARDA ETC	-	-	20	-	161	-	155	-	-	-	90	-	12	0	
SNUFF	-	-	-	-	-	-	-	-	65	-	6	-	1	0	
BURNT TOB. POWD/PASTE	-	-	28	-	-	-	-	-	-	-	8	-	1	0	
SM & CHW	-	-	-	-	41	-	-	-	-	-	17	-	2	0	
SM & BT	-	-	-	-	-	-	33	-	-	-	3	-	2	0	
SAMPLE PERSONS	-	-	9	1	27	1	11	-	2	-	49	2	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
DADER NAGAR-HAVELI		RURAL										NO. OF SAMPLE VILLAGES : 24			
SMOKING	-	-	62	-	414	-	902	14	743	45	361	5	152	2	
CHWewing ZARDA ETC	-	-	199	11	279	-	-	45	-	-	163	11	67	3	
SNUFF	-	-	-	7	-	16	15	141	46	158	5	40	2	19	
BURNT TOB. POWD/PASTE	-	-	16	-	28	-	-	-	14	-	16	-	10	0	
SM & CHW	-	-	-	-	32	-	15	-	-	-	15	-	6	0	
SM & BT	-	-	-	3	12	-	-	-	-	-	5	1	2	1	
CHW & SN	-	-	-	-	5	-	-	-	-	-	2	-	1	0	
SAMPLE PERSONS	-	-	29	3	126	3	62	13	23	6	240	25	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.															

TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

DAMAN & DIU		RURAL										NO. OF SAMPLE VILLAGES : 8			
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----	
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	98	-	194	26	338	-	162	188	150	27	24	3
CHWewing ZARDA ETC		-	-	32	-	134	-	16	-	7	-	61	-	13	0
SNUFF		-	-	-	-	-	-	-	156	-	240	-	44	-	5
BURNT TOB.POWD/PASTE		-	-	-	-	68	-	133	-	-	-	38	-	3	0
SM & CHW		-	-	-	-	21	-	4	-	-	-	8	-	3	0
CHW & BT		-	-	-	-	28	-	-	-	-	-	10	-	1	0
SAMPLE PERSONS		-	-	8	-	24	1	10	2	2	5	44	8	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
DELHI		RURAL										NO. OF SAMPLE VILLAGES : 7			
SMOKING		-	-	192	-	511	6	482	-	746	260	366	35	37	3
CHWewing ZARDA ETC		-	-	41	-	24	-	-	-	-	-	26	-	2	0
BURNT TOB.POWD/PASTE		-	-	-	-	32	-	-	-	-	-	15	-	1	0
SM & CHW		-	-	41	-	24	-	-	-	-	-	26	-	2	0
SAMPLE PERSONS		-	-	7	-	27	1	5	-	3	2	42	3	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
LAKSHADWEEP		RURAL										NO. OF SAMPLE VILLAGES : 7			
SMOKING		-	-	76	-	375	19	523	-	464	-	249	7	39	1
CHWewing ZARDA ETC		69	-	34	34	98	302	87	574	432	317	102	207	15	37
BURNT TOB.POWD/PASTE		-	-	-	-	46	-	-	-	-	-	14	-	1	0
SM & CHW		-	-	-	-	-	-	71	-	82	-	17	-	3	0
SAMPLE PERSONS		1	-	6	3	24	21	16	13	11	1	58	38	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.



TABLE (2R): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

PONDICHWERY		RURAL										NO. OF SAMPLE VILLAGES : 7			
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	119	-	167	-	205	88	258	-	152	11	16	1
CHWewing ZARDA ETC		-	-	-	-	12	-	168	136	102	171	35	35	5	7
SNUFF		-	-	-	-	-	-	-	-	47	-	5	-	1	0
BURNT TOB.POWD/PASTE		-	-	-	-	-	-	-	17	-	-	-	2	-	1
SM & CHW		-	-	-	-	25	-	105	-	79	-	31	-	3	0
SM & SN		-	-	-	-	-	-	-	-	79	-	9	-	1	0
SAMPLE PERSONS		-	-	3	-	10	-	5	5	8	4	26	9	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
ALL-INDIA		RURAL										NO. OF SAMPLE VILLAGES : 6951			
SMOKING		5	1	110	7	371	24	406	43	328	46	248	22	33334	3466
CHWewing ZARDA ETC		4	3	56	20	139	58	172	96	191	101	106	51	13788	6718
SNUFF		1	-	2	3	3	6	6	14	9	17	4	6	464	661
BURNT TOB.POWD/PASTE		4	5	14	18	23	35	30	47	37	43	20	29	2625	3284
SM & CHW		1	-	20	1	77	4	96	7	75	5	53	3	7217	561
SM & SN		-	-	1	-	2	-	3	-	2	1	1	-	156	11
SM & BT		-	-	2	-	11	-	16	1	15	1	8	-	1152	137
SN & BT		-	-	-	-	1	-	1	1	1	1	1	-	87	57
CHW & SN		-	-	-	-	1	1	1	1	1	1	1	1	85	72
CHW & BT		-	-	2	1	10	5	13	9	14	8	7	4	817	478
SM,CHW, & SN		-	-	-	-	1	-	1	-	-	-	-	-	50	12
SM, CHW & BT		-	-	-	-	3	-	5	-	5	-	2	-	309	8
SM, SN & BT		-	-	-	-	-	-	-	-	-	-	-	-	38	4
CHW, SN & BT		-	-	-	-	-	-	-	-	-	-	-	-	30	15
SM, CHW,SN & BT		-	-	-	-	-	-	1	-	-	-	-	-	50	28
SAMPLE PERSONS		308	183	6741	1755	29147	6460	15502	4486	8504	2628	60202	15512	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

\*ALL\* WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS.

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

ANDHRA PRADESH		URBAN										NO. OF SAMPLE BLOCKS:		365	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		1	-	59	4	355	12	490	41	341	49	247	15	1485	78
CHWewing ZARDA ETC		-	-	1	1	9	13	9	31	19	38	6	13	42	77
SNUFF		-	-	-	-	2	2	1	1	12	7	2	2	7	8
BURNT TOB.POWD/PASTE		-	1	-	4	3	9	6	24	18	35	3	11	19	65
SM & CHW		-	-	2	-	3	-	9	-	2	3	3	-	24	1
SM & SN		-	-	-	-	1	-	3	-	-	-	1	-	4	0
SM & BT		-	-	-	-	1	-	2	-	3	-	1	-	6	0
CHW & BT		-	-	-	-	-	-	-	-	-	-	-	-	1	0
SAMPLE PERSONS		1	1	103	14	873	78	458	72	153	64	1588	229	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
ARUNACHAL PRADESH		URBAN										NO. OF SAMPLE BLOCKS:		24	
SMOKING		-	-	44	8	200	25	281	-	44	132	142	15	58	4
CHWewing ZARDA ETC		-	-	48	18	156	100	73	110	-	-	89	52	42	20
SNUFF		-	-	-	-	-	-	-	-	-	-	-	-	-	0
BURNT TOB.POWD/PASTE		-	-	27	-	66	18	97	38	83	-	53	10	19	3
SM & CHW		-	-	28	-	124	45	127	76	-	-	80	24	29	6
SM & BT		-	-	-	-	13	-	15	-	-	-	8	-	3	0
SM, CHW & BT		-	-	-	-	7	-	-	-	-	-	3	-	1	0
SAMPLE PERSONS		-	-	13	4	111	20	26	8	2	1	152	33	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
ASSAM		URBAN										NO. OF SAMPLE BLOCKS:		88	
SMOKING		9	-	43	8	365	5	534	23	522	29	265	9	447	13
CHWewing ZARDA ETC		-	-	67	33	117	53	91	81	36	66	81	43	135	67
SNUFF		-	-	6	-	11	-	5	-	-	-	7	-	13	0
BURNT TOB.POWD/PASTE		-	-	5	2	18	-	7	5	-	-	10	1	19	2
SM & CHW		-	-	17	-	119	-	165	1	32	-	80	-	143	1
SM & BT		-	-	-	-	3	-	2	-	-	-	1	-	4	0
SM,CHW, & SN		-	-	-	-	1	-	-	-	-	-	-	-	1	0
SM, CHW & BT		-	-	-	-	-	-	8	-	-	-	1	-	1	0
SAMPLE PERSONS		2	-	73	22	440	31	204	22	44	8	763	83	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

BIHAR		URBAN										NO. OF SAMPLE BLOCKS:		216	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	5	2	75	7	106	27	114	37	49	10	221	26
CHWewing ZARDA ETC		-	-	53	13	274	21	299	49	263	54	169	22	678	68
SNUFF		-	-	-	-	1	-	6	-	-	-	1	-	3	0
BURNT TOB.POWD/PASTE		-	-	23	-	65	3	101	8	63	9	47	3	209	10
SM & CHW		-	-	11	-	79	1	79	6	54	3	45	1	177	5
SM & BT		-	-	4	-	20	-	22	-	17	1	12	-	53	1
CHW & BT		-	-	1	-	2	-	9	-	2	-	2	-	12	0
SM, CHW & BT		-	-	-	-	7	-	9	-	-	-	4	-	16	0
SM, CHW, SN & BT		-	-	-	-	1	1	-	-	-	-	-	-	1	1
-----															
GOA		URBAN										NO. OF SAMPLE BLOCKS:		22	
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	14	-	250	14	343	60	392	31	175	17	66	3
CHWewing ZARDA ETC		-	-	49	-	21	14	47	-	-	-	29	6	8	1
BURNT TOB.POWD/PASTE		-	-	-	15	20	34	28	-	-	-	12	18	3	5
SM & CHW		-	-	28	-	25	-	-	8	-	-	18	1	5	1
SM & BT		-	-	-	-	7	-	20	-	-	-	6	-	2	0
-----															
SAMPLE PERSONS		-	-	7	1	44	6	25	2	8	1	84	10	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
-----															
GUJARAT		URBAN										NO. OF SAMPLE BLOCKS:		238	
SMOKING		5	1	58	2	280	3	399	13	270	7	196	4	851	17
CHWewing ZARDA ETC		-	-	52	-	100	7	67	10	28	11	64	5	283	26
SNUFF		-	-	-	1	3	14	-	65	18	150	2	26	11	92
BURNT TOB.POWD/PASTE		-	-	4	-	10	-	6	-	7	2	6	-	31	2
SM & CHW		-	-	6	-	26	-	22	-	4	3	15	-	89	1
SM & BT		-	-	-	-	1	-	3	-	-	-	1	-	3	0
CHW & SN		-	-	-	-	-	-	3	1	-	-	1	-	2	2
CHW & BT		-	-	-	1	1	-	-	-	-	-	-	-	1	1
-----															
SAMPLE PERSONS		3	1	142	5	716	38	288	48	122	49	1271	141	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
-----															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS															

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

HARYANA		URBAN										NO. OF SAMPLE BLOCKS:		70	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	174	-	459	19	518	35	430	52	314	15	378	16
CHWewing ZARDA ETC		-	-	2	-	16	-	14	18	88	-	14	2	16	1
SNUFF		-	-	-	-	-	-	8	-	17	-	2	-	2	2
BURNT TOB.POWD/PASTE		-	-	-	-	2	-	-	-	9	1	1	1	2	1
SM & CHW		-	-	7	-	9	-	2	-	-	6	-	8	0	0
SM & BT		-	-	-	-	-	-	4	6	-	-	1	2	1	1
CHW & SN		-	-	5	-	-	-	-	-	-	1	-	1	0	0
CHW & BT		-	-	-	-	2	-	-	-	-	1	-	1	0	0
SAMPLE PERSONS		-	-	60	-	221	7	79	8	48	6	408	21	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
HIMACHAL PRADESH		URBAN										NO. OF SAMPLE BLOCKS:		40	
SMOKING		9	-	140	19	419	13	474	76	314	95	270	28	190	12
CHWewing ZARDA ETC		-	-	5	-	4	-	21	-	20	-	7	-	6	0
SNUFF		-	-	-	-	-	-	-	-	12	-	1	-	1	1
BURNT TOB.POWD/PASTE		-	-	-	-	2	-	-	-	56	-	4	-	3	0
SM & BT		-	-	-	-	-	-	2	-	20	-	2	1	1	1
SAMPLE PERSONS		1	-	28	2	98	2	57	4	16	6	200	14	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
JAMMU & KASHMIR		URBAN										NO. OF SAMPLE BLOCKS:		53	
SMOKING		-	-	35	-	246	-	404	23	304	-	187	3	195	4
CHWewing ZARDA ETC		-	-	-	-	10	-	-	-	-	-	4	-	3	0
SM & CHW		-	-	-	-	5	-	18	-	-	-	4	-	2	0
SM & BT		-	-	-	-	-	-	-	-	16	-	1	-	1	0
SM, CHW & BT		-	-	3	-	-	-	-	-	-	-	1	-	1	0
SM, CHW, SN & BT		-	-	-	-	2	-	-	-	-	-	1	-	1	0
SAMPLE PERSONS		-	-	11	-	101	-	66	4	25	-	203	4	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS															

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

KARNATAKA		URBAN										NO. OF SAMPLE BLOCKS:		247	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	42	3	308	3	361	7	212	3	192	3	905	13
CHWewing ZARDA ETC		2	-	19	2	39	18	49	34	50	37	30	15	125	76
SNUFF		-	-	-	-	1	2	11	10	17	4	3	2	12	12
BURNT TOB.POWD/PASTE		1	-	1	-	-	7	1	26	8	29	1	9	6	31
SM & CHW		-	-	2	-	20	-	26	-	6	-	12	-	49	0
SM & SN		-	-	-	-	-	-	-	-	2	-	-	-	2	0
SM & BT		-	-	-	-	1	-	5	-	1	-	1	-	7	0
CHW & BT		-	-	-	-	1	4	-	-	-	-	-	2	1	4
SM, CHW & BT		-	-	-	-	1	1	-	-	-	-	-	1	1	1
CHW, SN & BT		-	-	-	-	-	1	-	3	2	-	-	1	1	2
SAMPLE PERSONS		2	-	72	6	642	58	303	46	90	29	1109	139	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
KERALA		URBAN										NO. OF SAMPLE BLOCKS:		183	
SMOKING		-	-	51	1	394	6	499	6	372	12	275	5	871	18
CHWewing ZARDA ETC		-	-	3	-	7	10	26	108	66	161	14	39	42	144
SNUFF		-	-	2	-	5	-	17	-	18	3	7	-	23	1
BURNT TOB.POWD/PASTE		-	-	-	-	-	-	-	3	2	2	-	1	2	4
SM & CHW		-	-	-	-	12	-	40	3	57	-	16	1	49	3
SM & SN		-	-	-	-	1	-	-	-	-	-	-	-	2	0
SM & BT		-	-	-	-	2	-	-	-	-	-	1	-	2	0
CHW & SN		-	-	-	-	-	-	-	-	9	-	1	-	1	0
CHW & BT		-	-	-	-	-	-	-	-	-	3	-	-	-	1
SM, CHW, SN & BT		-	-	-	-	-	-	1	-	-	-	-	-	1	0
SAMPLE PERSONS		-	-	49	3	471	22	308	68	165	78	993	171	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS															

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

MADHYA PRADESH		URBAN										NO. OF SAMPLE BLOCKS:		325	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		4	-	51	2	274	8	330	12	205	13	171	6	1055	25
CHWewing ZARDA ETC		-	-	36	6	133	39	156	103	211	105	92	37	609	211
SNUFF		-	2	2	4	9	9	3	5	2	19	4	7	15	26
BURNT TOB.POWD/PASTE		6	2	7	6	22	22	14	24	24	20	14	15	81	80
SM & CHW		-	-	14	-	64	1	72	7	18	-	38	1	242	5
SM & SN		-	-	-	-	1	-	4	-	-	-	1	-	5	0
SM & BT		-	-	2	-	10	-	13	-	8	-	6	-	33	0
SN & BT		-	-	-	-	-	-	1	-	-	-	-	-	1	0
CHW & SN		-	-	1	1	2	-	3	4	-	13	1	2	10	7
CHW & BT		-	-	3	1	2	2	5	2	-	2	2	1	13	8
SM,CHW, & SN		-	-	2	-	2	-	1	-	5	-	1	-	8	0
SM, CHW & BT		-	-	-	-	3	-	1	-	2	-	1	-	8	0
SM, SN & BT		-	-	-	-	-	-	1	-	-	-	-	-	1	0
CHW, SN & BT		-	-	-	-	1	-	-	4	-	-	-	-	1	2
SM, CHW,SN & BT		2	2	4	1	2	-	2	2	-	-	2	1	10	4
SAMPLE PERSONS		10	3	195	29	1148	167	551	108	188	61	2092	368	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
MAHARASTRA		URBAN										NO. OF SAMPLE BLOCKS:		557	
SMOKING		-	2	23	1	160	2	209	2	134	10	106	2	1103	17
CHWewing ZARDA ETC		1	-	38	4	143	36	162	79	171	104	99	35	926	308
SNUFF		1	2	1	-	1	2	4	3	7	11	2	2	20	19
BURNT TOB.POWD/PASTE		8	6	17	19	20	39	28	64	16	52	18	34	156	315
SM & CHW		-	-	2	-	21	1	23	-	20	2	13	-	133	3
SM & SN		-	-	-	-	-	-	-	-	-	-	-	-	1	0
SM & BT		-	-	-	-	6	-	10	2	8	-	4	-	51	3
SN & BT		-	-	-	-	-	-	-	-	-	-	-	-	1	1
CHW & SN		-	-	1	-	1	1	2	1	-	2	1	-	10	5
CHW & BT		-	-	1	2	13	5	14	17	18	9	8	6	90	53
SM,CHW, & SN		-	-	-	-	-	-	-	-	-	-	-	-	1	0
SM, CHW & BT		-	-	1	-	1	-	2	-	1	-	1	-	11	0
CHW, SN & BT		-	-	-	-	-	-	-	-	2	2	-	-	2	1
SM, CHW,SN & BT		-	-	-	-	-	-	-	-	-	-	-	-	1	2
SAMPLE PERSONS		11	11	218	65	1345	277	656	221	276	153	2506	727	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS															

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

MANIPUR		URBAN										NO. OF SAMPLE BLOCKS:		70	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		4	-	35	13	346	67	580	320	641	492	262	107	425	163
CHWewing ZARDA ETC		-	-	27	12	43	28	4	13	-	-	23	15	43	29
SNUFF		-	-	-	-	1	-	-	-	-	-	1	-	1	0
SM & CHW		-	-	27	-	85	7	116	10	23	11	56	5	95	9
SM & BT		-	-	-	-	1	2	20	23	16	5	4	4	12	12
CHW & SN		-	-	1	-	-	-	-	-	-	-	-	-	1	0
CHW & BT		-	-	1	-	3	-	-	-	-	-	2	-	3	0
SM, CHW, & SN		-	-	-	-	-	-	6	-	-	-	1	-	1	0
SM, CHW & BT		-	-	-	-	14	-	9	-	5	-	7	-	18	0
SAMPLE PERSONS		1	-	41	12	281	57	192	81	84	63	599	213	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
MEGHALAYA		URBAN										NO. OF SAMPLE BLOCKS:		48	
SMOKING		16	-	86	-	687	31	814	110	364	101	460	26	349	18
CHWewing ZARDA ETC		-	4	27	69	72	139	16	209	93	164	45	103	30	73
SM & CHW		-	-	-	-	38	4	45	3	99	-	26	2	18	2
SM & BT		-	-	-	-	3	-	-	-	-	-	1	-	1	0
SAMPLE PERSONS		1	1	16	14	286	55	85	16	10	7	398	93	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
MIZORAM		URBAN										NO. OF SAMPLE BLOCKS:		96	
SMOKING		3	-	352	107	785	403	837	735	810	736	556	316	962	541
CHWewing ZARDA ETC		-	5	81	282	55	239	35	45	50	64	50	181	97	287
SNUFF		-	-	3	1	-	1	-	7	-	-	1	1	2	4
BURNT TOB. POWD/PASTE		-	9	10	47	3	45	-	3	-	-	4	33	7	43
SM & CHW		-	-	31	18	86	60	75	55	10	-	54	37	82	51
SM & SN		-	-	1	-	-	-	3	5	-	-	1	1	2	2
SM & BT		-	-	6	-	2	8	-	-	-	-	2	3	3	4
CHW & SN		-	-	-	1	-	-	-	-	-	-	-	-	-	1
SM, CHW, SN & BT		-	5	-	-	-	1	5	6	-	20	1	3	1	4
SAMPLE PERSONS		1	4	207	189	660	519	240	174	48	51	1156	937	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS															

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

NAGALAND		URBAN										NO. OF SAMPLE BLOCKS:		24	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----	
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		14	-	69	-	461	-	391	-	91	-	246	-	118	0
CHWewing ZARDA ETC		-	-	15	-	67	-	170	-	38	-	53	-	30	0
BURNT TOB.POWD/PASTE		-	-	8	-	19	-	22	-	-	-	12	-	5	0
SM & CHW		-	-	14	-	23	-	75	-	33	-	23	-	15	0
SM & BT		-	-	-	-	11	-	15	-	-	-	6	-	3	0
SAMPLE PERSONS		1	-	13	-	104	-	49	-	4	-	171	-	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
ORISSA		URBAN										NO. OF SAMPLE BLOCKS:		104	
SMOKING		8	-	58	-	183	3	152	6	163	10	121	3	212	7
CHWewing ZARDA ETC		11	7	46	37	129	164	132	261	86	186	89	122	168	179
SNUFF		-	-	-	-	1	-	19	-	12	-	4	-	8	0
BURNT TOB.POWD/PASTE		7	7	12	44	38	115	59	190	65	132	32	91	58	155
SM & CHW		-	-	19	-	122	-	143	5	103	-	80	1	119	2
SM & SN		-	-	-	-	1	-	10	-	15	-	3	-	6	0
SM & BT		-	-	12	2	49	-	68	6	75	-	37	1	60	2
CHW & SN		-	-	-	-	-	-	-	3	4	5	-	1	1	2
CHW & BT		-	-	4	1	35	23	60	30	48	66	27	18	50	36
SM,CHW, & SN		-	-	-	-	-	-	3	-	-	-	-	-	1	0
SM, CHW & BT		-	-	1	-	26	-	44	-	31	-	19	-	34	0
SM, SN & BT		-	-	1	-	-	-	4	-	2	-	1	-	4	0
CHW, SN & BT		-	-	1	-	3	2	-	-	9	-	2	1	6	1
SM, CHW,SN & BT		-	19	-	-	1	3	8	-	10	-	2	4	5	4
SAMPLE PERSONS		3	5	78	35	382	181	185	113	84	54	732	388	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
PUNJAB		URBAN										NO. OF SAMPLE BLOCKS:		196	
SMOKING		6	-	79	2	250	-	201	4	173	1	157	1	494	6
CHWewing ZARDA ETC		-	-	11	-	17	-	21	5	4	-	13	1	39	1
SNUFF		-	-	-	-	-	-	-	1	-	-	-	-	-	2
BURNT TOB.POWD/PASTE		-	-	-	-	2	-	3	-	2	-	1	-	5	0
SM & CHW		-	-	5	-	13	-	9	-	10	-	8	-	23	0
SM, CHW,SN & BT		-	-	1	-	2	-	1	-	-	-	1	-	4	0
SAMPLE PERSONS		1	-	72	1	329	2	117	5	46	1	565	9	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS



TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

RAJASTHAN		URBAN												NO. OF SAMPLE BLOCKS:		184
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )												SAMPLE PERSONS		
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**				
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
SMOKING		1	-	78	3	351	16	466	53	369	25	237	16	748	37	
CHWewing ZARDA ETC		-	-	31	1	79	19	87	26	68	30	53	14	171	36	
SNUFF		-	-	-	-	1	2	-	2	-	21	-	3	1	7	
BURNT TOB.POWD/PASTE		-	-	2	3	1	-	3	1	15	15	3	2	7	7	
SM & CHW		-	-	8	1	30	1	29	-	12	4	17	1	54	3	
SM & BT		-	-	-	-	1	-	5	2	5	-	2	-	6	1	
SN & BT		-	-	-	-	-	-	-	6	-	-	-	1	-	1	
CHW & SN		-	-	-	-	-	-	-	-	-	4	-	-	-	1	
CHW & BT		-	-	-	-	-	-	2	-	-	-	-	-	1	0	
SM,CHW, & SN		-	-	-	-	-	-	-	-	-	-	-	-	1	0	
SM, CHW & BT		-	-	-	-	3	-	-	-	-	-	1	-	1	0	
CHW, SN & BT		-	-	-	-	1	-	-	-	-	-	-	-	1	0	
SAMPLE PERSONS		1	-	105	5	521	33	248	29	116	26	991	93	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.																
SIKKIM		URBAN												NO. OF SAMPLE BLOCKS:		16
SMOKING		-	-	88	-	301	4	290	-	94	-	182	2	51	1	
CHWewing ZARDA ETC		-	-	97	15	199	-	129	-	-	-	121	4	35	1	
BURNT TOB.POWD/PASTE		-	-	-	-	58	-	-	-	-	-	22	-	6	0	
SM & CHW		-	-	-	-	51	-	123	-	-	-	36	-	9	0	
SAMPLE PERSONS		-	-	12	1	70	1	18	-	1	-	101	2	X	X	
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.																
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.																
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS																

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

TAMIL NADU		URBAN										NO. OF SAMPLE BLOCKS:		407	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	45	-	304	1	330	4	171	4	192	1	1236	8
CHWewing ZARDA ETC		-	-	3	1	12	22	42	71	73	63	18	24	120	160
SNUFF		-	-	-	1	7	3	18	6	23	8	7	3	52	22
BURNT TOB.POWD/PASTE		-	-	-	1	5	2	17	32	16	41	6	9	44	66
SM & CHW		-	-	-	-	6	-	14	-	9	2	5	-	37	2
SM & SN		-	-	-	-	-	-	2	-	2	-	1	-	6	0
SM & BT		-	-	-	-	1	-	3	2	8	3	2	-	8	2
SN & BT		-	-	-	-	-	-	2	1	3	-	1	-	3	2
CHW & SN		-	-	-	-	-	-	-	2	1	4	-	1	2	4
CHW & BT		-	-	-	1	2	1	4	3	4	9	2	2	9	9
SM,CHW, & SN		-	-	-	-	-	-	-	-	1	-	-	-	1	0
SM, CHW & BT		-	-	-	-	2	-	1	-	-	-	1	-	3	0
SAMPLE PERSONS		-	-	84	4	811	74	449	122	177	75	1521	275	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
TRIPURA		URBAN										NO. OF SAMPLE BLOCKS:		56	
SMOKING		-	-	29	-	510	3	488	6	395	11	316	3	295	3
CHWewing ZARDA ETC		11	2	26	93	40	289	35	499	29	344	31	226	38	204
BURNT TOB.POWD/PASTE		-	-	-	-	-	1	-	-	-	23	-	2	-	3
SM & CHW		3	-	5	-	168	10	303	-	375	16	146	6	134	4
SM & SN		-	-	-	-	-	3	-	-	-	-	-	1	-	1
CHW & BT		-	-	-	-	5	19	12	-	-	-	4	8	2	4
SM, CHW & BT		-	-	-	-	10	-	36	-	-	-	10	-	6	0
SAMPLE PERSONS		3	1	11	19	260	120	145	50	56	29	475	219	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS															

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

UTTAR PRADESH		URBAN										NO. OF SAMPLE BLOCKS:		448	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	54	1	270	6	362	25	276	16	177	7	1647	52
CHWewing ZARDA ETC		3	-	42	2	126	18	123	71	176	68	85	22	722	197
SNUFF		-	-	-	-	-	-	-	1	-	-	-	-	2	4
BURNT TOB.POWD/PASTE		-	-	-	-	-	-	-	-	4	-	-	-	6	0
SM & CHW		1	-	13	-	69	-	113	5	112	-	51	1	416	12
SM & SN		-	-	-	-	1	-	-	-	-	-	-	-	1	0
SM & BT		-	-	-	-	-	-	-	-	-	-	-	-	10	0
CHW & SN		-	-	-	-	-	-	-	-	-	-	-	-	1	1
CHW & BT		-	-	-	-	1	-	-	-	-	-	-	-	2	0
SM,CHW, & SN		-	-	-	-	-	-	1	-	-	-	-	-	5	0
SM, CHW & BT		-	-	-	-	-	-	-	-	-	-	-	-	1	0
SM, CHW,SN & BT		-	-	1	-	1	-	-	-	-	-	1	-	4	0
SAMPLE PERSONS		5	-	321	8	1390	77	734	109	367	72	2817	266	X	X

REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.

WEST BENGAL		URBAN										NO. OF SAMPLE BLOCKS:		335	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	96	4	438	4	433	14	295	15	292	6	1839	35
CHWewing ZARDA ETC		1	1	36	13	126	40	174	100	89	115	95	44	475	207
SNUFF		-	-	1	-	4	2	20	7	56	16	10	3	51	14
BURNT TOB.POWD/PASTE		-	3	1	5	5	7	9	20	14	15	5	9	31	36
SM & CHW		-	-	9	-	57	1	48	-	38	1	36	1	202	5
SM & SN		-	-	-	-	1	-	2	-	2	-	1	-	4	0
SM & BT		-	-	2	-	4	-	6	-	2	-	3	-	17	0
CHW & SN		-	-	1	-	-	-	-	1	2	4	-	1	2	4
CHW & BT		-	-	2	3	-	2	4	4	-	4	1	2	8	12
SM,CHW, & SN		-	-	-	-	-	-	-	-	-	-	-	-	-	0
SM, CHW & BT		-	-	-	-	-	-	1	-	2	-	-	-	3	0
CHW, SN & BT		-	-	-	-	-	-	-	-	-	-	-	-	-	1
SAMPLE PERSONS		2	3	195	26	1444	104	750	115	241	66	2632	314	X	X

REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

ANDAMAN & NICOBAR		URBAN										NO. OF SAMPLE BLOCKS:		40	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	53	-	199	2	245	16	238	-	140	3	92	2
CHWewing ZARDA ETC		-	-	164	40	314	121	252	213	311	212	223	92	140	48
SNUFF		-	-	-	-	-	-	15	-	-	-	2	-	1	0
SM & CHW		-	-	3	-	91	-	168	16	61	-	64	2	54	1
CHW & SN		-	-	-	-	11	-	-	-	-	-	5	-	2	0
SM, CHW, & SN		-	-	-	-	2	-	-	-	-	-	1	-	1	0
SAMPLE PERSONS		-	-	36	4	180	28	63	15	11	4	290	51	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
CHANDIGARH		URBAN										NO. OF SAMPLE BLOCKS:		15	
SMOKING		-	-	126	-	353	18	394	43	95	-	240	13	63	2
CHWewing ZARDA ETC		-	-	19	-	3	-	-	-	-	-	7	-	2	0
BURNT TOB. POWD/PASTE		-	-	-	-	-	-	67	-	-	-	6	-	2	0
SM & CHW		-	-	-	-	98	-	-	-	42	-	49	-	10	0
SAMPLE PERSONS		-	-	12	-	49	1	12	1	4	-	77	2	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
DADER NAGAR-HAVELI		URBAN										NO. OF SAMPLE BLOCKS:		8	
SMOKING		-	-	23	-	229	-	579	-	361	-	209	-	29	0
CHWewing ZARDA ETC		-	-	75	-	59	37	-	43	-	-	45	19	7	2
SNUFF		-	-	-	-	-	-	-	-	-	140	-	12	-	1
BURNT TOB. POWD/PASTE		-	-	-	-	42	-	81	-	-	-	29	-	3	0
SAMPLE PERSONS		-	-	4	-	21	1	9	1	5	1	39	3	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS															

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

DAMAN & DIU		URBAN										NO. OF SAMPLE BLOCKS:		8	
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**		-----	
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	-	-	220	-	333	-	480	-	176	-	21	0
CHWewing ZARDA ETC		-	-	36	-	-	-	49	-	-	-	17	-	3	0
SNUFF		-	-	-	-	-	-	-	-	-	32	-	5	-	1
BURNT TOB.POWD/PASTE		-	-	-	-	23	-	-	-	-	-	9	-	2	0
SM & BT		-	-	-	-	19	-	-	-	-	-	8	-	1	0
SAMPLE PERSONS		-	-	2	-	12	-	8	-	5	1	27	1	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
DELHI		URBAN										NO. OF SAMPLE BLOCKS:		111	
SMOKING		-	-	93	6	349	7	311	9	230	40	218	8	317	12
CHWewing ZARDA ETC		-	-	12	-	21	11	14	4	12	-	14	5	40	3
BURNT TOB.POWD/PASTE		-	-	4	1	14	-	5	-	-	-	7	-	10	1
SM & CHW		-	-	7	-	17	-	22	-	17	-	13	-	19	0
SM & BT		-	-	-	-	-	-	1	-	-	-	-	-	4	0
SM, CHW, SN & BT		-	-	-	-	-	-	-	-	-	-	-	-	1	1
SAMPLE PERSONS		-	-	44	4	232	7	80	3	35	3	391	17	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
LAKSHADWEEP		URBAN										NO. OF SAMPLE BLOCKS:		24	
SMOKING		-	-	176	-	532	17	501	7	532	19	358	8	166	6
CHWewing ZARDA ETC		-	13	30	67	57	169	74	271	104	264	48	141	27	104
SM & CHW		-	-	16	-	30	-	89	-	10	-	29	-	18	0
SAMPLE PERSONS		-	1	30	13	109	46	48	33	24	17	211	110	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.															
'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS															

TABLE (2U): NUMBER OF PERSONS AGED 10 YEARS AND ABOVE REPORTING CONSUMPTION OF TOBACCO IN VARIOUS FORMS EITHER EXCLUSIVELY OR COMBINATION PER 1000 PERSONS BY SEX AND AGE-GROUP

PONDICHERY		URBAN										NO. OF SAMPLE BLOCKS: 32			
FORM OF TOBACCO CONSUMPTION		AGE ( IN YEARS )										SAMPLE PERSONS			
		10-14		15-24		25-44		45-59		60 & ABOVE		ALL**			
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
SMOKING		-	-	15	-	228	-	248	-	259	11	146	1	84	1
CHWewing ZARDA ETC		-	-	-	-	5	4	8	78	20	29	5	16	3	11
SNUFF		-	-	5	-	8	-	28	8	19	-	10	1	5	1
BURNT TOB.POWD/PASTE		-	-	-	-	-	-	11	-	-	13	2	2	1	1
SM & CHW		-	-	-	-	4	-	-	8	14	-	3	1	2	1
SM & SN		-	-	-	-	-	-	8	-	-	-	1	-	1	0
SAMPLE PERSONS		-	-	6	-	47	1	27	8	16	6	96	15	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															
ALL-INDIA		URBAN										NO. OF SAMPLE BLOCKS: 4650			
SMOKING		1	-	56	2	290	6	348	17	243	18	191	7	16973	1140
CHWewing ZARDA ETC		1	-	29	5	89	26	103	65	104	70	63	26	5105	2541
SNUFF		-	-	1	1	3	3	7	7	13	17	3	4	227	217
BURNT TOB.POWD/PASTE		2	1	5	5	11	12	15	25	14	24	9	11	737	830
SM & CHW		-	-	7	-	36	1	46	2	34	1	24	1	2257	118
SM & SN		-	-	-	-	-	-	1	-	1	-	-	-	34	3
SM & BT		-	-	1	-	4	-	7	1	6	-	3	-	293	27
SN & BT		-	-	-	-	-	-	-	-	-	-	-	-	5	4
CHW & SN		-	-	-	-	-	-	1	1	1	2	-	-	33	27
CHW & BT		-	-	1	1	3	2	5	4	4	4	2	2	194	128
SM,CHW, & SN		-	-	-	-	-	-	-	-	-	-	-	-	20	0
SM, CHW & BT		-	-	-	-	2	-	2	-	1	-	1	-	105	1
SM, SN & BT		-	-	-	-	-	-	-	-	-	-	-	-	5	0
CHW, SN & BT		-	-	-	-	-	-	-	-	1	-	-	-	11	7
SM, CHW,SN & BT		-	1	-	-	-	-	-	-	-	-	-	-	29	16
SAMPLE PERSONS		50	31	2363	498	14157	2056	6874	1521	2584	953	26028	5059	X	X
REPORTING CONSUMPTION OF TOBACCO IN ANY FORM.															

SM = SMOKING. CHW = CHEWING ZARDA, DOKTA ETC. SN = TAKING SNUFF. BT = USING BURNT TOBACCA POWDER/PASTE.

'ALL' WILL EXCLUDE AGE 'NOT RECORDED' CASES AND CHILDREN AGED 0-9 YEARS

TABLE (3B): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ANDHRA PRADESH		RURAL				NO.OF		SAMPLE VILLAGES:		492
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		430	169	330	52	299	38	317	53	3656
: CASUALLY		6	3	8	2	7	1	7	1	93
: NOT CONSUMING		564	828	662	946	694	961	676	946	17659
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	21408
-----										
CHEWING >>>>: REGULARLY		17	12	9	19	9	17	10	17	284
ZARDA : CASUALLY		2	0	2	1	0	0	1	0	11
DOKTA ETC : NOT CONSUMING		981	988	989	981	991	982	990	983	21113
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	21408
-----										
SNUFF >>>>: REGULARLY		0	3	0	2	0	2	0	2	24
: CASUALLY		0	0	0	0	0	0	0	0	4
: NOT CONSUMING		1000	997	1000	998	1000	998	1000	998	21380
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	21408
-----										
BURNT >>>>: REGULARLY		7	9	8	33	8	22	8	23	313
TOBACCO/ : CASUALLY		1	0	1	1	0	0	1	0	9
POWDER/PASTE:NOT CONSUMING		992	991	991	966	991	978	991	977	21086
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	21408
-----										
CONSUMPTION :REGULARLY		447	193	343	103	311	77	330	93	4205
OF TOBACCO :CASUALLY		7	3	9	3	7	1	8	1	99
IN ANY FORM.:NOT CONSUMING		546	804	649	894	682	922	663	906	17104
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	21408
-----										
ESTD. PERSON:REGULARLY		9407	4133	15083	4621	50654	12743	75144	21497	X
REPORTING(00): CASUALLY		157	62	377	139	1196	120	1729	321	X
CONSUMP. OF : NOT CONSUMING		11496	17230	28559	39969	111126	152134	151180	209334	X
TOBACCO : ALL		21060	21425	44018	44729	162975	164998	228054	231152	X
-----										
SAMPLE PERSON:REGULARLY		340	141	619	188	2336	581	3295	910	X
REPORTING : CASUALLY		7	2	16	6	60	8	83	16	X
CONSUMP. OF : NOT CONSUMING		471	679	1202	1665	5615	7472	7288	9816	X
TOBACCO : ALL		818	822	1837	1859	8011	8061	10666	10742	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ARUNACHAL PRADESH		RURAL				NO.OF SAMPLE VILLAGES:		120		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMOKING >>>:	REGULARLY	141	41	179	73	149	9	143	37	747
	: CASUALLY	80	33	50	93	135	67	88	38	361
	: NOT CONSUMING	779	926	771	835	716	924	769	926	4027
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5135
CHEWING >>>:	REGULARLY	84	83	0	0	49	48	78	78	322
ZARDA	: CASUALLY	79	61	0	0	23	10	70	54	395
DOKTA ETC	: NOT CONSUMING	837	856	1000	1000	929	943	853	868	4418
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5135
SNUFF >>>:	REGULARLY	1	1	0	0	0	0	0	1	3
	: CASUALLY	2	1	0	0	3	1	2	1	6
	: NOT CONSUMING	998	998	1000	1000	997	999	998	998	5126
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5135
BURNT >>>:	REGULARLY	32	23	118	0	28	0	32	20	174
TOBACCO/	: CASUALLY	23	21	81	0	12	2	21	19	78
POWDER/PASTE:	NOT CONSUMING	945	956	801	1000	961	998	947	962	4883
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5135
CONSUMPTION :	REGULARLY	241	137	179	73	219	49	237	126	1131
OF TOBACCO :	CASUALLY	115	87	130	93	149	77	120	86	507
IN ANY FORM.:	NOT CONSUMING	644	775	690	835	632	874	642	788	3497
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5135
ESTD. PERSON:	REGULARLY	637	347	4	1	112	18	753	366	X
REPORTING(00):	CASUALLY	303	221	3	1	76	28	382	250	X
CONSUMP. OF :	NOT CONSUMING	1700	1957	16	10	323	321	2039	2289	X
TOBACCO	: ALL	2640	2525	23	12	512	368	3175	2905	X
SAMPLE PERSON:	REGULARLY	649	394	5	4	63	16	717	414	X
REPORTING :	CASUALLY	224	183	2	1	64	33	290	217	X
CONSUMP. OF :	NOT CONSUMING	1399	1595	27	13	238	225	1664	1833	X
TOBACCO	: ALL	2272	2172	34	18	365	274	2671	2464	X



TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ASSAM	RURAL				NO.OF SAMPLE VILLAGES:				320
-----									
FORMS OF TOBACCO									
CONSUMPTION.									
NUMBER PER 1000									
-----									
	SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE PERSONS
	TRIBES		CASTE		MALE	FEMALE	MALE	FEMALE	
	MALE	FEMALE	MALE	FEMALE					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----									
SMOKING >>>>: REGULARLY	274	29	296	20	276	14	278	17	2693
: CASUALLY	45	25	34	9	60	11	55	13	507
: NOT CONSUMING	681	946	670	971	664	975	667	970	13514
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	16714
-----									
CHEWING >>>>: REGULARLY	98	32	56	19	84	35	83	33	1020
ZARDA : CASUALLY	50	24	77	36	63	27	62	27	640
DOKTA ETC : NOT CONSUMING	852	944	867	945	853	938	854	940	15054
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	16714
-----									
SNUFF >>>>: REGULARLY	4	0	1	0	6	0	5	0	49
: CASUALLY	0	0	3	0	2	3	2	2	28
: NOT CONSUMING	996	1000	996	1000	993	997	993	998	16637
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	16714
-----									
BURNT >>>>: REGULARLY	16	5	21	11	18	7	18	7	190
TOBACCO/ : CASUALLY	1	0	6	2	3	2	3	2	43
POWDER/PASTE:NOT CONSUMING	984	995	973	987	979	991	979	991	16481
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	16714
-----									
CONSUMPTION :REGULARLY	357	65	350	44	340	53	343	53	3555
OF TOBACCO :CASUALLY	41	22	59	40	66	34	61	33	693
IN ANY FORM.:NOT CONSUMING	602	914	592	917	595	913	595	914	12466
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	16714
-----									
ESTD. PERSON:REGULARLY	5132	743	3188	333	25536	3309	33856	4384	X
REPORTING(00): CASUALLY	582	251	535	302	4920	2157	6038	2711	X
CONSUMP. OF : NOT CONSUMING	8649	10511	5396	6998	44670	57543	58715	75052	X
TOBACCO : ALL	14363	11505	9119	7633	75126	63010	98609	82147	X
-----									
SAMPLE PERSON:REGULARLY	530	64	306	37	2329	289	3165	390	X
REPORTING : CASUALLY	42	10	52	28	384	177	478	215	X
CONSUMP. OF : NOT CONSUMING	842	1078	514	659	4102	5271	5458	7008	X
TOBACCO : ALL	1414	1152	872	724	6815	5737	9101	7613	X
-----									

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

BIHAR		RURAL				NO.OF		SAMPLE VILLAGES:		699
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	115	16	96	17	78	18	85	18	1754
	: CASUALLY	17	8	21	3	17	3	18	4	365
	: NOT CONSUMING	868	976	882	979	905	979	897	979	34448
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	36567
-----										
CHEWING >>>>:	REGULARLY	296	66	265	20	225	13	240	19	4696
ZARDA	: CASUALLY	16	11	17	1	18	3	18	3	373
DOKTA ETC	: NOT CONSUMING	687	923	718	979	757	984	743	977	31498
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	36567
-----										
SNUFF >>>>:	REGULARLY	1	1	0	0	1	0	1	0	10
	: CASUALLY	0	0	2	0	1	0	1	0	28
	: NOT CONSUMING	999	999	998	1000	999	1000	999	1000	36529
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	36567
-----										
BURNT >>>>:	REGULARLY	45	1	57	2	41	3	45	2	895
TOBACCO/	: CASUALLY	4	0	11	1	6	0	7	0	155
POWDER/PASTE:	NOT CONSUMING	950	999	932	997	953	997	948	997	35517
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	36567
-----										
CONSUMPTION :	REGULARLY	402	79	357	38	296	32	319	37	6425
OF TOBACCO :	CASUALLY	12	13	23	4	20	5	20	6	476
IN ANY FORM.:	NOT CONSUMING	586	908	620	958	684	962	662	957	29666
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	36567
-----										
ESTD. PERSON:	REGULARLY	10864	1955	25519	2366	67111	6573	103494	10895	X
REPORTING(00):	CASUALLY	326	333	1614	283	4441	1101	6381	1717	X
CONSUMP. OF :	NOT CONSUMING	15818	22598	44330	60400	154880	196353	215028	279351	X
TOBACCO	: ALL	27008	24886	71464	63049	226432	204028	324904	291963	X
-----										
SAMPLE PERSON:	REGULARLY	572	85	1328	114	3990	336	5890	535	X
REPORTING	: CASUALLY	17	20	96	15	264	64	377	99	X
CONSUMP. OF :	NOT CONSUMING	863	1197	2417	3256	9766	12167	13046	16620	X
TOBACCO	: ALL	1452	1302	3841	3385	14020	12567	19313	17254	X
-----										

TABLE (3B): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

GOA	RURAL		NO.OF		SAMPLE VILLAGES:		15					
-----												
FORMS OF TOBACCO												
CONSUMPTION.												
NUMBER PER 1000												
-----												
(1)	SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE PERSONS			
	TRIBES		CASTE		MALE	FEMALE	MALE	FEMALE				
	MALE	FEMALE	MALE	FEMALE						(2)	(3)	(4)
-----												
SMOKING >>>>: REGULARLY	167	0	232	0	189	21	191	20	64			
: CASUALLY	0	0	69	0	1	0	5	0	2			
: NOT CONSUMING	833	1000	699	1000	810	979	804	980	578			
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	644			
-----												
CHEWING >>>>: REGULARLY	0	0	0	53	13	24	12	25	12			
ZARDA : CASUALLY	0	0	0	0	0	3	0	3	1			
DOKTA ETC : NOT CONSUMING	1000	1000	1000	947	987	973	988	972	631			
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	644			
-----												
SNUFF >>>>: REGULARLY	0	0	0	0	0	0	0	0	0			
: CASUALLY	0	0	0	0	0	0	0	0	0			
: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	644			
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	644			
-----												
BURNT >>>>: REGULARLY	0	0	69	0	5	0	9	0	5			
TOBACCO/ : CASUALLY	0	0	0	0	0	0	0	0	0			
POWDER/PASTE:NOT CONSUMING	1000	1000	931	1000	995	1000	991	1000	639			
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	644			
-----												
CONSUMPTION :REGULARLY	167	0	232	53	193	45	195	45	76			
OF TOBACCO :CASUALLY	0	0	69	0	1	3	5	3	3			
IN ANY FORM.:NOT CONSUMING	833	1000	699	947	807	952	801	952	565			
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	644			
-----												
ESTD. PERSON:REGULARLY	9	0	36	8	442	115	486	123	X			
REPORTING(00): CASUALLY	0	0	11	0	1	9	12	9	X			
CONSUMP. OF : NOT CONSUMING	44	55	107	142	1849	2427	2001	2624	X			
TOBACCO : ALL	53	55	154	150	2292	2551	2499	2756	X			
-----												
SAMPLE PERSON:REGULARLY	1	0	5	1	56	13	62	14	X			
REPORTING : CASUALLY	0	0	1	0	1	1	2	1	X			
CONSUMP. OF : NOT CONSUMING	6	7	15	17	228	292	249	316	X			
TOBACCO : ALL	7	7	21	18	285	306	313	331	X			
-----												

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

GUJARAT		RURAL				NO.OF		SAMPLE VILLAGES:		223
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>:	REGULARLY	348	42	290	13	249	5	276	14	1707
	: CASUALLY	9	1	5	3	8	1	8	1	59
	: NOT CONSUMING	643	957	705	985	743	994	716	984	10080
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11846
-----										
CHEWING >>>:	REGULARLY	53	5	27	0	36	3	38	3	268
ZARDA	: CASUALLY	4	0	2	0	10	1	8	1	52
DOKTA ETC	: NOT CONSUMING	943	995	971	1000	954	996	954	996	11526
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11846
-----										
SNUFF >>>:	REGULARLY	3	41	3	55	4	51	4	49	284
	: CASUALLY	0	1	0	3	1	1	0	1	9
	: NOT CONSUMING	997	957	997	942	995	948	996	949	11553
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11846
-----										
BURNT >>>:	REGULARLY	2	3	7	4	12	1	9	2	78
TOBACCO/	: CASUALLY	0	0	0	0	1	1	1	0	5
POWDER/PASTE:	NOT CONSUMING	998	997	993	996	987	998	990	998	11763
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11846
-----										
CONSUMPTION :	REGULARLY	379	87	313	71	290	60	313	67	2238
OF TOBACCO :	CASUALLY	10	2	5	5	11	2	10	3	81
IN ANY FORM.:	NOT CONSUMING	611	911	683	924	699	938	677	930	9527
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11846
-----										
ESTD. PERSON:	REGULARLY	11572	2427	5199	1067	25656	4915	42427	8408	X
REPORTING(00):	CASUALLY	292	65	81	79	977	193	1349	337	X
CONSUMP. OF :	NOT CONSUMING	18639	25421	11349	13850	61701	76799	91690	116071	X
TOBACCO	: ALL	30503	27913	16629	14996	88334	81907	135466	124816	X
-----										
SAMPLE PERSON:	REGULARLY	477	93	218	47	1189	214	1884	354	X
REPORTING	: CASUALLY	16	3	3	2	47	10	66	15	X
CONSUMP. OF :	NOT CONSUMING	765	1093	473	580	2919	3697	4157	5370	X
TOBACCO	: ALL	1258	1189	694	629	4155	3921	6107	5739	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

HARYANA		RURAL				NO.OF SAMPLE VILLAGES:		104		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMOKING >>>:	REGULARLY	283	19	325	42	311	33	314	35	1084
	: CASUALLY	3	0	8	3	15	3	12	3	43
	: NOT CONSUMING	714	981	668	955	674	964	674	962	4992
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	6119
CHEWING >>>:	REGULARLY	0	0	13	0	3	0	6	0	18
ZARDA	: CASUALLY	0	0	2	0	1	0	1	0	4
DOKTA ETC	: NOT CONSUMING	1000	1000	985	1000	996	1000	993	1000	6097
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	6119
SNUFF >>>:	REGULARLY	0	16	0	5	0	6	0	6	18
	: CASUALLY	0	0	0	2	0	1	0	1	2
	: NOT CONSUMING	1000	984	1000	993	1000	993	1000	993	6099
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	6119
BURNT >>>:	REGULARLY	45	0	20	5	22	2	22	3	93
TOBACCO/	: CASUALLY	13	0	3	0	2	0	2	0	7
POWDER/PASTE:	NOT CONSUMING	942	1000	976	995	976	998	975	998	6019
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	6119
CONSUMPTION :	REGULARLY	299	35	339	49	323	39	327	42	1159
OF TOBACCO :	CASUALLY	0	0	9	3	14	3	12	3	40
IN ANY FORM.:	NOT CONSUMING	701	965	653	948	663	957	661	955	4920
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	6119
ESTD. PERSON:	REGULARLY	524	43	5985	800	15507	1667	22016	2511	X
REPORTING(00):	CASUALLY	0	0	152	52	655	144	806	196	X
CONSUMP. OF :	NOT CONSUMING	1229	1206	11531	15440	31784	40501	44544	57147	X
TOBACCO :	ALL	1754	1249	17668	16292	47945	42312	67367	59853	X
SAMPLE PERSON:	REGULARLY	20	2	234	32	792	79	1046	113	X
REPORTING :	CASUALLY	0	0	6	2	27	5	33	7	X
CONSUMP. OF :	NOT CONSUMING	44	45	449	604	1682	2096	2175	2745	X
TOBACCO :	ALL	64	47	689	638	2501	2180	3254	2865	X

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

HIMACHAL PRADESH		RURAL				NO.OF SAMPLE VILLAGES:		189		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>:	REGULARLY	267	40	337	49	291	19	300	27	1545
	: CASUALLY	0	0	8	3	14	2	12	2	66
	: NOT CONSUMING	733	960	655	948	696	979	688	971	8200
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	9811
CHEWING >>>:	REGULARLY	3	0	3	1	5	0	4	0	24
ZARDA	: CASUALLY	0	0	0	0	1	0	1	0	4
DOKTA ETC	: NOT CONSUMING	997	1000	997	999	994	1000	995	1000	9783
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	9811
SNUFF >>>:	REGULARLY	2	0	0	0	0	0	0	0	1
	: CASUALLY	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	998	1000	1000	1000	1000	1000	1000	1000	9810
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	9811
BURNT >>>:	REGULARLY	8	6	17	9	27	3	24	4	118
TOBACCO/	: CASUALLY	0	0	1	0	2	0	2	0	9
POWDER/PASTE:	NOT CONSUMING	992	994	982	991	971	997	974	995	9684
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	9811
CONSUMPTION :	REGULARLY	273	46	341	54	298	21	307	30	1590
OF TOBACCO :	CASUALLY	0	0	9	1	13	1	11	1	60
IN ANY FORM.:	NOT CONSUMING	727	954	650	945	689	978	681	969	8161
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	9811
ESTD. PERSON:	REGULARLY	268	46	1791	304	4726	356	6786	705	X
REPORTING(00):	CASUALLY	0	0	48	4	204	23	252	26	X
CONSUMP. OF :	NOT CONSUMING	715	950	3415	5311	10920	16659	15050	22920	X
TOBACCO :	ALL	984	995	5254	5618	15850	17038	22088	23651	X
SAMPLE PERSON:	REGULARLY	80	10	341	57	1019	83	1440	150	X
REPORTING :	CASUALLY	0	0	9	1	43	7	52	8	X
CONSUMP. OF :	NOT CONSUMING	228	303	644	1005	2394	3587	3266	4895	X
TOBACCO :	ALL	308	313	994	1063	3456	3677	4758	5053	X

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

JAMMU & KASHMIR		RURAL				NO.OF		SAMPLE VILLAGES:		82
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	207	23	250	40	257	7	254	18	624
	: CASUALLY	36	0	23	2	7	1	13	1	29
	: NOT CONSUMING	758	977	727	958	735	992	733	981	3971
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	4624
-----										
CHEWING >>>>:	REGULARLY	0	0	5	0	1	0	2	0	6
ZARDA	: CASUALLY	0	0	1	0	0	0	1	0	2
DOKTA ETC	: NOT CONSUMING	1000	1000	994	1000	998	1000	997	1000	4616
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	4624
-----										
SNUFF >>>>:	REGULARLY	0	0	1	1	7	4	5	3	24
	: CASUALLY	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	999	999	993	996	995	997	4600
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	4624
-----										
BURNT >>>>:	REGULARLY	0	0	5	2	4	1	4	1	14
TOBACCO/	: CASUALLY	0	0	0	0	1	0	1	0	2
POWDER/PASTE:	NOT CONSUMING	1000	1000	995	998	995	999	995	999	4608
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	4624
-----										
CONSUMPTION :	REGULARLY	207	23	259	44	266	12	262	23	660
OF TOBACCO :	CASUALLY	36	0	23	2	6	1	12	1	26
IN ANY FORM.:	NOT CONSUMING	758	977	718	955	728	987	726	976	3938
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	4624
-----										
ESTD. PERSON:	REGULARLY	43	4	748	131	1675	74	2467	209	X
REPORTING(00):	CASUALLY	7	0	66	5	37	4	111	9	X
CONSUMP. OF :	NOT CONSUMING	158	166	2078	2850	4590	5987	6826	9003	X
TOBACCO :	ALL	208	170	2893	2986	6302	6066	9404	9222	X
-----										
SAMPLE PERSON:	REGULARLY	10	1	165	21	440	23	615	45	X
REPORTING :	CASUALLY	2	0	10	2	10	2	22	4	X
CONSUMP. OF :	NOT CONSUMING	39	43	441	580	1244	1591	1724	2214	X
TOBACCO :	ALL	51	44	616	603	1694	1616	2361	2263	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

KARNATAKA		RURAL				NO.OF		SAMPLE VILLAGES:		263
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	233	7	234	2	191	2	204	2	1373
	: CASUALLY	15	0	12	0	12	3	13	2	94
	: NOT CONSUMING	752	993	754	998	796	995	783	995	12705
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	14172
-----										
CHEWING >>>>:	REGULARLY	57	50	60	46	60	28	60	34	650
ZARDA	: CASUALLY	6	1	10	10	9	8	9	8	106
DOKTA ETC	: NOT CONSUMING	937	949	930	943	931	964	931	958	13416
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	14172
-----										
SNUFF >>>>:	REGULARLY	1	4	0	0	2	2	1	2	25
	: CASUALLY	0	0	0	0	2	3	1	2	18
	: NOT CONSUMING	999	996	1000	1000	996	995	997	996	14129
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	14172
-----										
BURNT >>>>:	REGULARLY	15	18	13	39	17	28	16	29	310
TOBACCO/	: CASUALLY	0	0	1	1	3	3	2	2	29
POWDER/PASTE:	NOT CONSUMING	985	982	987	960	981	969	982	968	13833
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	14172
-----										
CONSUMPTION :	REGULARLY	293	79	286	83	251	56	262	64	2205
OF TOBACCO :	CASUALLY	14	1	18	11	17	10	17	10	172
IN ANY FORM.:	NOT CONSUMING	693	920	696	906	732	934	721	927	11795
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	14172
-----										
ESTD. PERSON:	REGULARLY	4034	1040	8586	2498	26101	5815	38721	9353	X
REPORTING(00):	CASUALLY	187	18	529	331	1778	1057	2494	1407	X
CONSUMP. OF :	NOT CONSUMING	9549	12128	20869	27423	76265	96689	106682	136240	X
TOBACCO :	ALL	13770	13186	29984	30253	104143	103561	147897	147000	X
-----										
SAMPLE PERSON:	REGULARLY	167	41	338	103	1262	294	1767	438	X
REPORTING :	CASUALLY	8	1	23	13	82	45	113	59	X
CONSUMP. OF :	NOT CONSUMING	397	509	876	1113	3972	4928	5245	6550	X
TOBACCO :	ALL	572	551	1237	1229	5316	5267	7125	7047	X
-----										



TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

KERALA		RURAL				NO.OF SAMPLE VILLAGES:		256		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>:	REGULARLY	213	0	340	4	216	4	228	4	1217
	: CASUALLY	0	0	24	5	27	0	26	1	152
	: NOT CONSUMING	787	1000	635	991	757	996	745	995	10463
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11832
-----										
CHEWING >>>:	REGULARLY	81	177	54	89	25	35	29	43	378
ZARDA	: CASUALLY	0	0	19	11	9	8	10	8	99
DOKTA ETC	: NOT CONSUMING	919	823	928	899	967	957	962	949	11355
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11832
-----										
SNUFF >>>:	REGULARLY	0	0	3	0	3	0	3	0	20
	: CASUALLY	0	0	0	0	2	0	2	0	10
	: NOT CONSUMING	1000	1000	997	1000	995	1000	995	1000	11802
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11832
-----										
BURNT >>>:	REGULARLY	0	0	7	8	2	1	3	1	20
TOBACCO/	: CASUALLY	0	0	0	0	1	0	1	0	4
POWDER/PASTE:	NOT CONSUMING	1000	1000	993	992	997	999	997	998	11808
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11832
-----										
CONSUMPTION :	REGULARLY	262	177	379	102	236	40	251	48	1577
OF TOBACCO :	CASUALLY	0	0	26	13	29	8	28	9	216
IN ANY FORM.:	NOT CONSUMING	738	823	595	885	735	952	721	943	10039
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11832
-----										
ESTD. PERSON:	REGULARLY	356	222	3273	936	17746	3304	21376	4462	X
REPORTING(00):	CASUALLY	0	0	221	122	2188	686	2409	808	X
CONSUMP. OF :	NOT CONSUMING	1005	1032	5139	8124	55239	78364	61383	87520	X
TOBACCO :	ALL	1361	1254	8633	9182	75174	82354	85168	92790	X
-----										
SAMPLE PERSON:	REGULARLY	22	14	178	48	1111	204	1311	266	X
REPORTING :	CASUALLY	0	0	13	7	151	45	164	52	X
CONSUMP. OF :	NOT CONSUMING	62	62	298	453	3842	5322	4202	5837	X
TOBACCO :	ALL	84	76	489	508	5104	5571	5677	6155	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

MADHYA PRADESH		RURAL				NO.OF SAMPLE VILLAGES:		533		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>:	REGULARLY	207	7	256	10	218	5	222	7	3319
	: CASUALLY	14	2	16	2	15	2	15	2	240
	: NOT CONSUMING	780	991	727	988	767	993	764	992	25230
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	28789
CHEWING >>>:	REGULARLY	242	71	174	44	157	38	185	49	3344
ZARDA	: CASUALLY	17	4	14	2	12	2	14	3	224
DOKTA ETC	: NOT CONSUMING	741	925	811	954	831	961	802	949	25221
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	28789
SNUFF >>>:	REGULARLY	4	5	5	11	5	7	5	7	154
	: CASUALLY	1	1	2	1	2	1	2	1	38
	: NOT CONSUMING	995	994	994	989	994	992	994	992	28597
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	28789
BURNT >>>:	REGULARLY	27	29	25	22	30	23	28	25	707
TOBACCO/	: CASUALLY	4	2	4	1	4	3	4	3	91
POWDER/PASTE:	NOT CONSUMING	970	970	971	977	967	974	968	973	27991
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	28789
CONSUMPTION :	REGULARLY	439	110	397	83	357	70	388	84	6726
OF TOBACCO :	CASUALLY	8	6	10	3	9	5	9	5	200
IN ANY FORM.:	NOT CONSUMING	553	885	593	914	634	925	603	911	21863
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	28789
ESTD. PERSON:	REGULARLY	32022	7775	17911	3374	48396	8631	98330	19780	X
REPORTING(00):	CASUALLY	605	396	470	117	1285	577	2361	1090	X
CONSUMP. OF :	NOT CONSUMING	40284	62652	26770	37061	85995	113867	153050	213580	X
TOBACCO	: ALL	72912	70823	45152	40552	135676	123075	253740	234450	X
SAMPLE PERSON:	REGULARLY	1709	421	919	174	2998	505	5626	1100	X
REPORTING :	CASUALLY	34	22	26	5	80	33	140	60	X
CONSUMP. OF :	NOT CONSUMING	2216	3392	1413	1953	5591	7298	9220	12643	X
TOBACCO	: ALL	3959	3835	2358	2132	8669	7836	14986	13803	X

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

MAHARASTRA		RURAL				NO.OF		SAMPLE VILLAGES:		445
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	143	9	108	0	93	1	102	2	1050
	: CASUALLY	8	0	4	0	9	0	8	0	94
	: NOT CONSUMING	848	991	888	1000	899	998	890	998	20932
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	22076
-----										
CHEWING >>>>:	REGULARLY	227	106	216	91	202	66	207	75	3032
ZARDA	: CASUALLY	4	3	9	3	9	3	8	3	120
DOKTA ETC	: NOT CONSUMING	769	891	775	906	790	931	785	922	18924
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	22076
-----										
SNUFF >>>>:	REGULARLY	4	8	3	4	5	9	4	8	135
	: CASUALLY	0	0	1	0	0	1	0	1	8
	: NOT CONSUMING	996	992	997	996	995	990	996	991	21933
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	22076
-----										
BURNT >>>>:	REGULARLY	92	99	113	116	90	113	94	112	2184
TOBACCO/	: CASUALLY	0	0	0	1	2	1	2	1	28
POWDER/PASTE:	NOT CONSUMING	908	901	887	883	908	886	905	887	19864
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	22076
-----										
CONSUMPTION :	REGULARLY	379	202	363	192	322	176	336	182	5490
OF TOBACCO :	CASUALLY	3	3	8	3	11	4	10	4	151
IN ANY FORM.:	NOT CONSUMING	618	796	629	804	666	820	654	814	16435
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	22076
-----										
ESTD. PERSON:	REGULARLY	11513	5908	13575	6900	52224	27644	77312	40452	X
REPORTING(00):	CASUALLY	99	77	311	121	1859	616	2269	813	X
CONSUMP. OF :	NOT CONSUMING	18772	23335	23492	28849	107987	128664	150252	180848	X
TOBACCO :	ALL	30384	29320	37378	35869	162071	156924	229833	222113	X
-----										
SAMPLE PERSON:	REGULARLY	508	267	590	294	2502	1329	3600	1890	X
REPORTING :	CASUALLY	5	3	12	5	97	29	114	37	X
CONSUMP. OF :	NOT CONSUMING	850	1050	1059	1278	5619	6579	7528	8907	X
TOBACCO :	ALL	1363	1320	1661	1577	8218	7937	11242	10834	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

MANIPUR		RURAL				NO.OF		SAMPLE VILLAGES:		100
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMOKING >>>:	REGULARLY	283	110	500	0	281	112	282	111	1036
	: CASUALLY	29	17	0	0	30	38	30	29	169
	: NOT CONSUMING	688	874	500	1000	689	850	689	860	4260
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5465
CHEWING >>>:	REGULARLY	34	14	0	0	59	13	49	13	164
ZARDA	: CASUALLY	53	37	0	0	68	24	62	29	242
DOKTA ETC	: NOT CONSUMING	913	948	1000	1000	874	963	890	957	5059
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5465
SNUFF >>>:	REGULARLY	0	1	0	0	0	0	0	0	1
	: CASUALLY	0	0	0	0	0	1	0	0	1
	: NOT CONSUMING	1000	999	1000	1000	1000	999	1000	999	5463
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5465
BURNT >>>:	REGULARLY	3	4	0	0	19	3	12	4	41
TOBACCO/	: CASUALLY	1	1	0	0	9	9	5	6	34
POWDER/PASTE:	NOT CONSUMING	996	994	1000	1000	973	988	982	990	5390
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5465
CONSUMPTION :	REGULARLY	297	126	500	0	302	119	300	121	1108
OF TOBACCO :	CASUALLY	29	26	0	0	53	54	43	43	237
IN ANY FORM.:	NOT CONSUMING	673	848	500	1000	645	828	657	836	4120
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5465
ESTD. PERSON:	REGULARLY	683	268	3	0	984	399	1670	667	X
REPORTING(00):	CASUALLY	68	56	0	0	173	180	241	237	X
CONSUMP. OF :	NOT CONSUMING	1547	1809	3	5	2102	2781	3652	4596	X
TOBACCO	: ALL	2298	2134	5	5	3259	3360	5563	5499	X
SAMPLE PERSON:	REGULARLY	341	126	1	0	461	179	803	305	X
REPORTING	: CASUALLY	44	33	0	0	76	84	120	117	X
CONSUMP. OF :	NOT CONSUMING	837	969	1	2	1009	1302	1847	2273	X
TOBACCO	: ALL	1222	1128	2	2	1546	1565	2770	2695	X

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

MEGHALAYA	RURAL		NO.OF		SAMPLE VILLAGES:		112		
FORMS OF TOBACCO CONSUMPTION.	NUMBER PER 1000								
	SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
(1)	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	(10)
SMOKING >>>: REGULARLY	466	139	219	0	378	20	460	133	1462
: CASUALLY	13	17	0	0	32	0	14	16	83
: NOT CONSUMING	521	844	781	1000	589	980	525	851	3531
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5076
CHEWING >>>: REGULARLY	12	27	187	0	94	47	17	28	118
ZARDA : CASUALLY	7	66	0	0	0	0	6	62	189
DOKTA ETC : NOT CONSUMING	981	907	813	1000	906	953	976	910	4769
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5076
SNUFF >>>: REGULARLY	0	0	0	0	0	0	0	0	0
: CASUALLY	0	0	0	0	0	0	0	0	0
: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	5076
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5076
BURNT >>>: REGULARLY	4	2	0	0	4	0	4	2	27
TOBACCO/ : CASUALLY	0	0	0	0	0	0	0	0	1
POWDER/PASTE:NOT CONSUMING	996	998	1000	1000	996	1000	996	998	5048
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5076
CONSUMPTION :REGULARLY	471	166	406	0	441	67	469	161	1553
OF TOBACCO :CASUALLY	14	81	0	0	25	0	15	77	252
IN ANY FORM.:NOT CONSUMING	515	753	594	1000	534	933	516	762	3271
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	5076
ESTD. PERSON:REGULARLY	2851	966	5	0	159	20	3015	986	X
REPORTING(00): CASUALLY	88	474	0	0	9	0	97	474	X
CONSUMP. OF : NOT CONSUMING	3118	4390	7	16	193	276	3318	4682	X
TOBACCO : ALL	6057	5830	12	16	360	296	6429	6142	X
SAMPLE PERSON:REGULARLY	1152	331	2	0	60	8	1214	339	X
REPORTING : CASUALLY	37	213	0	0	2	0	39	213	X
CONSUMP. OF : NOT CONSUMING	1289	1800	3	6	75	98	1367	1904	X
TOBACCO : ALL	2478	2344	5	6	137	106	2620	2456	X

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

MIZORAM		RURAL				NO.OF		SAMPLE VILLAGES:		47
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	480	317	1000	500	417	400	479	319	945
	: CASUALLY	19	68	0	0	0	200	19	70	109
	: NOT CONSUMING	501	615	0	500	583	400	502	612	1296
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2350
-----										
CHEWING >>>>:	REGULARLY	50	78	0	0	0	100	49	78	141
ZARDA	: CASUALLY	46	65	0	0	583	500	55	71	138
DOKTA ETC	: NOT CONSUMING	903	857	1000	1000	417	400	896	850	2071
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2350
-----										
SNUFF >>>>:	REGULARLY	0	0	0	0	0	0	0	0	0
	: CASUALLY	1	0	0	0	83	100	2	1	3
	: NOT CONSUMING	999	1000	1000	1000	917	900	998	999	2347
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2350
-----										
BURNT >>>>:	REGULARLY	9	14	0	0	0	0	9	14	28
TOBACCO/	: CASUALLY	2	1	0	0	167	200	5	4	7
POWDER/PASTE:	NOT CONSUMING	988	985	1000	1000	833	800	986	982	2315
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2350
-----										
CONSUMPTION :	REGULARLY	511	401	1000	500	417	500	510	402	1072
OF TOBACCO :	CASUALLY	25	83	0	0	167	200	27	84	138
IN ANY FORM.:	NOT CONSUMING	464	516	0	500	417	300	463	513	1140
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2350
-----										
ESTD. PERSON:	REGULARLY	929	650	0	0	12	12	942	662	X
REPORTING(00):	CASUALLY	45	134	0	0	5	5	50	139	X
CONSUMP. OF :	NOT CONSUMING	844	837	0	0	12	7	857	845	X
TOBACCO	: ALL	1819	1621	0	1	29	24	1848	1646	X
-----										
SAMPLE PERSON:	REGULARLY	624	436	1	1	5	5	630	442	X
REPORTING :	CASUALLY	35	99	0	0	2	2	37	101	X
CONSUMP. OF :	NOT CONSUMING	566	565	0	1	5	3	571	569	X
TOBACCO	: ALL	1225	1100	1	2	12	10	1238	1112	X
-----										

TABLE (3B): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

NAGALAND		RURAL				NO.OF SAMPLE VILLAGES:		46		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>:	REGULARLY	226	1	0	0	249	0	227	1	290
	: CASUALLY	8	2	0	0	0	0	7	2	14
	: NOT CONSUMING	766	996	0	0	751	1000	765	996	2228
	: ALL	1000	1000	0	0	1000	1000	1000	1000	2532
-----										
CHEWING >>>:	REGULARLY	27	4	0	0	58	0	29	3	38
ZARDA	: CASUALLY	17	6	0	0	0	0	16	5	36
DOKTA ETC	: NOT CONSUMING	956	991	0	0	942	1000	955	991	2458
	: ALL	1000	1000	0	0	1000	1000	1000	1000	2532
-----										
SNUFF >>>:	REGULARLY	0	0	0	0	0	0	0	0	0
	: CASUALLY	1	3	0	0	0	0	1	3	4
	: NOT CONSUMING	999	997	0	0	1000	1000	999	997	2528
	: ALL	1000	1000	0	0	1000	1000	1000	1000	2532
-----										
BURNT >>>:	REGULARLY	5	0	0	0	0	0	5	0	5
TOBACCO/	: CASUALLY	2	2	0	0	0	0	2	1	6
POWDER/PASTE:	NOT CONSUMING	993	998	0	0	1000	1000	993	999	2521
	: ALL	1000	1000	0	0	1000	1000	1000	1000	2532
-----										
CONSUMPTION :	REGULARLY	238	4	0	0	289	0	241	3	309
OF TOBACCO :	CASUALLY	12	10	0	0	0	0	11	9	33
IN ANY FORM.:	NOT CONSUMING	751	987	0	0	711	1000	748	988	2190
	: ALL	1000	1000	0	0	1000	1000	1000	1000	2532
-----										
ESTD. PERSON:	REGULARLY	458	6	0	0	34	0	492	6	X
REPORTING(00):	CASUALLY	22	17	0	0	0	0	22	17	X
CONSUMP. OF :	NOT CONSUMING	1444	1745	0	0	83	93	1527	1837	X
TOBACCO :	ALL	1924	1768	0	0	117	93	2041	1860	X
-----										
SAMPLE PERSON:	REGULARLY	290	4	0	0	15	0	305	4	X
REPORTING :	CASUALLY	20	13	0	0	0	0	20	13	X
CONSUMP. OF :	NOT CONSUMING	953	1158	0	0	37	42	990	1200	X
TOBACCO :	ALL	1263	1175	0	0	52	42	1315	1217	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ORISSA		RURAL				NO.OF SAMPLE VILLAGES:		335		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		216	25	222	6	132	4	170	10	1400
: CASUALLY		23	5	29	2	26	1	26	2	221
: NOT CONSUMING		761	970	749	992	842	995	804	988	15049
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16670
-----										
CHEWING >>>>: REGULARLY		276	269	206	183	176	119	207	168	2932
ZARDA : CASUALLY		26	11	33	28	25	19	26	19	375
DOKTA ETC : NOT CONSUMING		699	719	761	788	800	862	767	813	13363
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16670
-----										
SNUFF >>>>: REGULARLY		68	48	63	30	53	18	59	28	648
: CASUALLY		2	1	3	1	2	1	2	1	25
: NOT CONSUMING		931	951	934	969	945	981	939	972	15997
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16670
-----										
BURNT >>>>: REGULARLY		83	150	136	177	117	142	112	150	2150
TOBACCO/ : CASUALLY		6	5	19	14	17	14	14	12	238
POWDER/PASTE:NOT CONSUMING		910	845	845	809	867	844	874	838	14282
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16670
-----										
CONSUMPTION :REGULARLY		501	438	434	354	345	257	402	320	5689
OF TOBACCO :CASUALLY		16	16	29	28	29	26	26	24	436
IN ANY FORM.:NOT CONSUMING		482	545	537	617	625	717	572	656	10545
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16670
-----										
ESTD. PERSON:REGULARLY		17809	15301	11573	8939	27086	20447	56468	44687	X
REPORTING(00): CASUALLY		584	572	770	716	2306	2065	3661	3353	X
CONSUMP. OF : NOT CONSUMING		17139	19033	14334	15571	49027	56984	80499	91589	X
TOBACCO : ALL		35532	34906	26676	25225	78420	79497	140628	139628	X
-----										
SAMPLE PERSON:REGULARLY		913	776	619	473	1675	1233	3207	2482	X
REPORTING : CASUALLY		30	30	46	39	143	148	219	217	X
CONSUMP. OF : NOT CONSUMING		920	1047	819	890	3176	3693	4915	5630	X
TOBACCO : ALL		1863	1853	1484	1402	4994	5074	8341	8329	X
-----										



TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

PUNJAB		RURAL				NO.OF		SAMPLE VILLAGES:		205
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>:	REGULARLY	160	0	102	2	52	1	73	1	382
	: CASUALLY	0	0	7	1	1	0	3	0	19
	: NOT CONSUMING	840	1000	891	997	947	999	924	998	10743
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11144
-----										
CHEWING >>>:	REGULARLY	0	0	45	0	13	0	25	0	134
ZARDA	: CASUALLY	0	0	1	0	1	0	1	0	6
DOKTA ETC	: NOT CONSUMING	1000	1000	953	1000	986	1000	974	1000	11004
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11144
-----										
SNUFF >>>:	REGULARLY	0	0	1	0	0	0	1	0	4
	: CASUALLY	0	0	0	0	0	0	0	0	1
	: NOT CONSUMING	1000	1000	999	1000	999	1000	999	1000	11139
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11144
-----										
BURNT >>>:	REGULARLY	14	0	3	0	4	0	4	0	19
TOBACCO/	: CASUALLY	0	0	0	1	0	0	0	0	3
POWDER/PASTE:	NOT CONSUMING	986	1000	997	998	996	1000	996	999	11122
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11144
-----										
CONSUMPTION :	REGULARLY	174	0	135	2	66	2	94	2	497
OF TOBACCO :	CASUALLY	0	0	6	2	2	0	3	1	25
IN ANY FORM.:	NOT CONSUMING	826	1000	859	996	932	998	902	997	10622
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	11144
-----										
ESTD. PERSON:	REGULARLY	192	0	3596	51	2777	60	6564	111	X
REPORTING(00):	CASUALLY	0	0	152	49	91	0	243	49	X
CONSUMP. OF :	NOT CONSUMING	909	1241	22884	22863	38993	38435	62786	62540	X
TOBACCO	: ALL	1101	1241	26632	22963	41861	38496	69593	62700	X
-----										
SAMPLE PERSON:	REGULARLY	13	0	254	5	219	6	486	11	X
REPORTING :	CASUALLY	0	0	13	4	8	0	21	4	X
CONSUMP. OF :	NOT CONSUMING	63	85	1601	1618	3693	3562	5357	5265	X
TOBACCO	: ALL	76	85	1868	1627	3920	3568	5864	5280	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

RAJASTHAN	RURAL				NO.OF SAMPLE VILLAGES:				312
-----									
FORMS OF TOBACCO	NUMBER PER 1000								
CONSUMPTION.									
	SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----									
SMOKING >>>>: REGULARLY	360	34	328	33	281	20	302	25	2758
: CASUALLY	6	1	6	4	9	2	8	2	90
: NOT CONSUMING	635	964	666	963	710	978	690	973	14003
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	16851
-----									
CHEWING >>>>: REGULARLY	19	4	27	3	24	2	24	3	230
ZARDA : CASUALLY	1	0	2	0	3	1	3	0	24
DOKTA ETC : NOT CONSUMING	980	996	971	997	973	997	974	997	16597
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	16851
-----									
SNUFF >>>>: REGULARLY	0	5	2	5	1	4	1	4	39
: CASUALLY	0	1	0	0	1	0	1	0	9
: NOT CONSUMING	1000	994	998	995	998	996	999	995	16803
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	16851
-----									
BURNT >>>>: REGULARLY	2	1	6	1	13	1	10	1	121
TOBACCO/ : CASUALLY	0	0	0	0	1	0	0	0	7
POWDER/PASTE:NOT CONSUMING	998	999	994	999	987	999	990	999	16723
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	16851
-----									
CONSUMPTION :REGULARLY	375	44	353	40	302	27	323	32	3007
OF TOBACCO :CASUALLY	4	2	6	4	8	2	7	2	79
IN ANY FORM.:NOT CONSUMING	621	954	641	956	690	971	670	965	13765
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	16851
-----									
ESTD. PERSON:REGULARLY	9514	1098	10246	1056	31031	2529	50791	4684	X
REPORTING(00): CASUALLY	107	56	164	100	776	182	1048	337	X
CONSUMP. OF : NOT CONSUMING	15738	23690	18592	24973	70922	91334	105252	139997	X
TOBACCO : ALL	25358	24844	29002	26129	102730	94045	157090	145018	X
-----									
SAMPLE PERSON:REGULARLY	470	60	504	56	1767	150	2741	266	X
REPORTING : CASUALLY	8	3	8	5	43	12	59	20	X
CONSUMP. OF : NOT CONSUMING	822	1182	906	1232	4209	5414	5937	7828	X
TOBACCO : ALL	1300	1245	1418	1293	6019	5576	8737	8114	X
-----									

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

SIKKIM		RURAL				NO.OF SAMPLE VILLAGES:		48		
-----										
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
-----										
		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	61	7	208	0	130	14	119	12	143
	: CASUALLY	100	5	75	0	129	14	120	11	128
	: NOT CONSUMING	839	988	717	1000	742	972	762	977	1793
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2064
-----										
CHEWING >>>>:	REGULARLY	158	8	78	31	168	4	161	6	178
ZARDA	: CASUALLY	11	13	20	25	24	4	21	7	28
DOKTA ETC	: NOT CONSUMING	831	979	902	944	808	992	818	987	1858
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2064
-----										
SNUFF >>>>:	REGULARLY	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	2064
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2064
-----										
BURNT >>>>:	REGULARLY	17	0	29	0	34	0	30	0	32
TOBACCO/	: CASUALLY	0	0	0	0	0	0	0	0	1
POWDER/PASTE:	NOT CONSUMING	983	1000	971	1000	966	1000	970	1000	2031
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2064
-----										
CONSUMPTION :	REGULARLY	233	14	282	31	310	18	291	18	332
OF TOBACCO :	CASUALLY	103	18	95	25	132	18	124	18	142
IN ANY FORM.:	NOT CONSUMING	664	968	623	944	558	964	585	964	1590
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2064
-----										
ESTD. PERSON:	REGULARLY	82	4	24	2	355	17	461	23	X
REPORTING(00):	CASUALLY	36	5	8	2	152	17	196	23	X
CONSUMP. OF :	NOT CONSUMING	233	263	52	63	641	919	926	1245	X
TOBACCO	: ALL	351	271	84	67	1149	953	1583	1291	X
-----										
SAMPLE PERSON:	REGULARLY	55	2	15	1	247	12	317	15	X
REPORTING :	CASUALLY	26	3	5	1	97	10	128	14	X
CONSUMP. OF :	NOT CONSUMING	186	212	29	36	463	664	678	912	X
TOBACCO	: ALL	267	217	49	38	807	686	1123	941	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

TAMIL NADU		RURAL				NO.OF SAMPLE VILLAGES:		391		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMOKING >>>: REGULARLY		145	0	199	3	139	2	154	2	1160
: CASUALLY		10	0	9	0	9	1	9	0	72
: NOT CONSUMING		844	1000	792	997	852	997	836	997	15010
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16242
CHEWING >>>: REGULARLY		24	65	54	67	34	33	39	42	696
ZARDA : CASUALLY		15	24	8	3	3	4	5	4	69
DOKTA ETC : NOT CONSUMING		961	911	937	930	962	963	956	954	15477
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16242
SNUFF >>>: REGULARLY		0	0	8	1	9	2	8	2	85
: CASUALLY		0	0	1	0	1	0	1	0	9
: NOT CONSUMING		1000	1000	991	999	990	997	991	998	16148
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16242
BURNT >>>: REGULARLY		6	42	48	39	22	22	28	27	435
TOBACCO/ : CASUALLY		14	14	3	3	1	0	2	1	29
POWDER/PASTE:NOT CONSUMING		980	944	950	958	977	978	970	972	15778
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16242
CONSUMPTION :REGULARLY		167	96	284	106	191	55	214	69	2222
OF TOBACCO :CASUALLY		32	24	12	5	11	5	12	5	136
IN ANY FORM.:NOT CONSUMING		801	880	703	889	798	940	774	926	13884
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16242
ESTD. PERSON:REGULARLY		586	338	12828	5052	24886	7209	38299	12600	X
REPORTING(00): CASUALLY		111	85	551	245	1464	631	2126	961	X
CONSUMP. OF : NOT CONSUMING		2803	3090	31743	42322	103892	123538	138437	168950	X
TOBACCO : ALL		3500	3514	45122	47619	130241	131378	178863	182511	X
SAMPLE PERSON:REGULARLY		30	21	493	205	1126	347	1649	573	X
REPORTING : CASUALLY		5	4	24	9	65	29	94	42	X
CONSUMP. OF : NOT CONSUMING		135	149	1271	1652	4911	5766	6317	7567	X
TOBACCO : ALL		170	174	1788	1866	6102	6142	8060	8182	X

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

TRIPURA		RURAL				NO.OF		SAMPLE VILLAGES:		153
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>:	REGULARLY	399	134	417	27	394	20	400	37	1589
	: CASUALLY	26	14	13	0	12	2	14	3	66
	: NOT CONSUMING	575	852	571	973	593	978	586	960	5317
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	6972
CHEWING >>>:	REGULARLY	60	98	68	94	69	102	68	99	652
ZARDA	: CASUALLY	36	34	29	33	27	31	29	32	234
DOKTA ETC	: NOT CONSUMING	905	868	903	873	904	867	904	869	6086
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	6972
SNUFF >>>:	REGULARLY	2	2	0	2	1	2	1	2	8
	: CASUALLY	7	4	0	0	1	1	1	1	8
	: NOT CONSUMING	992	994	1000	998	998	998	998	997	6956
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	6972
BURNT >>>:	REGULARLY	29	35	9	3	7	0	10	6	51
TOBACCO/	: CASUALLY	10	3	1	0	0	0	2	1	7
POWDER/PASTE:	NOT CONSUMING	961	962	990	997	993	999	988	993	6914
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	6972
CONSUMPTION :	REGULARLY	412	215	435	118	417	121	420	134	2027
OF TOBACCO :	CASUALLY	26	44	10	32	11	30	13	32	171
IN ANY FORM.:	NOT CONSUMING	562	741	555	849	572	849	567	834	4774
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	6972
ESTD. PERSON:	REGULARLY	703	315	1118	286	3066	818	4887	1420	X
REPORTING(00):	CASUALLY	44	65	26	77	83	199	153	341	X
CONSUMP. OF :	NOT CONSUMING	960	1086	1426	2053	4212	5722	6598	8860	X
TOBACCO :	ALL	1707	1466	2570	2416	7361	6739	11638	10622	X
SAMPLE PERSON:	REGULARLY	258	110	335	93	947	284	1540	487	X
REPORTING :	CASUALLY	15	23	8	25	29	71	52	119	X
CONSUMP. OF :	NOT CONSUMING	326	387	449	612	1306	1694	2081	2693	X
TOBACCO :	ALL	599	520	792	730	2282	2049	3673	3299	X

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

UTTAR PRADESH		RURAL				NO.OF		SAMPLE VILLAGES:		902
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
CONSUMPTION.										
		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	191	23	274	45	217	16	231	23	6413
	: CASUALLY	2	0	19	4	17	2	17	2	511
	: NOT CONSUMING	807	977	707	952	766	983	752	975	45237
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	52161
-----										
CHEWING >>>>:	REGULARLY	165	36	154	39	131	28	136	31	4420
ZARDA	: CASUALLY	12	0	19	4	18	3	18	3	557
DOKTA ETC	: NOT CONSUMING	823	964	827	957	852	969	846	966	47184
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	52161
-----										
SNUFF >>>>:	REGULARLY	0	0	0	0	1	0	1	0	32
	: CASUALLY	0	0	1	0	0	0	0	0	12
	: NOT CONSUMING	1000	1000	999	1000	999	1000	999	1000	52117
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	52161
-----										
BURNT >>>>:	REGULARLY	0	0	6	2	4	1	4	1	140
TOBACCO/	: CASUALLY	0	0	1	0	1	0	1	0	25
POWDER/PASTE:	NOT CONSUMING	1000	1000	993	998	996	999	995	999	51996
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	52161
-----										
CONSUMPTION :	REGULARLY	300	55	365	79	303	42	318	51	9500
OF TOBACCO :	CASUALLY	8	0	18	6	17	4	18	4	581
IN ANY FORM.:	NOT CONSUMING	692	945	617	915	679	954	665	945	42080
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	52161
-----										
ESTD. PERSON:	REGULARLY	1526	278	49352	9608	128020	15927	178898	25812	X
REPORTING(00):	CASUALLY	39	0	2473	756	7333	1438	9845	2194	X
CONSUMP. OF :	NOT CONSUMING	3521	4801	83442	110988	286906	363182	373869	478971	X
TOBACCO	: ALL	5086	5079	135267	121352	422259	380547	562612	506977	X
-----										
SAMPLE PERSON:	REGULARLY	84	13	1995	383	6266	759	8345	1155	X
REPORTING :	CASUALLY	2	0	99	29	374	77	475	106	X
CONSUMP. OF :	NOT CONSUMING	201	267	3394	4549	14846	18823	18441	23639	X
TOBACCO	: ALL	287	280	5488	4961	21486	19659	27261	24900	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

WEST BENGAL		RURAL				NO.OF		SAMPLE VILLAGES:		448
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	370	23	331	11	297	7	314	10	3737
	: CASUALLY	38	7	26	2	19	3	23	3	327
	: NOT CONSUMING	591	969	643	986	683	990	663	987	19409
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	23473
-----										
CHEWING >>>>:	REGULARLY	156	137	67	47	54	44	66	53	1441
ZARDA	: CASUALLY	99	21	23	2	13	7	23	7	376
DOKTA ETC	: NOT CONSUMING	745	842	911	950	933	949	911	940	21656
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	23473
-----										
SNUFF >>>>:	REGULARLY	0	0	1	2	2	0	2	1	32
	: CASUALLY	0	0	0	0	0	0	0	0	5
	: NOT CONSUMING	1000	1000	999	998	998	1000	998	999	23436
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	23473
-----										
BURNT >>>>:	REGULARLY	5	13	10	9	10	13	10	12	260
TOBACCO/	: CASUALLY	0	1	1	2	1	0	1	1	26
POWDER/PASTE:	NOT CONSUMING	995	986	989	990	988	986	989	987	23187
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	23473
-----										
CONSUMPTION :	REGULARLY	467	162	384	64	340	60	364	70	5049
OF TOBACCO :	CASUALLY	30	17	26	5	22	8	24	8	401
IN ANY FORM.:	NOT CONSUMING	503	821	591	931	639	932	613	922	18023
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	23473
-----										
ESTD. PERSON:	REGULARLY	9132	3454	32065	4855	51548	8721	92744	17030	X
REPORTING(00):	CASUALLY	586	374	2139	417	3291	1145	6016	1936	X
CONSUMP. OF :	NOT CONSUMING	9826	17559	49389	71158	96976	135657	156190	224374	X
TOBACCO	: ALL	19543	21388	83594	76430	151814	145523	254951	243340	X
-----										
SAMPLE PERSON:	REGULARLY	372	135	1352	212	2510	468	4234	815	X
REPORTING :	CASUALLY	26	16	103	20	174	62	303	98	X
CONSUMP. OF :	NOT CONSUMING	417	751	2175	3090	4889	6701	7481	10542	X
TOBACCO	: ALL	815	902	3630	3322	7573	7231	12018	11455	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ANDAMAN & NICOBAR IS.		RURAL				NO.OF		SAMPLE VILLAGES:		50
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	94	30	246	0	154	8	137	15	224
	: CASUALLY	14	6	0	0	26	1	22	3	43
	: NOT CONSUMING	892	964	754	1000	820	991	841	983	2389
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2656
-----										
CHEWING >>>>:	REGULARLY	410	163	309	216	284	95	323	119	589
ZARDA	: CASUALLY	18	27	46	0	28	15	25	18	84
DOKTA ETC	: NOT CONSUMING	572	810	645	784	687	890	651	863	1983
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2656
-----										
SNUFF >>>>:	REGULARLY	0	0	0	0	0	0	0	0	0
	: CASUALLY	2	3	0	0	0	0	1	1	7
	: NOT CONSUMING	998	998	1000	1000	1000	1000	999	999	2649
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2656
-----										
BURNT >>>>:	REGULARLY	0	0	0	0	0	2	0	1	1
TOBACCO/	: CASUALLY	0	0	0	0	0	0	0	0	0
POWDER/PASTE:	NOT CONSUMING	1000	1000	1000	1000	1000	998	1000	999	2655
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2656
-----										
CONSUMPTION :	REGULARLY	445	174	355	216	358	103	385	127	706
OF TOBACCO :	CASUALLY	15	29	46	0	25	16	22	20	81
IN ANY FORM.:	NOT CONSUMING	541	796	599	784	617	881	593	853	1869
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	2656
-----										
ESTD. PERSON:	REGULARLY	139	51	7	4	245	64	391	119	X
REPORTING(00):	CASUALLY	5	9	1	0	17	10	22	19	X
CONSUMP. OF :	NOT CONSUMING	169	233	12	15	421	550	603	798	X
TOBACCO	: ALL	313	293	20	19	683	624	1016	936	X
-----										
SAMPLE PERSON:	REGULARLY	236	103	9	5	284	69	529	177	X
REPORTING :	CASUALLY	19	28	1	0	21	12	41	40	X
CONSUMP. OF :	NOT CONSUMING	280	371	13	18	524	663	817	1052	X
TOBACCO	: ALL	535	502	23	23	829	744	1387	1269	X
-----										



TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

CHANDIGARH		RURAL				NO.OF		SAMPLE VILLAGES:		8
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
CONSUMPTION.										
(1)		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE PERSONS
		TRIBES		CASTE		MALE	FEMALE	MALE	FEMALE	
		MALE	FEMALE	MALE	FEMALE					
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		
-----										
SMOKING >>>:	REGULARLY	0	0	179	28	188	0	183	9	35
	: CASUALLY	0	0	0	0	18	0	12	0	2
	: NOT CONSUMING	1000	1000	821	972	793	1000	805	991	300
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	337
-----										
CHEWING >>>:	REGULARLY	0	0	60	0	63	0	61	0	12
ZARDA	: CASUALLY	0	0	0	0	22	0	14	0	2
DOKTA ETC	: NOT CONSUMING	1000	1000	940	1000	915	1000	925	1000	323
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	337
-----										
SNUFF >>>:	REGULARLY	0	0	13	0	0	0	4	0	1
	: CASUALLY	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	987	1000	1000	1000	996	1000	336
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	337
-----										
BURNT >>>:	REGULARLY	0	0	0	0	4	0	2	0	2
TOBACCO/	: CASUALLY	0	0	17	0	0	0	6	0	1
POWDER/PASTE:	NOT CONSUMING	1000	1000	983	1000	996	1000	992	1000	334
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	337
-----										
CONSUMPTION :	REGULARLY	0	0	252	28	242	0	241	9	47
OF TOBACCO :	CASUALLY	0	0	17	0	31	0	26	0	4
IN ANY FORM.:	NOT CONSUMING	1000	1000	731	972	727	1000	732	991	286
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	337
-----										
ESTD. PERSON:	REGULARLY	0	0	36	3	70	0	105	3	X
REPORTING(00):	CASUALLY	0	0	2	0	9	0	12	0	X
CONSUMP. OF :	NOT CONSUMING	6	6	104	97	209	188	320	291	X
TOBACCO	: ALL	6	6	143	100	288	188	437	294	X
-----										
SAMPLE PERSON:	REGULARLY	0	0	15	2	30	0	45	2	X
REPORTING	: CASUALLY	0	0	1	0	3	0	4	0	X
CONSUMP. OF :	NOT CONSUMING	5	7	50	46	93	85	148	138	X
TOBACCO	: ALL	5	7	66	48	126	85	197	140	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

DADRA & NAGAR HAVELI		RURAL				NO.OF		SAMPLE VILLAGES:		24
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	263	4	269	0	374	0	267	4	159
	: CASUALLY	2	1	21	0	90	0	6	1	4
	: NOT CONSUMING	735	995	709	1000	536	1000	728	996	1038
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1201
-----										
CHEWING >>>>:	REGULARLY	127	9	199	0	0	0	129	8	78
ZARDA	: CASUALLY	0	0	0	0	0	0	0	0	0
DOKTA ETC	: NOT CONSUMING	873	991	801	1000	1000	1000	871	992	1123
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1201
-----										
SNUFF >>>>:	REGULARLY	2	21	21	125	0	0	4	29	20
	: CASUALLY	0	0	21	20	0	0	2	2	2
	: NOT CONSUMING	998	979	958	855	1000	1000	995	969	1179
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1201
-----										
BURNT >>>>:	REGULARLY	16	1	0	0	22	0	15	1	13
TOBACCO/	: CASUALLY	0	0	0	0	0	0	0	0	0
POWDER/PASTE:	NOT CONSUMING	984	999	1000	1000	978	1000	985	999	1188
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1201
-----										
CONSUMPTION :	REGULARLY	398	36	447	125	396	0	402	42	263
OF TOBACCO :	CASUALLY	0	0	21	20	90	0	4	2	3
IN ANY FORM.:	NOT CONSUMING	602	964	532	855	514	1000	594	956	935
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1201
-----										
ESTD. PERSON:	REGULARLY	208	17	20	6	6	0	234	23	X
REPORTING(00):	CASUALLY	0	0	1	1	1	0	2	1	X
CONSUMP. OF :	NOT CONSUMING	315	463	24	39	8	18	346	521	X
TOBACCO :	ALL	523	480	44	46	15	18	583	545	X
-----										
SAMPLE PERSON:	REGULARLY	208	16	23	8	8	0	239	24	X
REPORTING :	CASUALLY	0	0	1	1	1	0	2	1	X
CONSUMP. OF :	NOT CONSUMING	335	472	28	43	20	37	383	552	X
TOBACCO :	ALL	543	488	52	52	29	37	624	577	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

DAMAN & DIU		RURAL				NO.OF		SAMPLE VILLAGES:		8
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
CONSUMPTION.										
(1)		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE PERSONS
		TRIBES		CASTE		MALE	FEMALE	MALE	FEMALE	
		MALE	FEMALE	MALE	FEMALE					
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		
-----										
SMOKING >>>>: REGULARLY		132	43	0	0	121	8	123	14	27
: CASUALLY		25	43	0	0	4	0	8	7	3
: NOT CONSUMING		843	913	0	0	875	992	869	979	368
: ALL		1000	1000	0	0	1000	1000	1000	1000	398
-----										
CHEWING >>>>: REGULARLY		141	0	0	0	36	0	57	0	16
ZARDA : CASUALLY		0	0	0	0	11	0	8	0	1
DOKTA ETC : NOT CONSUMING		859	1000	0	0	953	1000	934	1000	381
: ALL		1000	1000	0	0	1000	1000	1000	1000	398
-----										
SNUFF >>>>: REGULARLY		0	0	0	0	0	41	0	34	5
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		1000	1000	0	0	1000	959	1000	966	393
: ALL		1000	1000	0	0	1000	1000	1000	1000	398
-----										
BURNT >>>>: REGULARLY		0	0	0	0	51	0	40	0	4
TOBACCO/ : CASUALLY		0	0	0	0	0	0	0	0	0
POWDER/PASTE:NOT CONSUMING		1000	1000	0	0	949	1000	960	1000	394
: ALL		1000	1000	0	0	1000	1000	1000	1000	398
-----										
CONSUMPTION :REGULARLY		273	43	0	0	200	50	215	49	49
OF TOBACCO :CASUALLY		25	43	0	0	4	0	8	7	3
IN ANY FORM.:NOT CONSUMING		702	913	0	0	796	950	777	944	346
: ALL		1000	1000	0	0	1000	1000	1000	1000	398
-----										
ESTD. PERSON:REGULARLY		14	2	0	0	40	9	53	11	X
REPORTING(00): CASUALLY		1	2	0	0	1	0	2	2	X
CONSUMP. OF : NOT CONSUMING		35	34	0	0	158	181	193	214	X
TOBACCO : ALL		50	37	0	0	198	190	248	227	X
-----										
SAMPLE PERSON:REGULARLY		12	1	0	0	30	6	42	7	X
REPORTING : CASUALLY		1	1	0	0	1	0	2	1	X
CONSUMP. OF : NOT CONSUMING		28	30	0	0	135	153	163	183	X
TOBACCO : ALL		41	32	0	0	166	159	207	191	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

DELHI	RURAL				NO.OF	SAMPLE VILLAGES:	7		
-----									
FORMS OF TOBACCO	NUMBER PER 1000								
CONSUMPTION.	SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
	TRIBES		CASTE		MALE	FEMALE	MALE	FEMALE	PERSONS
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----									
SMOKING >>>: REGULARLY	575	253	276	0	265	17	270	25	42
: CASUALLY	0	0	0	0	0	0	0	0	0
: NOT CONSUMING	425	747	724	1000	735	983	730	975	202
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	244
-----									
CHEWING >>>: REGULARLY	0	0	64	0	32	0	36	0	4
ZARDA : CASUALLY	0	0	0	0	0	0	0	0	0
DOKTA ETC : NOT CONSUMING	1000	1000	936	1000	968	1000	964	1000	240
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	244
-----									
SNUFF >>>: REGULARLY	0	0	0	0	0	0	0	0	0
: CASUALLY	0	0	0	0	0	0	0	0	0
: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	244
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	244
-----									
BURNT >>>: REGULARLY	0	0	64	0	0	0	10	0	1
TOBACCO/ : CASUALLY	0	0	0	0	0	0	0	0	0
POWDER/PASTE:NOT CONSUMING	1000	1000	936	1000	1000	1000	990	1000	243
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	244
-----									
CONSUMPTION :REGULARLY	575	253	340	0	287	17	299	25	45
OF TOBACCO :CASUALLY	0	0	0	0	0	0	0	0	0
IN ANY FORM.:NOT CONSUMING	425	747	660	1000	713	983	701	975	199
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	244
-----									
ESTD. PERSON:REGULARLY	36	36	301	0	1299	42	1635	78	X
REPORTING(00): CASUALLY	0	0	0	0	0	0	0	0	X
CONSUMP. OF : NOT CONSUMING	26	105	586	496	3224	2433	3836	3034	X
TOBACCO : ALL	62	141	887	496	4523	2476	5472	3112	X
-----									
SAMPLE PERSON:REGULARLY	1	1	7	0	34	2	42	3	X
REPORTING : CASUALLY	0	0	0	0	0	0	0	0	X
CONSUMP. OF : NOT CONSUMING	1	4	17	15	87	75	105	94	X
TOBACCO : ALL	2	5	24	15	121	77	147	97	X
-----									

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

LAKSHADWEEP		RURAL				NO.OF		SAMPLE VILLAGES:		7
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
CONSUMPTION.										
(1)		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE PERSONS
		TRIBES		CASTE		MALE	FEMALE	MALE	FEMALE	
		MALE	FEMALE	MALE	FEMALE					
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		
-----										
SMOKING >>>:	REGULARLY	155	7	158	0	1000	0	162	5	35
	: CASUALLY	20	0	142	0	0	0	48	0	9
	: NOT CONSUMING	825	993	700	1000	0	1000	790	995	347
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	391
-----										
CHEWING >>>:	REGULARLY	115	133	0	143	0	0	87	134	47
ZARDA	: CASUALLY	0	20	24	61	0	0	6	29	8
DOKTA ETC	: NOT CONSUMING	885	847	976	796	1000	1000	907	836	336
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	391
-----										
SNUFF >>>:	REGULARLY	0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	391
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	391
-----										
BURNT >>>:	REGULARLY	14	0	0	0	0	0	11	0	1
TOBACCO/	: CASUALLY	0	0	0	0	0	0	0	0	0
POWDER/PASTE:	NOT CONSUMING	986	1000	1000	1000	1000	1000	989	1000	390
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	391
-----										
CONSUMPTION :	REGULARLY	274	140	158	143	1000	0	252	140	81
OF TOBACCO :	CASUALLY	20	20	142	61	0	0	48	29	16
IN ANY FORM.:	NOT CONSUMING	706	840	700	796	0	1000	700	831	294
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	391
-----										
ESTD. PERSON:	REGULARLY	18	11	3	3	1	0	22	14	X
REPORTING(00):	CASUALLY	1	2	3	1	0	0	4	3	X
CONSUMP. OF :	NOT CONSUMING	46	65	14	19	0	1	60	84	X
TOBACCO :	ALL	65	78	20	23	1	1	86	102	X
-----										
SAMPLE PERSON:	REGULARLY	43	25	6	6	1	0	50	31	X
REPORTING :	CASUALLY	3	4	6	3	0	0	9	7	X
CONSUMP. OF :	NOT CONSUMING	102	128	27	36	0	1	129	165	X
TOBACCO :	ALL	148	157	39	45	1	1	188	203	X
-----										

TABLE (3B): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

PONDICHERY		RURAL				NO.OF		SAMPLE VILLAGES:		7
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
CONSUMPTION.										
		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	0	0	120	0	148	15	135	9	21
	: CASUALLY	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	880	1000	852	985	865	991	304
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	325
-----										
CHEWING >>>>:	REGULARLY	0	0	18	0	67	49	46	28	15
ZARDA	: CASUALLY	0	0	0	0	0	0	0	0	0
DOKTA ETC	: NOT CONSUMING	1000	1000	982	1000	933	951	954	972	310
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	325
-----										
SNUFF >>>>:	REGULARLY	0	0	0	0	18	0	10	0	2
	: CASUALLY	0	0	0	0	0	0	0	0	0
	: NOT CONSUMING	1000	1000	1000	1000	982	1000	990	1000	323
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	325
-----										
BURNT >>>>:	REGULARLY	0	0	0	0	0	3	0	2	1
TOBACCO/	: CASUALLY	0	0	0	0	0	0	0	0	0
POWDER/PASTE:	NOT CONSUMING	1000	1000	1000	1000	1000	997	1000	998	324
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	325
-----										
CONSUMPTION :	REGULARLY	0	0	120	0	197	67	163	39	35
OF TOBACCO :	CASUALLY	0	0	0	0	0	0	0	0	0
IN ANY FORM.:	NOT CONSUMING	1000	1000	880	1000	803	933	837	961	290
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	325
-----										
ESTD. PERSON:	REGULARLY	0	0	75	0	168	49	243	49	X
REPORTING(00):	CASUALLY	0	0	0	0	0	0	0	0	X
CONSUMP. OF :	NOT CONSUMING	15	45	547	477	682	686	1244	1207	X
TOBACCO :	ALL	15	45	622	477	850	735	1487	1257	X
-----										
SAMPLE PERSON:	REGULARLY	0	0	7	0	19	9	26	9	X
REPORTING :	CASUALLY	0	0	0	0	0	0	0	0	X
CONSUMP. OF :	NOT CONSUMING	1	3	43	39	108	96	152	138	X
TOBACCO :	ALL	1	3	50	39	127	105	178	147	X
-----										

TABLE (3R): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ALL-INDIA		RURAL				NO.OF		SAMPLE VILLAGES:		6951
-----										
FORMS OF TOBACCO		NUMBER PER 1000								
-----										
CONSUMPTION.		SCHEDULED		SCHEDULED		OTHERS		ALL		SAMPLE
		TRIBES		CASTE						PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-----										
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----										
SMOKING >>>>:	REGULARLY	255	35	244	22	202	13	217	17	42691
	: CASUALLY	16	5	16	2	16	2	16	2	3975
	: NOT CONSUMING	729	961	740	976	782	985	767	981	309623
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	356289
-----										
CHEWING >>>>:	REGULARLY	161	80	118	44	103	31	112	39	25959
ZARDA	: CASUALLY	20	9	15	4	13	5	14	5	4400
DOKTA ETC	: NOT CONSUMING	819	911	867	952	884	964	874	956	325930
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	356289
-----										
SNUFF >>>>:	REGULARLY	9	12	4	4	4	5	5	6	1624
	: CASUALLY	1	1	1	0	1	1	1	1	237
	: NOT CONSUMING	990	987	995	995	995	994	994	994	354428
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	356289
-----										
BURNT >>>>:	REGULARLY	31	37	29	26	25	23	27	25	8433
TOBACCO/	: CASUALLY	2	1	3	2	3	1	3	1	845
POWDER/PASTE:	NOT CONSUMING	966	962	967	973	972	976	971	973	347011
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	356289
-----										
CONSUMPTION :	REGULARLY	407	153	348	89	297	68	319	82	70628
OF TOBACCO :	CASUALLY	13	11	17	7	17	7	17	7	5462
IN ANY FORM.:	NOT CONSUMING	579	837	636	904	686	925	664	911	280199
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	356289
-----										
ESTD. PERSON:	REGULARLY	131262	47436	222150	53202	607670	131491	961082	232129	X
REPORTING(00):	CASUALLY	4297	3273	10709	3920	35327	12587	50333	19780	X
CONSUMP. OF :	NOT CONSUMING	186755	259736	406210	537582	1405991	1789297	1998955	2586614	X
TOBACCO	: ALL	322313	310445	639069	594704	2048988	1933375	3010370	2838524	X
-----										
SAMPLE PERSON:	REGULARLY	10187	3693	10884	2570	35791	7503	56862	13766	X
REPORTING :	CASUALLY	626	714	584	223	2349	966	3559	1903	X
CONSUMP. OF :	NOT CONSUMING	15649	20640	20654	27061	86798	109397	123101	157098	X
TOBACCO	: ALL	26462	25047	32122	29854	124938	117866	183522	172767	X
-----										







TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ANDHRA PRADESH		URBAN				NO.OF SAMPLE BLOCK:		365		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		262	29	233	25	182	11	189	12	1550
: CASUALLY		3	0	12	2	4	0	5	0	49
: NOT CONSUMING		734	971	755	973	814	989	806	988	14313
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	15912
CHEWING >>>>: REGULARLY		0	2	2	2	6	11	6	10	125
ZARDA : CASUALLY		0	0	2	0	2	0	2	0	20
DOKTA ETC : NOT CONSUMING		1000	998	996	998	992	989	993	990	15767
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	15912
SMUFF >>>>: REGULARLY		0	0	0	4	2	1	1	1	17
: CASUALLY		0	0	0	0	0	0	0	0	2
: NOT CONSUMING		1000	1000	1000	996	998	999	998	999	15893
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	15912
BURNT >>>>: REGULARLY		3	9	9	27	2	6	3	8	86
TOBACCO/ : CASUALLY		0	0	0	0	0	0	0	0	5
POWDER/PASTE:NOT CONSUMING		997	991	991	973	997	993	997	991	15821
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	15912
CONSUMPTION OF TOBACCO IN ANY FORM.:REGULARLY		265	40	240	58	190	28	196	31	1758
:CASUALLY		3	0	12	2	5	1	6	1	60
:NOT CONSUMING		731	960	748	940	805	971	798	968	14094
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	15912
ESTD. PERSON:REGULARLY		627	88	1703	392	13916	2000	16245	2480	X
REPORTING(00): CASUALLY		8	0	84	13	385	58	477	70	X
CONSUMP. OF TOBACCO : NOT CONSUMING		1728	2119	5301	6313	59060	68251	66090	76683	X
: ALL		2363	2208	7088	6718	73361	70308	82812	79234	X
SAMPLE PERSON:REGULARLY		52	9	179	40	1306	172	1537	221	X
REPORTING : CASUALLY		1	0	8	1	42	8	51	9	X
CONSUMP. OF TOBACCO : NOT CONSUMING		146	178	511	632	5928	6699	6585	7509	X
: ALL		199	187	698	673	7276	6879	8173	7739	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ARUNACHAL PRADESH		URBAN				NO.OF SAMPLE BLOCK:		24		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		116	26	25	0	161	23	144	23	81
: CASUALLY		36	13	282	95	23	0	40	8	20
: NOT CONSUMING		849	961	693	905	816	977	816	969	737
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	838
-----										
CHEWING >>>>: REGULARLY		30	19	282	0	69	30	72	26	50
ZARDA : CASUALLY		22	23	71	0	80	41	67	34	49
DOKTA ETC : NOT CONSUMING		948	958	647	1000	850	929	861	940	739
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	838
-----										
SMUFF >>>>: REGULARLY		0	0	0	0	0	0	0	0	0
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		1000	1000	1000	1000	1000	1000	1000	1000	838
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	838
-----										
BURNT >>>>: REGULARLY		23	12	0	0	35	0	30	3	14
TOBACCO/ : CASUALLY		30	19	0	0	19	0	20	5	12
POWDER/PASTE:NOT CONSUMING		946	969	1000	1000	947	1000	949	992	812
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	838
-----										
CONSUMPTION OF TOBACCO IN ANY FORM.:REGULARLY		156	58	307	0	243	53	228	52	135
:CASUALLY		49	23	141	95	73	26	72	28	51
:NOT CONSUMING		795	918	552	905	683	921	701	920	652
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	838
-----										
ESTD. PERSON:REGULARLY		15	6	7	0	79	13	102	19	X
REPORTING(00): CASUALLY		5	2	3	2	24	6	32	10	X
CONSUMP. OF TOBACCO : NOT CONSUMING		78	88	13	16	222	233	313	337	X
: ALL		98	96	24	18	325	253	447	366	X
-----										
SAMPLE PERSON:REGULARLY		17	6	5	0	93	14	115	20	X
REPORTING : CASUALLY		6	3	2	1	30	9	38	13	X
CONSUMP. OF TOBACCO : NOT CONSUMING		74	88	10	15	231	234	315	337	X
: ALL		97	97	17	16	354	257	468	370	X
-----										

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ASSAM	URBAN		NO.OF SAMPLE BLOCK:		88				
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000							
(1)	SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	(10)
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY	274	0	291	40	231	3	237	5	493
: CASUALLY	39	0	59	0	53	2	52	2	118
: NOT CONSUMING	687	1000	650	960	716	995	711	993	3178
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	3789
CHEWING >>>>: REGULARLY	147	30	83	15	92	22	93	22	240
ZARDA : CASUALLY	45	18	46	25	41	12	42	14	109
DOKTA ETC : NOT CONSUMING	807	952	871	960	867	965	865	964	3440
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	3789
SNUFF >>>>: REGULARLY	0	0	16	0	5	0	6	0	13
: CASUALLY	0	0	0	0	0	0	0	0	1
: NOT CONSUMING	1000	1000	984	1000	994	1000	994	1000	3775
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	3789
BURNT >>>>: REGULARLY	20	9	27	0	8	1	10	1	24
TOBACCO/ : CASUALLY	0	0	0	0	1	0	1	0	2
POWDER/PASTE:NOT CONSUMING	980	991	973	1000	991	999	990	999	3763
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	3789
CONSUMPTION OF TOBACCO IN ANY FORM. :REGULARLY	366	39	372	55	309	26	315	28	699
:CASUALLY	23	18	46	25	57	15	55	16	148
: NOT CONSUMING	611	943	582	920	634	960	630	956	2942
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	3789
ESTD. PERSON:REGULARLY	151	16	258	38	2975	222	3385	276	X
REPORTING(00): CASUALLY	10	7	32	17	547	127	589	151	X
CONSUMP. OF TOBACCO : NOT CONSUMING	253	379	403	638	6112	8323	6768	9340	X
: ALL	414	402	693	693	9635	8672	10741	9768	X
SAMPLE PERSON:REGULARLY	38	4	59	8	547	43	644	55	X
REPORTING : CASUALLY	1	2	9	3	110	23	120	28	X
CONSUMP. OF TOBACCO : NOT CONSUMING	51	78	89	140	1093	1491	1233	1709	X
: ALL	90	84	157	151	1750	1557	1997	1792	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

BIHAR		URBAN				NO.OF SAMPLE BLOCK:		216		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		88	13	56	2	62	7	63	7	371
: CASUALLY		24	0	27	6	20	1	21	2	132
: NOT CONSUMING		888	987	917	992	917	992	916	991	10096
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	10599
-----										
CHEWING >>>>: REGULARLY		222	62	175	13	145	11	153	14	863
ZARDA : CASUALLY		32	0	4	1	15	3	15	3	97
DOKTA ETC : NOT CONSUMING		746	938	821	986	840	985	833	983	9639
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	10599
-----										
SNUFF >>>>: REGULARLY		0	0	0	0	0	0	0	0	1
: CASUALLY		0	0	0	0	1	0	1	0	5
: NOT CONSUMING		1000	1000	1000	1000	998	1000	999	1000	10593
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	10599
-----										
BURNT >>>>: REGULARLY		60	5	67	1	43	2	47	2	283
TOBACCO/ : CASUALLY		3	0	5	0	3	1	4	1	22
POWDER/PASTE:NOT CONSUMING		937	995	929	999	954	997	950	997	10294
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	10599
-----										
CONSUMPTION : REGULARLY		334	80	260	16	219	20	230	23	1346
OF TOBACCO : CASUALLY		29	0	13	7	22	4	21	4	139
IN ANY FORM. : NOT CONSUMING		637	920	727	977	759	976	749	973	9114
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	10599
-----										
ESTD. PERSON:REGULARLY		754	178	1584	78	8366	625	10704	881	X
REPORTING(00): CASUALLY		66	0	82	34	836	117	983	151	X
CONSUMP. OF : NOT CONSUMING		1440	2040	4431	4704	28999	30798	34870	37542	X
TOBACCO : ALL		2260	2218	6097	4815	38201	31541	46558	38574	X
-----										
SAMPLE PERSON:REGULARLY		82	18	189	10	979	68	1250	96	X
REPORTING : CASUALLY		6	0	10	4	107	12	123	16	X
CONSUMP. OF : NOT CONSUMING		166	214	517	555	3708	3954	4391	4723	X
TOBACCO : ALL		254	232	716	569	4794	4034	5764	4835	X
-----										

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

GOA	URBAN		NO.OF SAMPLE BLOCK:		22				
-----									
FORMS OF TOBACCO									
CONSUMPTION.									
NUMBER PER 1000									
-----									
SCHEDULED SCHEDULED OTHERS ALL SAMPLE									
TRIBES CASTE PERSONS									
MALE FEMALE MALE FEMALE MALE FEMALE MALE FEMALE									
-----									
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----									
SMOKING >>>>: REGULARLY	186	0	76	229	145	8	144	16	71
: CASUALLY	151	0	0	0	12	0	16	0	6
: NOT CONSUMING	663	1000	924	771	843	992	840	984	770
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	847
-----									
CHEWING >>>>: REGULARLY	151	0	424	0	25	6	37	6	15
ZARDA : CASUALLY	0	0	0	0	0	0	0	0	0
DOKTA ETC : NOT CONSUMING	849	1000	576	1000	975	994	963	994	832
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	847
-----									
SNUFF >>>>: REGULARLY	0	0	0	0	0	0	0	0	0
: CASUALLY	0	0	0	0	0	0	0	0	0
: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	847
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	847
-----									
BURNT >>>>: REGULARLY	91	79	0	0	12	13	14	15	10
TOBACCO/ : CASUALLY	0	0	0	0	0	0	0	0	0
POWDER/PASTE:NOT CONSUMING	909	921	1000	1000	988	987	986	985	837
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	847
-----									
CONSUMPTION :REGULARLY	337	79	500	229	172	27	184	35	90
OF TOBACCO :CASUALLY	0	0	0	0	9	0	8	0	4
IN ANY FORM.:NOT CONSUMING	663	921	500	771	819	973	807	965	753
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	847
-----									
ESTD. PERSON:REGULARLY	17	4	24	14	324	47	365	65	X
REPORTING(00): CASUALLY	0	0	0	0	16	0	16	0	X
CONSUMP. OF : NOT CONSUMING	32	52	24	48	1541	1696	1598	1796	X
TOBACCO : ALL	49	57	48	62	1882	1743	1979	1861	X
-----									
SAMPLE PERSON:REGULARLY	3	1	4	1	73	8	80	10	X
REPORTING : CASUALLY	0	0	0	0	4	0	4	0	X
CONSUMP. OF : NOT CONSUMING	7	10	9	8	342	377	358	395	X
TOBACCO : ALL	10	11	13	9	419	385	442	405	X
-----									

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

GUJARAT		URBAN				NO.OF SAMPLE BLOCK:		238		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		300	4	172	7	148	1	157	2	885
: CASUALLY		15	0	8	1	7	1	8	1	77
: NOT CONSUMING		685	996	821	991	845	997	835	997	9991
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	10953
-----										
CHEWING >>>>: REGULARLY		91	0	76	1	48	4	53	4	348
ZARDA : CASUALLY		4	0	9	0	10	1	10	1	59
DOKTA ETC : NOT CONSUMING		906	1000	915	999	942	995	938	995	10546
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	10953
-----										
SNUFF >>>>: REGULARLY		0	37	0	17	2	20	2	20	103
: CASUALLY		0	0	0	0	0	1	0	1	4
: NOT CONSUMING		1000	963	1000	983	997	979	998	979	10846
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	10953
-----										
BURNT >>>>: REGULARLY		8	0	5	1	5	0	5	0	36
TOBACCO/ : CASUALLY		0	0	0	0	1	0	1	0	3
POWDER/PASTE:NOT CONSUMING		992	1000	995	999	994	1000	994	1000	10914
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	10953
-----										
CONSUMPTION :REGULARLY		386	41	240	25	195	25	209	26	1308
OF TOBACCO :CASUALLY		15	0	13	1	14	3	14	3	107
IN ANY FORM.:NOT CONSUMING		599	959	748	973	791	972	777	971	9538
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	10953
-----										
ESTD. PERSON:REGULARLY		1150	108	1746	165	10796	1279	13692	1553	X
REPORTING(00): CASUALLY		45	0	92	10	777	146	913	156	X
CONSUMP. OF : NOT CONSUMING		1782	2549	5442	6328	43747	49032	50970	57909	X
TOBACCO : ALL		2977	2657	7279	6502	55320	50458	65576	59617	X
-----										
SAMPLE PERSON:REGULARLY		82	13	138	18	959	98	1179	129	X
REPORTING : CASUALLY		4	0	10	2	80	11	94	13	X
CONSUMP. OF : NOT CONSUMING		166	209	464	552	3908	4239	4538	5000	X
TOBACCO : ALL		252	222	612	572	4947	4348	5811	5142	X
-----										

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

HARYANA		URBAN				NO.OF SAMPLE BLOCK:		70		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		337	0	285	16	216	6	229	8	377
: CASUALLY		0	0	13	18	15	2	15	4	28
: NOT CONSUMING		663	1000	702	966	769	993	757	988	2718
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	3123
-----										
CHEWING >>>>: REGULARLY		0	0	44	0	8	2	14	2	22
ZARDA : CASUALLY		0	0	4	0	2	0	2	0	5
DOKTA ETC : NOT CONSUMING		1000	1000	951	1000	991	998	984	998	3096
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	3123
-----										
SNUFF >>>>: REGULARLY		0	0	0	0	1	2	1	2	3
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		1000	1000	1000	1000	999	998	999	998	3120
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	3123
-----										
BURNT >>>>: REGULARLY		0	0	2	0	1	1	1	1	6
TOBACCO/ : CASUALLY		0	0	0	0	0	0	0	0	1
POWDER/PASTE:NOT CONSUMING		1000	1000	998	1000	999	999	998	999	3116
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	3123
-----										
CONSUMPTION OF TOBACCO IN ANY FORM.:	REGULARLY	337	0	319	16	223	11	241	12	400
	:CASUALLY	0	0	13	18	16	1	15	4	29
	: NOT CONSUMING	663	1000	668	966	761	988	744	984	2694
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	3123
-----										
ESTD. PERSON:REGULARLY		36	0	1383	56	4381	183	5800	239	X
REPORTING(00): CASUALLY		0	0	56	63	311	16	367	79	X
CONSUMP. OF TOBACCO	: NOT CONSUMING	70	74	2891	3369	14943	16365	17904	19807	X
	: ALL	106	74	4330	3487	19635	16564	24071	20125	X
-----										
SAMPLE PERSON:REGULARLY		2	0	78	4	302	14	382	18	X
REPORTING : CASUALLY		0	0	3	2	23	1	26	3	X
CONSUMP. OF TOBACCO	: NOT CONSUMING	6	6	183	206	1094	1199	1283	1411	X
	: ALL	8	6	264	212	1419	1214	1691	1432	X
-----										

Report



TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

HIMACHAL PRADESH		URBAN				NO.OF SAMPLE BLOCK:		40		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		210	304	240	46	199	12	207	25	190
: CASUALLY		0	0	10	6	21	0	18	1	17
: NOT CONSUMING		790	696	750	948	780	988	774	973	1265
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1472
-----										
CHEWING >>>>: REGULARLY		0	0	6	0	6	0	6	0	6
ZARDA : CASUALLY		0	0	0	0	0	3	0	2	1
DOKTA ETC : NOT CONSUMING		1000	1000	994	1000	994	997	994	998	1465
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1472
-----										
SNUFF >>>>: REGULARLY		0	0	0	0	0	1	0	1	1
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		1000	1000	1000	1000	1000	999	1000	999	1471
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1472
-----										
BURNT >>>>: REGULARLY		0	0	14	6	1	0	4	1	5
TOBACCO/ : CASUALLY		0	0	0	0	0	0	0	0	0
POWDER/PASTE:NOT CONSUMING		1000	1000	986	994	999	1000	996	999	1467
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1472
-----										
CONSUMPTION : REGULARLY		210	304	260	52	206	13	217	27	201
OF TOBACCO : CASUALLY		0	0	10	0	21	3	18	2	17
IN ANY FORM. : NOT CONSUMING		790	696	730	948	773	984	765	970	1254
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1472
-----										
ESTD. PERSON:REGULARLY		8	13	117	19	389	19	515	51	X
REPORTING(00): CASUALLY		0	0	4	0	39	4	44	4	X
CONSUMP. OF : NOT CONSUMING		32	30	328	340	1459	1415	1819	1786	X
TOBACCO : ALL		40	43	450	359	1888	1438	2377	1840	X
-----										
SAMPLE PERSON:REGULARLY		2	3	34	5	150	7	186	15	X
REPORTING : CASUALLY		0	0	1	0	15	1	16	1	X
CONSUMP. OF : NOT CONSUMING		12	9	91	93	508	541	611	643	X
TOBACCO : ALL		14	12	126	98	673	549	813	659	X
-----										

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

JAMMU & KASHMIR		URBAN				NO.OF SAMPLE BLOCK:		53		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		17	0	213	10	129	1	138	2	185
: CASUALLY		0	0	18	0	15	0	15	0	19
: NOT CONSUMING		983	1000	769	990	857	999	847	998	2345
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	2549
-----										
CHEWING >>>>: REGULARLY		0	0	10	0	6	0	6	0	5
ZARDA : CASUALLY		0	0	7	0	1	0	1	0	2
DOKTA ETC : NOT CONSUMING		1000	1000	983	1000	994	1000	992	1000	2542
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	2549
-----										
SNUFF >>>>: REGULARLY		0	0	0	0	0	0	0	0	0
: CASUALLY		0	0	0	0	1	0	1	0	1
: NOT CONSUMING		1000	1000	1000	1000	999	1000	1000	1000	2548
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	2549
-----										
BURNT >>>>: REGULARLY		0	0	0	0	2	0	2	0	2
TOBACCO/ : CASUALLY		0	0	0	0	1	1	1	1	2
POWDER/PASTE:NOT CONSUMING		1000	1000	1000	1000	998	999	998	999	2545
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	2549
-----										
CONSUMPTION OF TOBACCO IN ANY FORM. : REGULARLY		17	0	213	10	131	1	140	2	187
: CASUALLY		0	0	25	0	15	1	16	1	21
: NOT CONSUMING		983	1000	762	990	855	998	845	997	2341
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	2549
-----										
ESTD. PERSON:REGULARLY		1	0	81	4	324	3	405	6	X
REPORTING(00): CASUALLY		0	0	10	0	36	1	46	1	X
CONSUMP. OF TOBACCO : NOT CONSUMING		47	32	289	359	2115	2235	2451	2626	X
: ALL		48	32	380	363	2475	2239	2902	2634	X
-----										
SAMPLE PERSON:REGULARLY		1	0	42	2	140	2	183	4	X
REPORTING : CASUALLY		0	0	5	0	15	1	20	1	X
CONSUMP. OF TOBACCO : NOT CONSUMING		24	24	158	185	950	1000	1132	1209	X
: ALL		25	24	205	187	1105	1003	1335	1214	X
-----										

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

KARNATAKA		URBAN				NO.OF SAMPLE BLOCK:		247		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		221	0	200	5	141	2	151	2	898
: CASUALLY		18	0	9	0	12	1	12	1	80
: NOT CONSUMING		761	1000	791	995	847	997	837	997	10519
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	11497
CHEWING >>>>: REGULARLY		18	17	42	27	26	8	28	11	213
ZARDA : CASUALLY		12	2	5	5	6	3	6	3	48
DOKTA ETC : NOT CONSUMING		970	981	953	967	968	989	966	986	11236
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	11497
SNUFF >>>>: REGULARLY		0	5	0	11	3	2	3	3	30
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		1000	995	1000	989	997	998	997	997	11467
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	11497
BURNT >>>>: REGULARLY		11	30	5	20	1	7	2	9	55
TOBACCO/ : CASUALLY		0	0	2	0	0	0	1	0	3
POWDER/PASTE:NOT CONSUMING		989	970	993	980	999	993	998	991	11439
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	11497
CONSUMPTION : REGULARLY		239	46	230	47	163	17	174	22	1136
OF TOBACCO : CASUALLY		18	2	12	5	17	4	16	4	118
IN ANY FORM. : NOT CONSUMING		743	952	758	948	820	979	810	974	10243
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	11497
ESTD. PERSON:REGULARLY		492	93	1672	335	8415	829	10579	1256	X
REPORTING(00) : CASUALLY		36	4	88	38	860	193	984	235	X
CONSUMP. OF : NOT CONSUMING		1527	1908	5515	6739	42209	47508	49251	56155	X
TOBACCO : ALL		2055	2005	7274	7111	51484	48530	60813	57646	X
SAMPLE PERSON:REGULARLY		48	9	151	29	815	84	1014	122	X
REPORTING : CASUALLY		3	1	10	5	83	16	96	22	X
CONSUMP. OF : NOT CONSUMING		157	194	497	614	4137	4644	4791	5452	X
TOBACCO : ALL		208	204	658	648	5035	4744	5901	5596	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

KERALA		URBAN				NO.OF SAMPLE BLOCK:		183		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		270	0	301	12	203	4	210	4	795
: CASUALLY		6	0	40	0	33	1	34	1	156
: NOT CONSUMING		724	1000	658	988	763	995	756	995	7230
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8181
-----										
CHEWING >>>>: REGULARLY		60	0	21	74	18	27	18	29	192
ZARDA : CASUALLY		0	0	8	11	8	5	8	5	50
DOKTA ETC : NOT CONSUMING		940	1000	972	915	974	968	973	965	7939
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8181
-----										
SNUFF >>>>: REGULARLY		0	0	10	0	5	0	5	0	22
: CASUALLY		0	0	0	0	2	0	2	0	6
: NOT CONSUMING		1000	1000	990	1000	993	1000	993	1000	8153
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8181
-----										
BURNT >>>>: REGULARLY		0	0	0	0	0	1	0	1	7
TOBACCO/ : CASUALLY		0	0	0	0	1	0	1	0	3
POWDER/PASTE:NOT CONSUMING		1000	1000	1000	1000	999	999	999	999	8171
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8181
-----										
CONSUMPTION OF TOBACCO IN ANY FORM.:REGULARLY		330	0	318	86	219	31	226	34	985
:CASUALLY		6	0	38	11	36	6	36	6	185
: NOT CONSUMING		664	1000	644	903	744	963	738	960	7011
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8181
-----										
ESTD. PERSON:REGULARLY		68	0	555	145	5745	854	6368	999	X
REPORTING(00): CASUALLY		1	0	66	19	954	157	1021	176	X
CONSUMP. OF TOBACCO : NOT CONSUMING		136	211	1125	1527	19507	26567	20768	28305	X
: ALL		205	211	1747	1691	26205	27579	28158	29480	X
-----										
SAMPLE PERSON:REGULARLY		10	0	70	19	761	125	841	144	X
REPORTING : CASUALLY		1	0	8	4	146	26	155	30	X
CONSUMP. OF TOBACCO : NOT CONSUMING		18	31	150	201	2793	3818	2961	4050	X
: ALL		29	31	228	224	3700	3969	3957	4224	X
-----										

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

MADHYA PRADESH		URBAN				NO.OF SAMPLE BLOCK:		325		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		211	3	200	8	134	5	151	5	1249
: CASUALLY		17	3	20	6	16	0	17	1	151
: NOT CONSUMING		773	994	780	986	850	995	832	993	14504
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	15904
CHEWING >>>>: REGULARLY		97	43	106	47	89	26	93	31	1018
ZARDA : CASUALLY		10	0	22	9	10	1	12	2	124
DOKTA ETC : NOT CONSUMING		893	957	872	944	900	973	895	967	14762
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	15904
SNUFF >>>>: REGULARLY		2	1	7	6	5	6	5	6	66
: CASUALLY		0	3	8	5	2	1	3	2	26
: NOT CONSUMING		998	996	985	989	993	992	992	992	15812
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	15904
BURNT >>>>: REGULARLY		36	30	10	10	18	11	18	12	214
TOBACCO/ : CASUALLY		0	0	10	8	1	1	3	2	33
POWDER/PASTE:NOT CONSUMING		964	970	980	983	981	988	980	986	15657
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	15904
CONSUMPTION OF TOBACCO IN ANY FORM.:	REGULARLY	298	72	286	66	219	46	236	51	2291
	:CASUALLY	9	6	27	13	17	2	18	4	181
	:NOT CONSUMING	693	922	687	921	764	953	746	945	13432
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	15904
ESTD. PERSON:REGULARLY		1639	326	3929	821	13074	2420	18642	3568	X
REPORTING(00): CASUALLY		50	26	372	160	990	86	1412	272	X
CONSUMP. OF TOBACCO	: NOT CONSUMING	3817	4194	9448	11406	45577	50541	58842	66141	X
	: ALL	5507	4546	13749	12387	59642	53047	78897	69981	X
SAMPLE PERSON:REGULARLY		143	27	380	79	1419	243	1942	349	X
REPORTING	: CASUALLY	8	2	36	17	111	7	155	26	X
CONSUMP. OF TOBACCO	: NOT CONSUMING	324	388	889	1097	5083	5651	6296	7136	X
	: ALL	475	417	1305	1193	6613	5901	8393	7511	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

MAHARASHTRA		URBAN				NO.OF SAMPLE BLOCK:		557		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		101	4	112	0	82	2	87	2	1147
: CASUALLY		10	0	6	0	14	1	13	1	184
: NOT CONSUMING		889	996	881	1000	904	997	900	997	22913
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	24244
-----										
CHEWING >>>>: REGULARLY		149	61	106	68	87	24	92	32	1456
ZARDA : CASUALLY		4	4	9	1	7	1	7	2	92
DOKTA ETC : NOT CONSUMING		847	934	886	931	906	975	901	967	22696
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	24244
-----										
SNUFF >>>>: REGULARLY		3	7	2	3	3	2	3	2	62
: CASUALLY		0	0	0	0	0	0	0	0	3
: NOT CONSUMING		997	993	998	997	997	998	997	997	24179
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	24244
-----										
BURNT >>>>: REGULARLY		51	43	54	59	19	26	25	32	677
TOBACCO/ : CASUALLY		0	0	0	0	1	1	1	1	20
POWDER/PASTE:NOT CONSUMING		949	957	946	941	980	973	974	967	23547
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	24244
-----										
CONSUMPTION OF TOBACCO IN ANY FORM. : REGULARLY		267	105	242	120	175	50	188	62	3017
: CASUALLY		12	4	13	1	17	3	16	3	234
: NOT CONSUMING		721	890	745	879	808	947	796	935	20993
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	24244
-----										
ESTD. PERSON:REGULARLY		1356	555	4836	2180	20300	5176	26492	7911	X
REPORTING(00): CASUALLY		61	24	263	22	1984	317	2308	363	X
CONSUMP. OF TOBACCO : NOT CONSUMING		3652	4705	14881	15942	93503	98477	112037	119124	X
: ALL		5069	5284	19980	18144	115787	103970	140836	127398	X
-----										
SAMPLE PERSON:REGULARLY		115	52	381	195	1816	458	2312	705	X
REPORTING : CASUALLY		4	2	25	2	172	29	201	33	X
CONSUMP. OF TOBACCO : NOT CONSUMING		325	397	1138	1269	8679	9185	10142	10851	X
: ALL		444	451	1544	1466	10667	9672	12655	11589	X
-----										

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

MANIPUR		URBAN				NO.OF SAMPLE BLOCK:		70		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		290	35	195	0	227	81	235	73	631
: CASUALLY		0	12	153	0	32	25	30	23	105
: NOT CONSUMING		710	953	652	1000	741	894	735	905	2963
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	3699
CHEWING >>>>: REGULARLY		32	5	0	0	30	7	29	6	82
ZARDA : CASUALLY		84	2	0	0	36	12	42	10	119
DOKTA ETC : NOT CONSUMING		884	993	1000	1000	934	982	929	984	3498
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	3699
SNUFF >>>>: REGULARLY		5	0	0	0	0	0	1	0	2
: CASUALLY		0	0	0	0	0	0	0	0	1
: NOT CONSUMING		995	1000	1000	1000	999	1000	999	1000	3696
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	3699
BURNT >>>>: REGULARLY		0	0	0	0	10	1	9	1	32
TOBACCO/ : CASUALLY		0	0	0	0	2	3	1	3	13
POWDER/PASTE:NOT CONSUMING		1000	1000	1000	1000	988	996	990	997	3654
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	3699
CONSUMPTION OF TOBACCO IN ANY FORM. : REGULARLY		292	37	195	0	240	87	246	78	664
: CASUALLY		5	14	153	0	42	33	39	30	151
: NOT CONSUMING		703	949	652	1000	718	880	714	892	2884
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	3699
ESTD. PERSON:REGULARLY		83	12	7	0	416	150	507	161	X
REPORTING(00): CASUALLY		2	5	6	0	74	57	81	62	X
CONSUMP. OF TOBACCO : NOT CONSUMING		200	305	25	29	1244	1510	1470	1844	X
: ALL		285	322	38	29	1734	1717	2058	2067	X
SAMPLE PERSON:REGULARLY		55	8	12	0	444	145	511	153	X
REPORTING : CASUALLY		1	3	7	0	82	58	90	61	X
CONSUMP. OF TOBACCO : NOT CONSUMING		100	167	34	41	1147	1395	1281	1603	X
: ALL		156	178	53	41	1673	1598	1882	1817	X

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

MEGHALAYA		URBAN				NO.OF SAMPLE BLOCK:		48		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		385	22	294	0	285	17	346	20	370
	: CASUALLY	18	2	0	0	19	5	17	3	19
	: NOT CONSUMING	597	976	706	1000	697	978	637	977	1501
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1890
CHEWING >>>>: REGULARLY		6	19	28	0	107	38	42	24	60
ZARDA	: CASUALLY	3	65	0	0	26	44	11	56	63
DOKTA ETC	: NOT CONSUMING	990	916	972	1000	867	918	947	920	1767
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1890
SNUFF >>>>: REGULARLY		0	0	0	0	0	0	0	0	0
	: CASUALLY	0	0	0	0	0	4	0	1	1
	: NOT CONSUMING	1000	1000	1000	1000	1000	996	1000	999	1889
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1890
BURNT >>>>: REGULARLY		0	0	0	0	0	0	0	0	0
TOBACCO/	: CASUALLY	0	0	0	0	3	0	1	0	1
POWDER/PASTE:NOT CONSUMING		1000	1000	1000	1000	997	1000	999	1000	1889
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1890
CONSUMPTION OF TOBACCO IN ANY FORM.	: REGULARLY	387	41	322	0	367	54	377	44	419
	: CASUALLY	18	67	0	0	27	47	20	59	74
	: NOT CONSUMING	595	892	678	1000	607	898	603	898	1397
	: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1890
ESTD. PERSON REPORTING(00) CONSUMP. OF TOBACCO	: REGULARLY	241	27	16	0	130	16	387	43	X
	: CASUALLY	11	43	0	0	10	14	21	57	X
	: NOT CONSUMING	370	582	34	35	216	259	620	877	X
	: ALL	623	653	50	35	355	289	1028	977	X
SAMPLE PERSON REPORTING CONSUMP. OF TOBACCO	: REGULARLY	242	30	14	0	123	10	379	40	X
	: CASUALLY	10	43	0	0	9	12	19	55	X
	: NOT CONSUMING	365	539	32	33	196	232	593	804	X
	: ALL	617	612	46	33	328	254	991	899	X



TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

MIZORAM		URBAN				NO.OF SAMPLE BLOCK:		96		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS (10)
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		425	207	397	86	391	190	425	206	1392
: CASUALLY		48	78	66	148	34	0	48	78	266
: NOT CONSUMING		527	714	538	766	575	810	527	716	2707
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4365
-----										
CHEWING >>>>: REGULARLY		28	92	314	0	110	144	33	92	280
ZARDA : CASUALLY		49	84	77	204	0	0	49	83	246
DOKTA ETC : NOT CONSUMING		923	824	610	796	890	856	919	825	3839
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4365
-----										
SNUFF >>>>: REGULARLY		2	3	0	0	0	0	2	3	11
: CASUALLY		1	1	0	0	0	0	1	1	6
: NOT CONSUMING		998	996	1000	1000	1000	1000	998	996	4348
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4365
-----										
BURNT >>>>: REGULARLY		4	31	0	0	0	0	4	30	58
TOBACCO/ : CASUALLY		2	0	0	0	0	0	2	0	5
POWDER/PASTE:NOT CONSUMING		994	969	1000	1000	1000	1000	994	969	4302
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4365
-----										
CONSUMPTION : REGULARLY		450	325	710	86	475	334	454	324	1709
OF TOBACCO : CASUALLY		62	133	66	352	34	0	61	132	392
IN ANY FORM. : NOT CONSUMING		489	542	224	562	491	666	485	544	2264
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4365
-----										
ESTD. PERSON:REGULARLY		361	252	8	0	5	3	374	256	X
REPORTING(00): CASUALLY		50	103	1	2	0	0	51	105	X
CONSUMP. OF : NOT CONSUMING		392	421	3	2	5	6	400	430	X
TOBACCO : ALL		803	777	11	4	10	9	825	790	X
-----										
SAMPLE PERSON:REGULARLY		981	662	35	2	18	11	1034	675	X
REPORTING : CASUALLY		123	261	2	4	2	0	127	265	X
CONSUMP. OF : NOT CONSUMING		1042	1151	22	9	19	21	1083	1181	X
TOBACCO : ALL		2146	2074	59	15	39	32	2244	2121	X
-----										

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

NAGALAND		URBAN				NO.OF SAMPLE BLOCK:		24		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		180	0	363	0	209	0	192	0	127
: CASUALLY		19	0	0	0	14	0	17	0	9
: NOT CONSUMING		802	1000	637	1000	777	1000	791	1000	1036
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1172
-----										
CHEWING >>>>: REGULARLY		24	0	0	0	60	0	36	0	27
ZARDA : CASUALLY		20	0	110	0	21	0	21	0	18
DOKTA ETC : NOT CONSUMING		956	1000	890	1000	919	1000	942	1000	1127
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1172
-----										
SNUFF >>>>: REGULARLY		0	0	0	0	0	0	0	0	0
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		1000	1000	1000	1000	1000	1000	1000	1000	1172
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1172
-----										
BURNT >>>>: REGULARLY		0	0	0	0	40	0	14	0	8
TOBACCO/ : CASUALLY		0	0	0	0	0	0	0	0	0
POWDER/PASTE:NOT CONSUMING		1000	1000	1000	1000	960	1000	986	1000	1164
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1172
-----										
CONSUMPTION : REGULARLY		191	0	363	0	295	0	230	0	153
OF TOBACCO : CASUALLY		27	0	110	0	28	0	29	0	18
IN ANY FORM. : NOT CONSUMING		782	1000	526	1000	677	1000	741	1000	1001
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1172
-----										
ESTD. PERSON:REGULARLY		102	0	4	0	87	0	192	0	X
REPORTING(00): CASUALLY		14	0	1	0	8	0	24	0	X
CONSUMP. OF : NOT CONSUMING		416	415	6	2	198	164	620	582	X
TOBACCO : ALL		532	415	11	2	293	164	836	582	X
-----										
SAMPLE PERSON:REGULARLY		87	0	3	0	63	0	153	0	X
REPORTING : CASUALLY		11	0	1	0	6	0	18	0	X
CONSUMP. OF : NOT CONSUMING		378	359	7	4	138	115	523	478	X
TOBACCO : ALL		476	359	11	4	207	115	694	478	X
-----										

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ORISSA		URBAN				NO.OF SAMPLE BLOCK:		104		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		203	0	218	0	169	6	180	4	379
: CASUALLY		30	0	49	0	27	6	30	4	80
: NOT CONSUMING		767	1000	732	1000	803	988	790	991	4074
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4533
-----										
CHEWING >>>>: REGULARLY		171	111	260	200	128	81	151	101	521
ZARDA : CASUALLY		23	6	22	15	25	19	24	17	89
DOKTA ETC : NOT CONSUMING		806	882	717	785	847	900	825	883	3923
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4533
-----										
SNUFF >>>>: REGULARLY		10	0	3	3	11	1	10	1	32
: CASUALLY		0	0	0	0	1	5	1	4	7
: NOT CONSUMING		990	1000	997	997	988	994	989	995	4494
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4533
-----										
BURNT >>>>: REGULARLY		138	171	111	94	78	72	89	87	385
TOBACCO/ : CASUALLY		4	2	11	2	6	7	7	6	32
POWDER/PASTE:NOT CONSUMING		858	827	878	904	916	921	904	907	4116
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4533
-----										
CONSUMPTION :REGULARLY		390	269	390	262	269	146	299	177	1004
OF TOBACCO :CASUALLY		25	8	43	17	33	19	33	17	119
IN ANY FORM.:NOT CONSUMING		585	722	567	721	698	835	668	806	3410
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4533
-----										
ESTD. PERSON:REGULARLY		985	634	1098	672	4411	2095	6494	3402	X
REPORTING(00): CASUALLY		63	20	122	43	540	267	725	330	X
CONSUMP. OF : NOT CONSUMING		1476	1702	1596	1846	11422	11944	14494	15492	X
TOBACCO : ALL		2524	2356	2816	2562	16373	14306	21713	19224	X
-----										
SAMPLE PERSON:REGULARLY		92	61	99	64	454	234	645	359	X
REPORTING : CASUALLY		5	2	17	4	65	26	87	32	X
CONSUMP. OF : NOT CONSUMING		142	164	173	195	1319	1417	1634	1776	X
TOBACCO : ALL		239	227	289	263	1838	1677	2366	2167	X
-----										

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

PUNJAB		URBAN				NO.OF SAMPLE BLOCK:				196
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	(10)
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		70	0	174	2	104	1	120	1	486
: CASUALLY		0	0	6	0	11	0	9	0	42
: NOT CONSUMING		930	1000	820	998	885	999	871	999	8237
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8765
CHEWING >>>>: REGULARLY		0	0	27	0	12	1	15	1	58
ZARDA : CASUALLY		0	0	5	0	1	0	2	0	9
DOKTA ETC : NOT CONSUMING		1000	1000	967	1000	987	999	983	999	8698
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8765
SNUFF >>>>: REGULARLY		0	0	0	1	0	0	0	0	2
: CASUALLY		0	0	2	0	1	0	1	0	4
: NOT CONSUMING		1000	1000	998	999	999	1000	999	1000	8759
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8765
BURNT >>>>: REGULARLY		0	0	0	0	1	0	0	0	2
TOBACCO/ : CASUALLY		0	0	3	0	1	0	1	0	8
POWDER/PASTE:NOT CONSUMING		1000	1000	997	1000	998	1000	998	1000	8755
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8765
CONSUMPTION OF TOBACCO IN ANY FORM. : REGULARLY		70	0	189	3	112	1	129	2	527
: CASUALLY		0	0	9	0	12	0	11	0	49
: NOT CONSUMING		930	1000	802	997	876	998	860	998	8189
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8765
ESTD. PERSON:REGULARLY		17	0	1226	15	2426	27	3669	42	X
REPORTING(00): CASUALLY		0	0	60	0	250	6	310	6	X
CONSUMP. OF TOBACCO : NOT CONSUMING		223	142	5215	5610	18970	19575	24408	25326	X
: ALL		240	142	6500	5625	21647	19608	28387	25375	X
SAMPLE PERSON:REGULARLY		4	0	158	4	357	4	519	8	X
REPORTING : CASUALLY		0	0	12	0	35	2	47	2	X
CONSUMP. OF TOBACCO : NOT CONSUMING		29	17	719	771	3373	3280	4121	4068	X
: ALL		33	17	889	775	3765	3286	4687	4078	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

RAJASTHAN		URBAN				NO.OF SAMPLE BLOCK:				184
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	(10)
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		343	36	293	31	156	8	180	12	807
: CASUALLY		34	0	0	0	12	2	10	1	46
: NOT CONSUMING		623	964	707	969	832	991	809	986	7594
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8447
CHEWING >>>>: REGULARLY		61	0	42	11	47	12	47	11	241
ZARDA : CASUALLY		0	0	3	0	8	0	7	0	29
DOKTA ETC : NOT CONSUMING		939	1000	955	989	945	988	946	988	8177
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8447
SNUFF >>>>: REGULARLY		0	32	0	0	0	3	0	3	10
: CASUALLY		0	0	1	0	0	0	0	0	2
: NOT CONSUMING		1000	968	999	1000	1000	997	999	997	8435
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8447
BURNT >>>>: REGULARLY		0	64	6	0	3	2	4	2	21
TOBACCO/ : CASUALLY		0	0	1	0	0	0	1	0	6
POWDER/PASTE:NOT CONSUMING		1000	936	993	1000	996	998	996	997	8420
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8447
CONSUMPTION OF TOBACCO IN ANY FORM. : REGULARLY		357	100	322	42	195	23	218	27	1020
: CASUALLY		21	0	3	0	18	2	15	2	68
: NOT CONSUMING		623	900	676	958	787	975	767	971	7359
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	8447
ESTD. PERSON:REGULARLY		321	77	2363	295	7648	788	10331	1160	X
REPORTING(00): CASUALLY		19	0	19	0	690	64	728	64	X
CONSUMP. OF TOBACCO : NOT CONSUMING		560	694	4960	6786	30822	33761	36342	41241	X
: ALL		899	771	7342	7081	39160	34613	47401	42465	X
SAMPLE PERSON:REGULARLY		28	4	175	20	730	63	933	87	X
REPORTING : CASUALLY		2	0	2	0	56	8	60	8	X
CONSUMP. OF TOBACCO : NOT CONSUMING		51	69	405	527	3024	3283	3480	3879	X
: ALL		81	73	582	547	3810	3354	4473	3974	X

Report

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

SIKKIM									
URBAN									
NO.OF SAMPLE BLOCK: 16									
FORMS OF TOBACCO									
CONSUMPTION.									
NUMBER PER 1000									
(1)	SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	(10)
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY	29	0	94	0	133	2	109	1	36
: CASUALLY	49	0	162	0	69	0	68	0	25
: NOT CONSUMING	922	1000	744	1000	798	998	823	999	510
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	571
CHEWING >>>>: REGULARLY	63	0	83	0	121	4	107	3	39
ZARDA : CASUALLY	28	0	0	0	19	0	20	0	6
DOKTA ETC : NOT CONSUMING	909	1000	917	1000	860	996	873	997	526
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	571
SNUFF >>>>: REGULARLY	0	0	0	0	0	0	0	0	0
: CASUALLY	0	0	0	0	0	0	0	0	0
: NOT CONSUMING	1000	1000	1000	1000	1000	1000	1000	1000	571
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	571
BURNT >>>>: REGULARLY	14	0	0	0	20	0	18	0	6
TOBACCO/ : CASUALLY	0	0	0	0	0	0	0	0	0
POWDER/PASTE:NOT CONSUMING	986	1000	1000	1000	980	1000	982	1000	565
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	571
CONSUMPTION :REGULARLY	93	0	94	0	249	6	210	5	73
OF TOBACCO :CASUALLY	60	0	162	0	88	0	84	0	30
IN ANY FORM.:NOT CONSUMING	847	1000	744	1000	664	994	706	995	468
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	571
ESTD. PERSON:REGULARLY	3	0	0	0	26	1	29	1	X
REPORTING(00): CASUALLY	2	0	1	0	9	0	12	0	X
CONSUMP. OF : NOT CONSUMING	26	26	4	4	69	79	99	110	X
TOBACCO : ALL	30	26	5	4	105	80	140	110	X
SAMPLE PERSON:REGULARLY	8	0	2	0	61	2	71	2	X
REPORTING : CASUALLY	6	0	1	0	23	0	30	0	X
CONSUMP. OF : NOT CONSUMING	50	57	6	7	162	186	218	250	X
TOBACCO : ALL	64	57	9	7	246	188	319	252	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

TAMIL NADU		URBAN				NO.OF SAMPLE BLOCK:		407		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		216	0	229	0	142	2	155	1	1239
: CASUALLY		4	0	9	0	8	0	8	0	67
: NOT CONSUMING		779	1000	762	1000	851	998	837	998	15067
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16373
CHEWING >>>>: REGULARLY		6	29	30	38	14	15	16	19	279
ZARDA : CASUALLY		15	0	13	9	4	2	5	3	68
DOKTA ETC : NOT CONSUMING		979	971	957	953	982	983	979	978	16026
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16373
SNUFF >>>>: REGULARLY		1	0	2	7	8	2	7	3	84
: CASUALLY		0	0	0	1	1	0	0	0	8
: NOT CONSUMING		999	1000	998	993	992	998	993	997	16281
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16373
BURNT >>>>: REGULARLY		18	0	8	12	7	8	7	9	135
TOBACCO/ : CASUALLY		0	0	3	0	1	1	1	1	11
POWDER/PASTE:NOT CONSUMING		982	1000	989	988	992	991	991	991	16227
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16373
CONSUMPTION : REGULARLY		242	29	258	53	164	26	179	30	1673
OF TOBACCO : CASUALLY		19	0	14	8	11	3	12	3	126
IN ANY FORM. : NOT CONSUMING		739	971	728	939	824	971	810	967	14574
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	16373
ESTD. PERSON:REGULARLY		336	47	3574	737	13636	2158	17546	2942	X
REPORTING(00) : CASUALLY		27	0	195	111	935	232	1156	343	X
CONSUMP. OF : NOT CONSUMING		1029	1607	10071	13136	68416	80353	79515	95096	X
TOBACCO : ALL		1392	1654	13839	13984	82987	82742	98218	98381	X
SAMPLE PERSON:REGULARLY		18	3	277	69	1132	174	1427	246	X
REPORTING : CASUALLY		2	0	13	10	82	19	97	29	X
CONSUMP. OF : NOT CONSUMING		66	90	790	1020	5853	6755	6709	7865	X
TOBACCO : ALL		86	93	1080	1099	7067	6948	8233	8140	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

TRIPURA		URBAN				NO.OF SAMPLE BLOCK:		56		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		371	0	379	0	358	5	361	4	416
: CASUALLY		12	0	41	3	16	5	19	4	28
: NOT CONSUMING		618	1000	581	997	627	990	619	992	1877
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	2321
-----										
CHEWING >>>>: REGULARLY		173	224	80	138	125	167	120	164	310
ZARDA : CASUALLY		19	62	16	24	38	32	34	32	82
DOKTA ETC : NOT CONSUMING		807	714	904	837	837	801	846	805	1929
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	2321
-----										
SNUFF >>>>: REGULARLY		0	0	0	0	0	0	0	0	0
: CASUALLY		0	0	0	0	0	1	0	1	1
: NOT CONSUMING		1000	1000	1000	1000	1000	999	1000	999	2320
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	2321
-----										
BURNT >>>>: REGULARLY		46	0	11	10	6	6	8	7	12
TOBACCO/ : CASUALLY		0	0	0	0	4	2	3	2	3
POWDER/PASTE:NOT CONSUMING		954	1000	989	990	990	992	988	992	2306
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	2321
-----										
CONSUMPTION : REGULARLY		392	224	403	138	382	173	385	169	624
OF TOBACCO : CASUALLY		12	62	30	27	23	32	23	32	71
IN ANY FORM. : NOT CONSUMING		597	714	567	834	595	794	591	799	1626
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	2321
-----										
ESTD. PERSON:REGULARLY		24	10	104	40	536	235	663	285	X
REPORTING(00): CASUALLY		1	3	8	8	32	44	40	55	X
CONSUMP. OF : NOT CONSUMING		36	33	146	238	836	1080	1017	1351	X
TOBACCO : ALL		60	46	257	285	1403	1360	1721	1691	X
-----										
SAMPLE PERSON:REGULARLY		19	8	63	21	360	153	442	182	X
REPORTING : CASUALLY		1	3	5	6	27	29	33	38	X
CONSUMP. OF : NOT CONSUMING		37	28	92	149	570	750	699	927	X
TOBACCO : ALL		57	39	160	176	957	932	1174	1147	X
-----										

Report



TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

UTTAR PRADESH		URBAN		NO.OF SAMPLE BLOCKS :		448				
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		263	0	217	9	148	5	158	6	2013
: CASUALLY		0	0	21	0	11	0	12	0	136
: NOT CONSUMING		737	1000	763	991	841	995	830	994	20962
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	23111
-----										
CHEWING >>>>: REGULARLY		189	0	98	15	87	16	89	15	1198
ZARDA : CASUALLY		33	0	19	2	12	1	13	1	165
DOKTA ETC : NOT CONSUMING		778	1000	883	983	901	983	898	983	21748
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	23111
-----										
SNUFF >>>>: REGULARLY		0	0	0	0	0	0	0	0	14
: CASUALLY		33	0	0	0	0	0	0	0	4
: NOT CONSUMING		967	1000	1000	1000	999	1000	999	1000	23093
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	23111
-----										
BURNT >>>>: REGULARLY		0	0	0	0	0	0	0	0	17
TOBACCO/ : CASUALLY		33	0	0	0	1	0	1	0	6
POWDER/PASTE:NOT CONSUMING		967	1000	1000	1000	999	1000	999	1000	23088
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	23111
-----										
CONSUMPTION OF TOBACCO IN ANY FORM. : REGULARLY		406	0	289	23	206	20	219	21	2883
: CASUALLY		0	0	24	2	14	1	15	1	203
: NOT CONSUMING		594	1000	688	975	780	978	766	978	20025
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	23111
-----										
ESTD. PERSON:REGULARLY		348	0	5345	379	23944	2112	29636	2491	X
REPORTING(00) : CASUALLY		0	0	435	29	1632	148	2067	177	X
CONSUMP. OF TOBACCO : NOT CONSUMING		509	840	12718	15959	90669	101484	103896	118283	X
: ALL		857	840	18498	16367	116245	103744	135599	120951	X
-----										
SAMPLE PERSON:REGULARLY		18	2	412	38	2207	206	2637	246	X
REPORTING : CASUALLY		0	0	35	1	147	20	182	21	X
CONSUMP. OF TOBACCO : NOT CONSUMING		37	56	1002	1259	8415	9256	9454	10571	X
: ALL		55	58	1449	1298	10769	9482	12273	10838	X
-----										

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

WEST BENGAL		URBAN				NO.OF SAMPLE BLOCKS :				335
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	(10)
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		180	10	289	12	242	4	249	5	1909
: CASUALLY		49	2	31	2	24	0	25	1	201
: NOT CONSUMING		771	988	680	986	734	996	725	994	11407
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	13517
CHEWING >>>>: REGULARLY		104	7	150	42	86	34	98	34	793
ZARDA : CASUALLY		40	0	22	6	10	6	13	5	130
DOKTA ETC : NOT CONSUMING		856	993	829	952	903	961	890	960	12594
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	13517
SNUFF >>>>: REGULARLY		5	0	8	2	8	3	8	3	71
: CASUALLY		0	0	2	0	0	0	1	0	5
: NOT CONSUMING		995	1000	990	998	991	997	991	997	13441
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	13517
BURNT >>>>: REGULARLY		4	0	10	11	7	9	7	9	100
TOBACCO/ : CASUALLY		0	0	1	0	1	0	1	0	8
POWDER/PASTE:NOT CONSUMING		996	1000	989	989	993	991	992	991	13409
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	13517
CONSUMPTION OF TOBACCO IN ANY FORM. : REGULARLY		265	17	401	64	328	47	339	49	2709
: CASUALLY		47	2	30	7	26	6	27	6	245
: NOT CONSUMING		689	981	568	929	646	947	633	945	10563
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	13517
ESTD. PERSON:REGULARLY		343	22	5705	702	21556	2672	27604	3396	X
REPORTING(00): CASUALLY		61	3	431	81	1725	338	2217	422	X
CONSUMP. OF TOBACCO : NOT CONSUMING		894	1273	8083	10241	42520	54285	51497	65798	X
: ALL		1298	1298	14219	11023	65801	57296	81318	69616	X
SAMPLE PERSON:REGULARLY		41	3	459	54	1929	223	2429	280	X
REPORTING : CASUALLY		5	1	33	7	169	30	207	38	X
CONSUMP. OF TOBACCO : NOT CONSUMING		80	116	705	917	3849	4896	4634	5929	X
: ALL		126	120	1197	978	5947	5149	7270	6247	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ANDAMAN & NICOBAR IS.		URBAN				NO.OF SAMPLE BLOCKS :		40		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		65	23	203	0	142	2	140	3	126
: CASUALLY		3	0	28	0	26	0	24	0	24
: NOT CONSUMING		932	977	769	1000	832	998	836	997	1355
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1505
-----										
CHEWING >>>>: REGULARLY		524	92	266	48	197	50	218	53	218
ZARDA : CASUALLY		0	0	24	0	18	22	17	21	29
DOKTA ETC : NOT CONSUMING		476	908	710	952	784	927	764	927	1258
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1505
-----										
SNUFF >>>>: REGULARLY		0	0	0	0	7	0	6	0	4
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		1000	1000	1000	1000	993	1000	994	1000	1501
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1505
-----										
BURNT >>>>: REGULARLY		0	0	0	0	0	0	0	0	0
TOBACCO/ : CASUALLY		0	0	0	0	0	0	0	0	0
POWDER/PASTE:NOT CONSUMING		1000	1000	1000	1000	1000	1000	1000	1000	1505
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1505
-----										
CONSUMPTION : REGULARLY		566	115	328	48	308	51	324	55	308
OF TOBACCO : CASUALLY		0	0	28	0	28	22	26	21	34
IN ANY FORM. : NOT CONSUMING		434	885	644	952	664	926	650	925	1163
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	1505
-----										
ESTD. PERSON:REGULARLY		14	2	5	0	120	16	139	18	X
REPORTING(00): CASUALLY		0	0	0	0	11	7	11	7	X
CONSUMP. OF : NOT CONSUMING		11	16	9	8	259	288	279	313	X
TOBACCO : ALL		25	19	15	9	389	311	429	338	X
-----										
SAMPLE PERSON:REGULARLY		29	4	11	1	228	35	268	40	X
REPORTING : CASUALLY		0	0	1	0	22	11	23	11	X
CONSUMP. OF : NOT CONSUMING		19	34	21	19	498	572	538	625	X
TOBACCO : ALL		48	38	33	20	748	618	829	676	X
-----										

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

CHANDIGARH		URBAN		NO.OF SAMPLE BLOCKS :		15				
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		0	0	197	27	250	6	239	10	73
: CASUALLY		0	0	0	0	7	0	5	0	2
: NOT CONSUMING		0	0	803	973	744	994	756	990	462
: ALL		0	0	1000	1000	1000	1000	1000	1000	537
CHEWING >>>>: REGULARLY		0	0	21	0	44	0	39	0	10
ZARDA : CASUALLY		0	0	0	0	10	0	8	0	2
DOKTA ETC : NOT CONSUMING		0	0	979	1000	946	1000	953	1000	525
: ALL		0	0	1000	1000	1000	1000	1000	1000	537
SNUFF >>>>: REGULARLY		0	0	0	0	0	0	0	0	0
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		0	0	1000	1000	1000	1000	1000	1000	537
: ALL		0	0	1000	1000	1000	1000	1000	1000	537
BURNT >>>>: REGULARLY		0	0	22	0	0	0	4	0	1
TOBACCO/ : CASUALLY		0	0	0	0	1	0	1	0	1
POWDER/PASTE:NOT CONSUMING		0	0	978	1000	999	1000	995	1000	535
: ALL		0	0	1000	1000	1000	1000	1000	1000	537
CONSUMPTION : REGULARLY		0	0	240	27	252	6	249	10	76
OF TOBACCO : CASUALLY		0	0	0	0	8	0	6	0	3
IN ANY FORM. : NOT CONSUMING		0	0	760	973	741	994	745	990	458
: ALL		0	0	1000	1000	1000	1000	1000	1000	537
ESTD. PERSON:REGULARLY		0	0	128	12	528	10	656	22	X
REPORTING(00): CASUALLY		0	0	0	0	16	0	16	0	X
CONSUMP. OF : NOT CONSUMING		0	0	407	416	1556	1807	1962	2223	X
TOBACCO : ALL		0	0	535	428	2100	1818	2635	2245	X
SAMPLE PERSON:REGULARLY		0	0	14	1	60	1	74	2	X
REPORTING : CASUALLY		0	0	0	0	3	0	3	0	X
CONSUMP. OF : NOT CONSUMING		0	0	36	41	182	199	218	240	X
TOBACCO : ALL		0	0	50	42	245	200	295	242	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

DADRA & NAGAR HAVELI		URBAN		NO.OF SAMPLE BLOCKS :		8				
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----										
SMOKING >>>>: REGULARLY		237	0	188	0	94	0	157	0	29
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		763	1000	812	1000	906	1000	843	1000	305
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	334
-----										
CHEWING >>>>: REGULARLY		40	20	0	0	17	10	26	15	7
ZARDA : CASUALLY		0	0	0	0	14	0	8	0	2
DOKTA ETC : NOT CONSUMING		960	980	1000	1000	968	990	966	985	325
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	334
-----										
SNUFF >>>>: REGULARLY		0	0	0	0	0	22	0	9	1
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		1000	1000	1000	1000	1000	978	1000	991	333
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	334
-----										
BURNT >>>>: REGULARLY		34	0	0	0	14	0	22	0	3
TOBACCO/ : CASUALLY		0	0	0	0	0	0	0	0	0
POWDER/PASTE:NOT CONSUMING		966	1000	1000	1000	986	1000	978	1000	331
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	334
-----										
CONSUMPTION : REGULARLY		311	20	188	0	125	32	204	24	40
OF TOBACCO : CASUALLY		0	0	0	0	14	0	8	0	2
IN ANY FORM. : NOT CONSUMING		689	980	812	1000	861	968	788	976	292
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	334
-----										
ESTD. PERSON:REGULARLY		6	0	0	0	3	1	9	1	X
REPORTING(00) : CASUALLY		0	0	0	0	0	0	0	0	X
CONSUMP. OF : NOT CONSUMING		13	21	1	2	22	18	36	41	X
TOBACCO : ALL		19	21	2	2	25	18	46	42	X
-----										
SAMPLE PERSON:REGULARLY		24	1	2	0	11	2	37	3	X
REPORTING : CASUALLY		0	0	0	0	2	0	2	0	X
CONSUMP. OF : NOT CONSUMING		53	83	11	15	70	60	134	158	X
TOBACCO : ALL		77	84	13	15	83	62	173	161	X
-----										

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

DAMAN & DIU		URBAN				NO.OF SAMPLE BLOCKS :		8		
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
SMOKING >>>>: REGULARLY		333	0	0	0	136	0	141	0	22
: CASUALLY		0	0	0	0	0	0	0	0	0
: NOT CONSUMING		667	1000	0	0	864	1000	859	1000	325
: ALL		1000	1000	0	0	1000	1000	1000	1000	347
CHEWING >>>>: REGULARLY		0	0	0	0	14	0	13	0	3
ZARDA : CASUALLY		0	0	0	0	0	0	0	0	0
DOKTA ETC : NOT CONSUMING		1000	1000	0	0	986	1000	987	1000	344
: ALL		1000	1000	0	0	1000	1000	1000	1000	347
SNUFF >>>>: REGULARLY		0	0	0	0	0	0	0	0	0
: CASUALLY		0	0	0	0	0	5	0	5	1
: NOT CONSUMING		1000	1000	0	0	1000	995	1000	995	346
: ALL		1000	1000	0	0	1000	1000	1000	1000	347
BURNT >>>>: REGULARLY		0	0	0	0	10	0	10	0	2
TOBACCO/ : CASUALLY		0	0	0	0	3	0	3	0	1
POWDER/PASTE:NOT CONSUMING		1000	1000	0	0	986	1000	987	1000	344
: ALL		1000	1000	0	0	1000	1000	1000	1000	347
CONSUMPTION : REGULARLY		333	0	0	0	153	0	158	0	26
OF TOBACCO : CASUALLY		0	0	0	0	3	5	3	5	2
IN ANY FORM. : NOT CONSUMING		667	1000	0	0	843	995	838	995	319
: ALL		1000	1000	0	0	1000	1000	1000	1000	347
ESTD. PERSON:REGULARLY		1	0	0	0	24	0	25	0	X
REPORTING(00): CASUALLY		0	0	0	0	1	1	1	1	X
CONSUMP. OF : NOT CONSUMING		3	4	0	0	130	157	133	160	X
TOBACCO : ALL		4	4	0	0	154	157	158	161	X
SAMPLE PERSON:REGULARLY		2	0	0	0	24	0	26	0	X
REPORTING : CASUALLY		0	0	0	0	1	1	1	1	X
CONSUMP. OF : NOT CONSUMING		4	5	0	0	140	170	144	175	X
TOBACCO : ALL		6	5	0	0	165	171	171	176	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

DELHI		URBAN				NO.OF SAMPLE BLOCKS :				111
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000								
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMOKING >>>>: REGULARLY		168	52	293	8	142	6	174	7	335
: CASUALLY		15	0	10	0	5	1	6	1	20
: NOT CONSUMING		816	948	697	992	853	993	820	992	3691
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4046
CHEWING >>>>: REGULARLY		0	0	36	20	11	1	16	4	57
ZARDA : CASUALLY		0	0	0	0	6	0	5	0	7
DOKTA ETC : NOT CONSUMING		1000	1000	964	980	983	999	979	996	3982
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4046
SNUFF >>>>: REGULARLY		0	0	0	0	0	0	0	0	1
: CASUALLY		0	0	0	0	0	0	0	0	1
: NOT CONSUMING		1000	1000	1000	1000	1000	1000	1000	1000	4044
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4046
BURNT >>>>: REGULARLY		0	0	12	0	4	0	6	0	14
TOBACCO/ : CASUALLY		0	0	0	0	0	0	0	0	3
POWDER/PASTE:NOT CONSUMING		1000	1000	988	1000	995	1000	994	1000	4029
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4046
CONSUMPTION OF TOBACCO IN ANY FORM. : REGULARLY		168	52	325	28	152	7	187	11	387
: CASUALLY		15	0	10	0	9	1	9	1	22
: NOT CONSUMING		816	948	665	972	839	993	804	988	3637
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	4046
ESTD. PERSON:REGULARLY		178	32	2629	151	4688	162	7496	346	X
REPORTING(00): CASUALLY		16	0	78	0	264	19	359	19	X
CONSUMP. OF TOBACCO : NOT CONSUMING		863	594	5379	5208	25895	24342	32137	30144	X
: ALL		1057	627	8087	5359	30848	24522	39992	30508	X
SAMPLE PERSON:REGULARLY		6	2	90	5	275	9	371	16	X
REPORTING : CASUALLY		1	0	6	0	13	2	20	2	X
CONSUMP. OF TOBACCO : NOT CONSUMING		46	33	180	189	1585	1604	1811	1826	X
: ALL		53	35	276	194	1873	1615	2202	1844	X

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

LAKSHADWEEP									
URBAN									
NO.OF SAMPLE BLOCKS : 24									
-----									
FORMS OF TOBACCO									
CONSUMPTION.									
NUMBER PER 1000									
-----									
(1)	SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
-----									
SMOKING >>>>: REGULARLY	288	6	0	0	108	0	282	5	182
: CASUALLY	18	1	0	0	0	0	18	1	11
: NOT CONSUMING	694	993	0	0	892	1000	701	993	1149
: ALL	1000	1000	0	0	1000	1000	1000	1000	1342
-----									
CHEWING >>>>: REGULARLY	47	99	0	0	0	0	45	97	123
ZARDA : CASUALLY	17	17	0	0	0	0	16	16	28
DOKTA ETC : NOT CONSUMING	937	884	0	0	1000	1000	939	887	1191
: ALL	1000	1000	0	0	1000	1000	1000	1000	1342
-----									
SNUFF >>>>: REGULARLY	0	0	0	0	0	0	0	0	0
: CASUALLY	0	0	0	0	0	0	0	0	0
: NOT CONSUMING	1000	1000	0	0	1000	1000	1000	1000	1342
: ALL	1000	1000	0	0	1000	1000	1000	1000	1342
-----									
BURNT >>>>: REGULARLY	0	0	0	0	0	0	0	0	0
TOBACCO/ : CASUALLY	0	0	0	0	0	0	0	0	0
POWDER/PASTE:NOT CONSUMING	1000	1000	0	0	1000	1000	1000	1000	1342
: ALL	1000	1000	0	0	1000	1000	1000	1000	1342
-----									
CONSUMPTION :REGULARLY	326	105	0	0	108	0	319	102	298
OF TOBACCO :CASUALLY	19	18	0	0	0	0	18	18	27
IN ANY FORM.:NOT CONSUMING	655	877	0	0	892	1000	663	880	1017
: ALL	1000	1000	0	0	1000	1000	1000	1000	1342
-----									
ESTD. PERSON:REGULARLY	29	10	0	0	0	0	29	10	X
REPORTING(00): CASUALLY	2	2	0	0	0	0	2	2	X
CONSUMP. OF : NOT CONSUMING	58	85	0	0	3	2	61	88	X
TOBACCO : ALL	89	97	0	0	3	2	92	100	X
-----									
SAMPLE PERSON:REGULARLY	201	94	0	0	3	0	204	94	X
REPORTING : CASUALLY	11	16	0	0	0	0	11	16	X
CONSUMP. OF : NOT CONSUMING	414	566	0	0	20	17	434	583	X
TOBACCO : ALL	626	676	0	0	23	17	649	693	X
-----									



TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

PONDICHERY									
URBAN									
NO.OF SAMPLE BLOCKS : 32									
-----									
FORMS OF TOBACCO									
CONSUMPTION.									
NUMBER PER 1000									
-----									
(1)	SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	(10)
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
-----									
SMOKING >>>>: REGULARLY	0	0	254	0	97	1	109	1	78
: CASUALLY	0	0	18	0	13	1	13	1	11
: NOT CONSUMING	1000	1000	728	1000	890	998	878	998	1376
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1465
-----									
CHEWING >>>>: REGULARLY	0	0	0	0	4	14	4	13	13
ZARDA : CASUALLY	0	0	0	0	2	2	2	2	4
DOKTA ETC : NOT CONSUMING	1000	1000	1000	1000	994	984	994	986	1448
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1465
-----									
SNUFF >>>>: REGULARLY	0	0	0	0	5	1	5	1	5
: CASUALLY	0	0	0	0	5	0	5	0	2
: NOT CONSUMING	1000	1000	1000	1000	990	999	991	999	1458
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1465
-----									
BURNT >>>>: REGULARLY	0	0	0	0	0	1	0	1	1
TOBACCO/ : CASUALLY	0	0	0	0	2	0	1	0	1
POWDER/PASTE:NOT CONSUMING	1000	1000	1000	1000	999	999	999	999	1463
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1465
-----									
CONSUMPTION :REGULARLY	0	0	254	0	106	17	117	16	97
OF TOBACCO :CASUALLY	0	0	18	0	19	2	18	2	14
IN ANY FORM.:NOT CONSUMING	1000	1000	728	1000	876	981	864	982	1354
: ALL	1000	1000	1000	1000	1000	1000	1000	1000	1465
-----									
ESTD. PERSON:REGULARLY	0	0	46	0	208	37	254	37	X
REPORTING(00): CASUALLY	0	0	3	0	36	4	40	4	X
CONSUMP. OF : NOT CONSUMING	22	22	131	158	1716	2078	1870	2258	X
TOBACCO : ALL	22	22	180	158	1960	2119	2163	2299	X
-----									
SAMPLE PERSON:REGULARLY	0	0	12	0	72	13	84	13	X
REPORTING : CASUALLY	0	0	1	0	11	2	12	2	X
CONSUMP. OF : NOT CONSUMING	4	4	38	50	586	672	628	726	X
TOBACCO : ALL	4	4	51	50	669	687	724	741	X
-----									

TABLE (3U): NUMBER OF PERSONS REPORTING HABIT OF CONSUMPTION OF TOBACCO IN VARIOUS FORMS PER 1000  
PERSONS BY SEX AND HOUSEHOLD GROUP

ALL-INDIA		URBAN								NO.OF SAMPLE BLOCKS :	4650
FORMS OF TOBACCO CONSUMPTION.		NUMBER PER 1000									
(1)		SCHEDULED TRIBES		SCHEDULED CASTE		OTHERS		ALL		SAMPLE PERSONS	
		MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMOKING >>>>: REGULARLY		209	14	210	9	148	4	158	5	18942	
: CASUALLY		18	3	15	2	14	1	14	1	2129	
: NOT CONSUMING		774	983	775	990	839	995	828	994	187177	
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	208248	
CHEWING >>>>: REGULARLY		95	38	83	34	58	17	63	20	8872	
ZARDA : CASUALLY		14	5	12	4	9	2	9	3	1752	
DOKTA ETC : NOT CONSUMING		891	957	905	963	933	980	928	977	197624	
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	208248	
SNUFF >>>>: REGULARLY		2	6	2	4	3	3	3	3	555	
: CASUALLY		1	0	1	1	0	0	1	0	91	
: NOT CONSUMING		997	994	997	996	996	997	996	996	207602	
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	208248	
BURNT >>>>: REGULARLY		33	31	18	17	10	9	12	10	2216	
TOBACCO/ : CASUALLY		2	0	2	1	1	1	1	1	205	
POWDER/PASTE:NOT CONSUMING		966	968	980	983	989	991	987	989	205827	
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	208248	
CONSUMPTION OF TOBACCO IN ANY FORM. : REGULARLY		304	84	284	58	202	32	217	37	28243	
: CASUALLY		17	8	18	5	17	3	17	4	2944	
: NOT CONSUMING		679	908	699	937	781	965	766	959	177061	
: ALL		1000	1000	1000	1000	1000	1000	1000	1000	208248	
ESTD. PERSON:REGULARLY		9707	2515	40151	7248	169477	24154	219335	33917	X	
REPORTING(00): CASUALLY		548	242	2512	651	13993	2430	17053	3323	X	
CONSUMP. OF TOBACCO : NOT CONSUMING		21697	27162	98879	117411	653961	734634	774537	879208	X	
: ALL		31951	29919	141542	125310	837431	761218	1010925	916447	X	
SAMPLE PERSON:REGULARLY		2450	1024	3548	689	17911	2621	23909	4334	X	
REPORTING : CASUALLY		212	339	263	73	1693	364	2168	776	X	
CONSUMP. OF TOBACCO : NOT CONSUMING		4393	5364	8979	10813	69600	77912	82972	94089	X	
: ALL		7055	6727	12790	11575	89204	80897	109049	99199	X	

Report